# WennSoft





# Signature Utilities Guide

Version: Signature 2025 (18.8)

Exported: 10/20/2025

## **Legal Declarations**

#### Copyright

Copyright © 2025 WennSoft, Inc. All rights reserved.

Your right to copy this documentation is limited by copyright law and the terms of the software license agreement. As the software licensee, you may make a reasonable number of copies or printouts for your own use. Making unauthorized copies, adaptations, compilations, or derivative works for commercial distribution is prohibited and constitutes a punishable violation of the law.

Portions of this manual are taken from materials and products by Microsoft Dynamics GP. Copyright 2025 by Microsoft. Reprinted by permission of Microsoft. Unless otherwise noted, all names of companies, products, street addresses, and persons contained herein are fictitious and are used solely to document the use of this product.

#### **Trademarks**

All company or product names mentioned are trademarks or registered trademarks of WennSoft, Microsoft, or of their respective holders.

#### Warranty

WennSoft disclaims any warranty regarding the program, documentation, or sample code contained in this document, including the warranties of merchantability and fitness for a particular purpose.

#### **Limitation of Liability**

The information contained within this manual, if modified by a Partner or Customer, from the original version delivered by WennSoft, shall indemnify and release WennSoft from any loss, damage, or error resulting from the use of this modified documentation. The resulting content of this manual is furnished for informational use only, is subject to change without notice, and should not be construed as a commitment by WennSoft. WennSoft assumes no responsibility or liability for any errors or inaccuracies that may appear in this manual. Neither WennSoft nor anyone else who has been involved in the creation, production, or delivery of this documentation shall be liable for any indirect, incidental, special, exemplary, or consequential damages, including but not limited to any loss of anticipated profit or benefits, resulting from the use of this documentation or sample code.

#### **License Agreement**

Use of this product is covered by a license agreement provided by WennSoft, with the software product. If you have any questions, please call WennSoft Sales at 262-821-4100.

# **Table of Contents**

| Signature Utilities Introduction                           | 1  |
|--|----|
| Signature Utilities Setup                                  | 1  |
| Launching Signature Utilities                              | 1  |
| Setting Up Signature Utilities                             | 1  |
| Setting Up the Import Utility                              | 2  |
| Viewing the Import Journal                                 | 2  |
| Viewing the System Report                                  | 2  |
| Signature Import Utility                                   | 2  |
| Preparing to Import Files                                  | 3  |
| Import File Guidelines                                     | 3  |
| Creating the Import File                                   | 3  |
| Information to Include in the Import File                  | 4  |
| Name and Location of the Import File                       | 4  |
| Update to Change Order Rules                               | 4  |
| Using the Import Utility                                   | 5  |
| Importing Service Call Information into Service Management | 6  |
| After Importing Job Cost Files                             | 7  |
| Troubleshooting the Import Utility                         | 7  |
| File Maintenance Utilities                                 | 8  |
| Job Cost File Maintenance Utilities                        | 8  |
| Purge Utility  | 8  |
| Remove Job History Utility                                 | 9  |
| Clear Data Utility in Job Cost                             | 9  |
| Date Validation Utility                                    | 9  |
| Update Division Accounts Utility                           | 9  |
| Enable Payroll Utility                                     | 10 |
| APOP to POP Migration Utility                              | 10 |
| Service Management File Maintenance Utilities              | 10 |
| Clear Contract Tasks Utility                               | 11 |
| Tax Schedule Fill Utility                                  | 11 |
| Check Links Utility  | 11 |

|       | Verify File Contents Utility             | 12 |
|-------|--|----|
|       | Customer Update Utility                  | 12 |
|       | Equipment Update Utility                 | 12 |
|       | Contract Update Utility                  | 13 |
|       | Service Locations Utility                | 13 |
|       | Phone Extensions Utility                 | 13 |
|       | Merge Customer Locations Utility         | 13 |
|       | Service Sublocations Utility             | 14 |
|       | Rounding Problem Utility                 | 14 |
|       | Clear Data Utility in Service Management | 15 |
|       | Task Update Utility                      | 15 |
| Si    | gnature File Maintenance Utilities       | 15 |
|       | SQL Update Utility                       | 15 |
|       | SQL Table Verify Utility                 | 15 |
|       | SQL Update Misc User Utility             | 16 |
|       | SQL Create Table Views                   | 16 |
|       | SQL Auto Call Roll Forward Utility       | 16 |
| Field | l Definitions                            | 17 |
| W     | arehouse File Names                      | 17 |
| Se    | ervice Management Field Definitions      | 18 |
|       | Service Call Master File                 | 19 |
|       | Customer Master File                     | 23 |
|       | Location Master File                     | 27 |
|       | Receivables Sum Master File              | 30 |
|       | Equipment Master File                    | 35 |
|       | Contract Master File                     | 41 |
|       | Contract Task Master File                | 48 |
|       | Job Costs Master File                    | 53 |
|       | Employee Master File                     | 57 |
| Jo    | ob Cost Field Definitions                | 63 |
|       | Job Master File                          | 64 |
|       | Job Detail Master File                   | 66 |

| Cont | tact Information                | 79  |
|------|---------------------------------|-----|
|      | Cost Code Master File           | .76 |
|      | JC Vendor Master File           | .74 |
|      | Change Order Detail Master File | .72 |
|      | Change Order Master File        | .70 |
|      | Billing Codes Master File       | .70 |

# **Signature Utilities Introduction**

Signature Utilities is a utility program that is used to import data into Service Management and Job Cost and to upgrade data files. It also includes file maintenance utilities. The Conversion utility is part of the Signature Utilities program, but is performed as part of the Signature Products upgrade process. The Conversion utility is documented in the Upgrading Signature products section of the Signature Products Installation, Upgrade, and New Features Manual.



Signature Utilities is separate from the utilities available in Service Management and Job Cost.

## **Signature Utilities Setup**

This section provides the necessary steps for setting up Signature Utilities.



Signature Utilities is installed using the Signature Products installation wizard. If you did not install Signature Utilities when you installed Signature products, refer to the Installing Signature products section of the Signature Products Installation Manual for instructions.

#### See also:

- Launching Signature Utilities (page 1)
- Setting Up Signature Utilities (page 1)

## **Launching Signature Utilities**

- 1. Select Start > All Programs > Signature.
- 2. Right-click on **Signature Utilities** and select *Run as administrator.*
- 3. In the Welcome to Signature Utilities window, select a server.
- 4. Enter the user ID with the sysAdmin role in SQL.
- 5. Enter the password.
- 6. Select OK.
- 7. Select a company.
- 8. Select OK.

## **Setting Up Signature Utilities**

- Setting Up the Import Utility (page 2)
- Viewing the Import Journal (page 2)
- Viewing the System Report (page 2)

#### **Setting Up the Import Utility**

Before importing data files into Service Management and Job Cost, you must specify their location.

- 1. Select Signature Utilities > Setup > Import Setup.
- 2. Select the folder button in the Delimited Files Location field to select the path to the import files' location.
- 3. In the File Format field, select **Comma** or **Tab** from the drop-down list. Comma-delimited files end in .CSV and tab-delimited files end in .TXT.
- 4. Select a format from the Date Format drop-down list.
- 5. Select Save.

## **Viewing the Import Journal**

The Import Journal window shows the date the files were last updated and the user ID of the person who performed the import.

Select Signature Utilities > Setup > Import Journal.

## **Viewing the System Report**

The System Information report lists the contents of the DYNAMICS.SET file and other system information.

Select Signature Utilities > Setup > System Information. Complete the Report Destination screen.

# **Signature Import Utility**

This section describes the steps for importing files into Service Management Series and Job Cost.

Signature Utilities validates imported data, which means if a record does not have data in the validated fields, the record is not imported.

In addition, when you import customer or location data files into Service Management, both Service Management and Microsoft Dynamics GP tables are updated. If you import data using the Microsoft Dynamics GP Import Utility, only Microsoft Dynamics GP tables are updated. For more information on import field definitions, see <u>Field Definitions (page 17)</u>.

Updated Job Cost change order rules have been implemented in Signature 2016 R3.

#### See also:

- Preparing to Import Files (page 3)
- Creating the Import File (page 3)
- Update to Change Order Rules (page 4)
- Using the Import Utility (page 5)

## **Preparing to Import Files**



We recommend using comma-delimited (.CSV) files which can be created from Excel spreadsheet files.

#### **Import File Guidelines**

- Files to be imported should be located on the same drive on which the import is being done.
- Make sure you have data in all validated fields. See Field Definitions (page 17). Validated fields are marked with an asterisk.
- Fields must follow exact order by field position. See Field Definitions (page 17) for file layouts. If no value is needed, use commas or tabs for the exact number of fields required. Example: AARONFIT0001, PRIMARY,,,,,,,, (Excel adds the additional commas for blank cells when the file is saved as ".CSV.")
- If a field contains a comma, the entire field must be surrounded by quotation marks or separated by tabs. For example, XYZ Company, Inc. must be entered as: ,"XYZ Company, Inc.",,, or it will be interpreted as two fields. The use of a tab-delimited file will also avoid this error.
- Fields should only be padded with spaces at the end or right side.
- Currency fields must be in the following format: 000.00 or +0000001000.00 Don't use commas or currency symbols. Use two decimal digits. Signs (- or +) must be leading, if used.
- Date fields must be in any of the following formats:

| MM/DD/YYYY | 07/06/1999 or 7/6/1999  |
|------------|-------------------------|
| MM/DD/YY   | 07/06/99 or 7/6/99      |
| DD/MM/YYYY | 30/03/1999 or 30/3/1999 |
| DD/MM/YY   | 30/03/99 or 30/3/99     |



Date fields must match the setting in Setup > Import Setup.

- Time fields must be in military format. For example, use 153000 to designate 15 hours, 30 minutes, 0 seconds or 3:30 p.m. Use: HourMinuteSecond A blank time field will result in 12:00 a.m.
- Check Box fields must be in the following format: 0 = false (unmarked) or 1 = true (marked)
- Boolean fields must be in the following format: **0 = false** or **1 = true**
- Phone numbers should be in the following format: 41482141000000 List the area code, 7 digit phone number, and 4 digit extension. Don't use dashes or parentheses.
- Integers must be in the following format: 550 (= 5.50) or 500 (= 5.00) Don't use decimal points.
- Percentages must be in the following format: 0.065 (= 6.5%) or 0.1 (= 10%)

## **Creating the Import File**

You create an import file using a text editor (such as WordPad) or Excel. We recommend using comma-delimited (.CSV) files which can be created with Excel spreadsheet files.

• Information to Include in the Import File (page 4)

- Import File Guidelines (page 4)
- Sample Import File (page 4)
- Name and Location of the Import File (page 4)

#### Information to Include in the Import File


Each row (in a text file) or each column (in an Excel file) corresponds to a field within Service Management. You need to know the individual field definitions and storage type definitions for each field in Service Management files related to service calls. See Service Call Master File (page 19) for information on these fields.

#### **Import File Guidelines**

See Import file guidelines (page 3) for information on import file guidelines.

#### Sample Import File

Below is a sample import file that was created as a spreadsheet. The first row of the import file is reserved for header information and is not imported.



## Name and Location of the Import File

- The name of the import file must correspond to the type of data being imported. See <u>File Maintenance Utilities (page 8)</u> for a list of names.
- The file must be placed in the location that was set up in the Import Setup Options window. See <u>Setting up the import utility (page 2)</u> for more information.

## **Update to Change Order Rules**

If you are using the RPO revenue recognition method, the updated change order rules were implemented in the Signature 2016 R3 release. The change orders that can be created are limited based on the job's contract type:

| Job Type | Change Order Type |
|----------|-------------------|
| Fixed    | Fixed, Cost Plus  |

| Job Type      | Change Order Type |
|---------------|-------------------|
| Cost Plus     | N/A - None        |
| Cost Plus NTE | Cost Plus NTE*    |

<sup>\*</sup>By design, a Cost Plus NTE change order increases the overall NTE amount for the job. It is not tracked as a separate NTE change order.

## **Using the Import Utility**

The file import process involves the following:

- Loading all records from the import (delimited) file to the warehouse file
- Validating the records against the appropriate files
- Committing the valid records to the destination file(s)

#### To use the Import Utility:

- 1. Select Signature Utilities > Import Utility.
- 2. Select Job Cost or Service Management.
- 3. Select a file to import data to. See <u>Field definitions (page 17)</u> for import field definitions. The Import window opens. The lower scrolling window displays the existing records in the file you are importing to.

  When importing a large amount of data, you may want to place the import files and client on the server for faster importing. When importing the Customer Master File, address codes referenced in the customer records must also exist or be imported in the Location Master File
- 4. Select the *Import* button to import the delimited file. Respond *Yes* to the message asking if you want to continue. The delimited file is imported to a warehouse file where the validation takes place. The contents of the warehouse file display in the upper scrolling window of the Import window.
- 5. Select whether to show valid records, invalid records, or both in the upper scrolling window by marking or unmarking the *Show Valid Records* and *Show Invalid Records* checkboxes.
- 6. Select the show/hide detail button to view the status and description. Valid records have a status of Add or Update. Invalid records have a status of Missing, Duplicate, or Invalid.

  Although only three fields from the warehouse file display in the upper scrolling window, all required fields are validated, updated, or rejected during the import process.
- 7. Select *Commit* to commit the records. Records with a status of Change or Add will be moved from the warehouse file to the corresponding Signature and Microsoft Dynamics GP tables. Rejected records will not be added to the master file. If you are importing Customer, Equipment, or Contract records, you will receive a message asking if you want to update the appropriate quicksearch file. If you have a large quicksearch file, you may want to select *No* and update it later to save time. If you select *No*, you must delete the contents of the quicksearch file and run the update after you finish importing (*Signature Utilities* > *File Maintenance Utilities* > *Service Management* > *Customer Update*).
- 8. You will receive a message stating how many new records will be added. Respond *Yes* to the question "Do you want to copy the records?"
- 9. Print the report by choosing the printer button in the Import window. Review the report.

#### See also:

- Importing Service Call Information into Service Management (page 6)
- After Importing Job Cost Files (page 7)

• Troubleshooting the Import Utility (page 7)

#### **Importing Service Call Information into Service Management**

You can use a utility to import service call information into Service Management. Since service calls require at least one appointment, this utility creates default appointments for all imported service calls. At this time, you cannot import cost or billing information.

- Before Importing (page 6)
- Importing Service Call Information (page 6)
- After Importing (page 6)
- Service Call Import Journal (page 7)

#### **Before Importing**

Every service call created in Service Management contains an ID that uniquely identifies that service call. When you create a service call, you can enter a service call ID manually, or have the system generate it automatically.

Before importing service calls, answer the following question:

How is your Signature system set up to create service calls?

If the system is set up to auto-generate service calls, you *do not* need to include service call ID's in your import file. If the system is set up so that users need to enter a service call ID each time a new service call is created, then you must include service call ID's in your import file.

This choice was determined when your system was set up initially. When you create your import file, you need to know how this was set up so that you can determine whether you need to include the service call ID in your import file. Select *Microsoft Dynamics GP > Tools > Setup > Signature Service > Module Setup > Service Call ID*.



If the system is set up to auto-generate service calls, and you do happen to include service call IDs in your import file, then during the import process, the system will store that service call ID you entered in the Service User Defined 1 field in the Service Call window. This allows you to reference these service call IDs later, if necessary.

#### **Importing Service Call Information**

- 1. Select Signature Utilities > Import Utility > Service Management.
- 2. Select Service Call MSTR. The Service Call Import window opens.
- 3. Refer to <u>Using the import utility (page 5)</u> for step-by-step instructions on completing this window and finishing the import process.

#### **After Importing**


After importing service calls, the system does the following:

- Creates a default appointment for each newly imported service call, and a new record in appointment history (if the appointment history option is enabled)
- Creates a new record in the service call history log
- Creates a Service Call Import Journal (see below)

#### **Service Call Import Journal**

This report provides a list of all service call import records, including those that were imported successfully and those that were not imported. For rejected service call records, the report provides the reason for the rejection.

A sample report appears below:



## **After Importing Job Cost Files**

After importing Job Cost files, run the following utilities in Job Cost:

| >If you imported this | Run this utility         | Navigation path   |
|-----------------------|--------------------------|---|
| Bill Codes            | Reconcile Bill Codes     | Tools > Utilities > Job Cost > Reconcile Bill Codes     |
| Subcontractors        | Reconcile Subcontractors | Tools > Utilities > Job Cost > Reconcile Subcontractors |

For more information on these utilities, refer to the *Job Cost User Manual*.

## **Troubleshooting the Import Utility**

• Date fields are not importing correctly

If the imported file used a date format containing slashes such as 02/15/15, check the source data. The record must be typed: '02/15/15. The single quote identifies the numbers as a date with slashes.

- The phone button in the customer window doesn't work
  - Most likely, phone numbers were imported without the four-digit extension. Therefore, Service Management cannot find a matching record. Select Signature Utilities > File Maintenance Utilities > Service Management > Phone Extensions. Run the utility to set all phone and fax number extensions to 0000.
- Service Management maintenance contract records are not importing correctly When Premier users import maintenance contract records, the escalation date is required. Ensure the field location contains the anniversary date.

## **File Maintenance Utilities**

This section describes the maintenance processes performed by Signature Utilities to keep Service Management and Job Cost files working smoothly.



Always back up your data files before performing any file maintenance procedure.

#### See also:

- Job Cost File Maintenance Utilities (page 8)
- Service Management File Maintenance Utilities (page 10)
- Signature File Maintenance Utilities (page 15)

#### **Job Cost File Maintenance Utilities**

- Purge Utility (page 8)
- Remove Job History Utility (page 9)
- Clear Data Utility in Job Cost (page 9)
- Date Validation Utility (page 9)
- Update Division Accounts Utility (page 9)
- Enable Payroll Utility (page 10)
- APOP to POP Migration Utility (page 10)

## **Purge Utility**

The Purge utility deletes non-job related detail from the Job Transaction Open file. The Purge utility decreases the time required to print reports that use both sorting options and the Job Transaction Open file.



Back up your data before purging the files. Make sure no one is logged in to Microsoft Dynamics GP when you purge Job Cost data files. If other users are logged in, an alert message appears, and the purge process will not run to completion.

- 1. Select Signature Utilities > File Maintenance Utilities > Job Cost > Purge.
- 2. A message appears asking if you want to proceed. Select *Proceed*.

## **Remove Job History Utility**

Job transaction records provide useful information for analysis and audit purposes. When you close a job, transaction files automatically become part of the Job Cost historical records and remain part of your accounting records until you run the Remove Job History utility.



Back up your Job Cost data files before removing history.

- 1. Select Signature Utilities > File Maintenance Utilities > Job Cost > Remove Job History.
- 2. All closed jobs appear in the scrolling window.
  - a. To remove an individual job, mark the checkbox in the Status column. The status changes from Available
  - b. To mark all history jobs for removing, select Mark All. Select Unmark All to unmark all marked jobs in the scrolling window.
  - c. To view only the marked jobs, select the *Marked* radio button.
- 3. Select *Print* to print the Remove Job History report. This report contains job numbers to be removed, the job manager, and the job contract number.
- 4. Select *Remove* to remove job history for the jobs displayed in the scrolling window.

#### **Clear Data Utility in Job Cost**

If your data becomes severely damaged, you can clear it from the tables and then re-enter the data. Clearing data deletes the data from a table and should only be done as a last resort.



Back up the entire folder containing the tables to be cleared before performing this utility.

#### To clear data:

- 1. Select Signature Utilities > File Maintenance Utilities > Job Cost > Clear Data.
- 2. Select a table to clear in the Tables scrolling window and select *Insert*>> to insert it in the Selected Tables scrolling window. Repeat this procedure for each table you want to clear. If you want to select all table for clearing, select All >>.
- 3. Select Clear Data. All selected tables will be cleared.

## **Date Validation Utility**

This utility validates the posting dates of your Job Cost data. The utility only changes the GL posting date recorded on job transactions if the date is different from the one on the GL posting.



Back up the entire folder containing the files to be cleared before performing this utility.

- 1. Select Signature Utilities > File Maintenance Utilities > Job Cost > Date Validation.
- 2. A message appears asking if you want to proceed. Select *Proceed*.

## **Update Division Accounts Utility**

This utility updates the general ledger posting account for all cost codes in a division when the division account has been changed in the Division Accounts Setup window. If you're using the Division posting option, the utility validates that all cost codes have the correct division account. This is useful if you imported jobs and cost codes or migrated from another system.

- 1. Select Signature Utilities > File Maintenance Utilities > Job Cost > Update Division Accts.
- 2. A message appears asking if you want to proceed. Select *Proceed*.

#### **Enable Payroll Utility**

This utility grants access to Microsoft Dynamics GP payroll forms that are used in Signature products.

- 1. Select Signature Utilities > File Maintenance Utilities > Job Cost > Enable Payroll.
- 2. A message appears asking if you want to proceed. Select *Proceed*.

#### **APOP to POP Migration Utility**

If you enter/match an invoice in Microsoft Dynamics GP Purchase Order Processing (POP) (*Transactions > Purchasing > Enter/Match Invoices*) for a shipment that was posted before migrating from Intellisol Advanced Purchase Order Processing (APOP) to POP, the shipment costs might be posted twice in Job Cost. The APOP to POP Migration utility removes duplicate posted transactions.

#### Step 1: Run the APOP to POP Migration Utility

- 1. Select Signature Utilities > File Maintenance Utilities > Job Cost > APOP to POP Migration.
- 2. A message appears asking if you want to proceed. Select *Proceed*. A report appears listing the duplicate posted transactions that were removed.

#### **Step 2: Run the Reconcile Jobs Utility**

You must run the Reconcile Jobs utility for each job that contains duplicate posted transactions.

- 1. Select Microsoft Dynamics GP > Tools > Utilities > Signature Job Cost > Reconcile Jobs.
- 2. Mark the appropriate checkboxes, and select *All* for the range. To save time, you can unmark the Validate Job Transactions and Print Audit Report checkboxes.
- 3. Select Reconcile.

## **Service Management File Maintenance Utilities**

- Clear Contract Tasks Utility (page 11)
- Tax Schedule Fill Utility (page 11)
- Check Links Utility (page 11)
- Verify File Contents Utility (page 12)
- Customer Update Utility (page 12)
- Equipment Update Utility (page 12)
- Contract Update Utility (page 13)
- Service Locations Utility (page 13)
- Phone Extensions Utility (page 13)
- Merge Customer Locations Utility (page 13)
- Service Sublocations Utility (page 14)
- Rounding Problem Utility (page 14)
- Clear Data Utility in Service Management (page 15)

• Task Update Utility (page 15)

#### **Clear Contract Tasks Utility**

If you delete an MCC service call and need to re-create it, run this utility to clear the contract tasks so the service call can be re-created.

- 1. Select Signature Utilities > File Maintenance Utilities > Service Management > Clear Contract Tasks.
- 2. Select to run the utility for all customers or for an individual customer.
- 3. Use the drop-down lists to select a month and year in which to clear the tasks.
- 4. If you are running the utility for an individual customer, complete the remaining fields. Use the lookups in the Customer ID, Location, and Contract Number fields to make your selections.
- 5. Select OK to run the utility.

## **Tax Schedule Fill Utility**

This utility updates all service records that have empty tax schedule IDs.

- 1. Select Signature Utilities > File Maintenance Utilities > Service Management > Tax Schedule Fill.
- 2. Enter the tax schedule ID to add to all locations with empty tax schedule IDs. The tax schedule ID must already be set up in Microsoft Dynamics GP.
- 3. Select Fill.

## **Check Links Utility**

This utility checks the links between certain tables. If information in one table is missing or damaged, this process examines other tables where the same information is stored. If a missing or damaged record is found, the remaining data or records will be deleted so you can manually re-enter the damaged data.



Back up the entire folder containing the tables to be checked before performing this process.

- 1. Select Signature Utilities > File Maintenance Utilities > Service Management > Check Links.
- 2. Select the table you want to check in the Tables scrolling window and select *Insert* >> to insert it in the Selected Tables scrolling window.

The following tables are checked:

| Table                    | Check links with: |
|--------------------------|-------------------|
| SV_Contract_Billing_MSTR | SV_Maint_MSTR     |
| SV_Customer_MSTR         | RM_Customer_MSTR  |
| SV_Equipment_MSTR        | SV_Location_MSTR  |
| SV_Location_MSTR         | SV_Customer_MSTR  |

| Table                | Check links with:                                   |
|----------------------|---|
| SV_Maint_Annual_MSTR | SV_Customer_MSTR SV_Location_MSTR SV_Equipment_MSTR |
| SV_Maint_MSTR        | SV_Location_MSTR                                    |
| SV_Service_MSTR      | SV_Customer_MSTR                                    |

- 3. Select *Preview* to view the missing or damaged records. An error log report prints.
- 4. Select the Check Links button to begin the process. You will receive a message asking if you want to continue. Select Continue.
- 5. You will receive a message when the Check Links utility is complete. Select OK.



Service Management also has a Check Links process that checks specific links. See the *Utilities section in* the *Service Management User Manual* for more information.

#### **Verify File Contents Utility**

This utility verifies that your data tables contain valid data. Data can become damaged after a hardware failure or as you increase your database size or install software upgrades.

- 1. Select Signature Utilities > File Maintenance Utilities > Service Management > Verify File Contents.
- 2. Select a table in the Tables scrolling window and select *Insert* >> to insert it in the Selected Tables scrolling window. Repeat this procedure for each table you want to verify. Select All >> if you want to insert all tables.
- 3. Select Verify to begin the process.
- 4. You will receive a message when the tables are verified. Select OK.
- 5. If any tables are reported as invalid, an error report will be generated listing individual damaged records. Call WennSoft Support if you need assistance to repair damaged records.

## **Customer Update Utility**

This utility updates your customer database information. As you install Service Management software upgrades or increase the size of your customer database files, you should run the customer update utility. This utility deletes the old customer quicksearch file and creates a new one. This file contains key fields from the Microsoft Dynamics GP customer and customer address files as well as the Service Management customer and location files.

Select Signature Utilities > File Maintenance Utilities > Service Management > Customer Update.

## **Equipment Update Utility**

The Equipment Update utility updates your equipment database. As you install Service Management software upgrades or increase the size of your customer database files, you should run the equipment update utility. This utility deletes the old equipment quicksearch file and creates a new one. This file contains key fields from the Service Management equipment file.

Select Signature Utilities > File Maintenance Utilities > Service Management > Equipment Update.

#### **Contract Update Utility**

The Contract Update utility updates your contract database. As you increase your database size or install software upgrades, you should run the contract update utility. This utility archives all canceled and closed contracts, then deletes them from the contract history and contract quicksearch tables. The quicksearch file is deleted and replaced with a new quicksearch file that contains key fields from the Service Management contract file.



If you would like the closed contracts to be populated in the quicksearch file after running this utility, you must contact Signature Consulting Services to have this done for you.

Select Signature Utilities > File Maintenance Utilities > Service Management > Contract Update.

## **Service Locations Utility**

The Service Locations utility creates Service Management location records for locations previously entered through Microsoft Dynamics GP. Existing Service Management location records are not modified. After running the Service Locations utility, you should run the Customer Update utility to update your customer database information.

- 1. Select Signature Utilities > File Maintenance Utilities > Service Management > Service Locations.
- 2. Enter the location name, labor rate group, and price matrix. The utility validates these fields.
- 3. Select Save.
- 4. A message appears asking if you want to continue. Select Yes. The SV Location MSTR file will be updated.
- 5. Run the Customer Update utility by choosing Signature Utilities > File Maintenance Utilities > Service Management > Customer Update.

## **Phone Extensions Utility**

If phone numbers were imported into Service Management without extensions or without entering zeroes for the extension, the phone button in the Service Manager window will not work. This utility changes all empty extensions for phone numbers and fax numbers to 0000.

- 1. Select Signature Utilities > File Maintenance Utilities > Service Management > Phone Extensions.
- 2. A message appears asking if you want to proceed. Select *Proceed*.

## **Merge Customer Locations Utility**

If you have multiple locations for a customer, you can use this utility to merge all records associated with those locations into a single location. The merge process reassigns all equipment, tasks, contracts, service calls, and subsidiary records from one customer location to another location.

For example, a customer has the following multiple location records:

- Location 1 (primary) Contract 100
- Location 2 (warehouse) Contract 200

When you merge Location 2 and the subsidiary Contract 200 record into Location 1, both Contract 100 and Contract 200 will be stored with the Location 1 record. If you need to delete Location 2, you can do this from the Location window as this validates the address is not in use and will warn you if it cannot be deleted.

If a duplicate record is found at the primary location, the process will be suspended and you can modify or delete the affected records.

#### 8

#### **IMPORTANT**

- The Bill to Customer/Bill to Address information for any records that reference the Service Location to be merged will not be updated. Please evaluate all instances where this Service Location is used as a Bill to Address for any open Service Call, Service Invoice, Master Contract, and/or Maintenance Contract
- This feature is NOT compatible with Equipment Management and will not update the link between the EMS Equipment and the Signature Customer and Location. Any links for Equipment for the service location that has been merged will need to be updated to ensure ongoing scheduled maintenance can be properly generated.

#### To merge customer locations:

- 1. Select Signature Utilities > File Maintenance Utilities > Service Management > Merge Cust. Locations.
- 2. Enter the customer ID and associated address ID that will be merged to a different location. The originating address ID cannot be the primary address. Any task, equipment, contract, or service call records associated with this address ID will be moved to the new location.
- 3. Enter the new location where the merged file will be located.
- 4. Select *Merge*. If records could not be merged, those records and associated alert messages will print on the Merge Location Error Log.
- 5. To merge files from a second location to this location, you must complete this procedure again.

## **Service Sublocations Utility**

Users who previously had not used the sublocation feature can use this utility to first capture the data in the Equipment is Located field of the Equipment window. The captured data is placed into the validated Sublocation ID field of the Equipment window.

- 1. Select Signature Utilities > File Maintenance Utilities > Service Management > Service Sublocations.
- 2. A message appears asking if you want to proceed. Select *Proceed*.

## **Rounding Problem Utility**

The Rounding Problem utility resolves a rounding issue between Service Management and Microsoft Dynamics GP that existed in versions 3.15b03 and earlier. On occasion, a service invoice would post to the RM Open file with a fraction of one cent. When this happened, payments were not fully applied. Therefore, paid transaction removal would fail, leaving these transactions in the RM Open File rather than the RM\_History table. Microsoft Dynamics GP would not clear out these transactions because it did not see them as fully applied. This utility clears any fraction of pennies from the Current Trx Amount and Original Trx Amount fields in the RM Open file. Then the transaction is considered to be fully applied and can be moved to the RM\_History table.

- 1. Select Signature Utilities > File Maintenance Utilities > Service Management > Rounding Problem.
- 2. Select *Preview* to view the transactions that will be affected.
- 3. Select *Proceed* to run the utility.

#### **Clear Data Utility in Service Management**

If your data becomes severely damaged, you can clear it from the tables and then re-enter the data. Clearing data erases the data from a table and should only be done as a last resort. You should be well-acquainted with the table structure and table dependencies of Service Management before attempting this procedure.



Back up the entire folder containing the tables to be cleared before performing this utility.

- 1. Select Signature Utilities > File Maintenance Utilities > Service Management > Clear Data.
- 2. Select the table you want to clear in the Tables scrolling window and select *Insert* >> to insert it in the Selected Tables scrolling window. Repeat this procedure for each table you want to clear. You can also select All>> if you want to clear all Service Management data.
- 3. Select Clear Data. A message appears asking if you're sure you want to clear the data.
- 4. Select Yes to clear all selected tables. You must re-enter all cleared information to restore the tables.

#### **Task Update Utility**

Task schedules of 0, 98, and 99 are not supported in Signature version 7.5 and later. Users upgrading from versions before 7.5 should run the Task Update utility to replace these schedules. The utility replaces all task schedules of 0, 98, or 99 with a task schedule of 13 and a frequency of Monthly.

- 1. Select Signature Utilities > File Maintenance Utilities > Service Management > Task Update.
- 2. Select Yes to the message asking if you want to continue.

## **Signature File Maintenance Utilities**

- SQL Update Utility (page 15)
- SQL Table Verify Utility (page 15)
- SQL Update Misc User Utility (page 16)
- SQL Create Table Views (page 16)
- SQL Auto Call Roll Forward Utility (page 16)

## **SQL Update Utility**

The SQL Update Utility updates SQL objects and error message tables.

- 1. Select Signature Utilities > File Maintenance Utilities > Signature > SOL Update.
- 2. You will receive a message instructing you to back up your database and close other applications. Select
- 3. In the Install Company window, select companies to install and select Begin Process.

## **SQL Table Verify Utility**

The SQL Table Verify Utility is password-protected and is for WennSoft use only.

#### **SQL Update Misc User Utility**

The SQL Update Misc User Utility creates a miscellaneous user on each database (including Dynamics), which enables actual users to use the following the Graphical Dispatch Board and Document Attachments. This user is used by the system only, and contains no associated login.



If, at any point, you create an additional company for your system, you must re-run this utility after creating the company.

- 1. Select Signature Utilities > File Maintenance Utilities > Signature > SOL Update Misc User.
- 2. Select Yes to the Update the SQL Misc User prompt.

#### **SQL Create Table Views**

The SQL create table views user utility brings data from multiple tables together to create a dataset(s) to view this information.

- 1. Select Signature Utilities > File Maintenance Utilities > Signature Utilities > SQL Create Table Views.
- 2. Select Yes to the SQL Create Table Views prompt.

#### **SQL Auto Call Roll Forward Utility**

This utility creates the SQL Auto Call Roll Forward job that works in conjunction with the Setup Options in Service Management (Auto-Roll Calls Forward and Use Auto-Roll SOL Job). See Auto-Roll Calls Forward in Choosing Service Options<sup>1</sup> for additional information. The SQL Job evaluates the number of Dynamics companies for which Signature Service Management is installed. For those companies, the Create SOL Job process will create the Auto-Call Roll Forward SQL job which can then be configured and scheduled, as needed.

- 1. Select Signature Utilities > File Maintenance Utilities > Signature Utilities > SQL Auto Call Roll Forward.
- 2. In the SQL Auto Call Roll Forward window, select Create SQL Job.
- If the SQL Server Agent is running, the following message displays "SQL Job "Signature Auto-Roll Calls Forward" was created. This job has a separate step for each company database. Each step (each company) will run the procedure SMS Auto Call Roll Forward if the company's setup option is set to on. (Auto Roll Calls Forward and the Use Auto-Roll SQL Job options must both be marked in Setup Options.)
- If the SQL Server Agent is not running, the following message displays: "SQLServerAgent is not currently running so it cannot be notified of this action." This indicates that the job was not created.



If you create any additional companies after running this utility, and mark the two Auto Roll options in Setup Options, you can run the utility again by coming back to the window and selecting Update SQL Job. This will not affect the previously-created SQL job other than to add a new step. Additionally, if you want to stop the SQL Auto Call Roll Forward Job, you can unmark the Use Auto-Roll SQL Job option in Setup Options. Microsoft Dynamics GP > Tools > Setup > Service Management > Module Setup > Service Options.

<sup>1.</sup> https://wennsoft.atlassian.net/wiki/spaces/sig2025/pages/595827527/Choosing+Service+Options

## **Field Definitions**

When importing data, you must know the individual field descriptors and storage type definitions for each field in the Service Management and Job Cost files.

- Warehouse File Names (page 17)
- Service Management Field Definitions (page 18)
- Job Cost Field Definitions (page 63)

## **Warehouse File Names**

The following tables list the warehouse file names and the operating system code names.

| Service Management File Names |                                |               |  |  |
|-------------------------------|--------------------------------|---------------|--|--|
| Master File Category          | Warehouse File Name            | Physical Name |  |  |
| Customer master file          | SV_Customer_IMP_WHSE           | SV02100       |  |  |
| Location master file          | SV_Location_IMP_WHSE           | SV02200       |  |  |
| Receivables sum master file   | SV_RM_Customer_SUM_IMP_WHSE    | SV02103       |  |  |
| Equipment master file         | SV_Equipment_MSTR_IMP_WHSE     | SV02400       |  |  |
| Contract master file          | SV_Maint_MSTR_IMP_WHSE         | SV02500       |  |  |
| Contract task master file     | SV_Contract_Task_MSTR_IMP_WHSE | SV02530       |  |  |
| Job costs master file         | SV_Job_Costs_IMP_WHSE          | SV02810       |  |  |
| Employee master file          | SV_Employee_IMP_WHSE           | SV02110       |  |  |
| Service master file           | SV_Service_MSTR_IMP_WHSE       | SV02030       |  |  |
| Job Cost File Names           |                                |               |  |  |
| Master File Category          | Warehouse File Name            | Physical Name |  |  |
| Job master file               | JC_Job_MSTR_IMP_WHSE           | JC200102      |  |  |

| Job Cost File Names             |                                      |               |  |
|---------------------------------|--------------------------------------|---------------|--|
| Job detail master file          | JC_Job_Detail_MSTR_IMP_WHSE          | JC200701      |  |
| Billing codes master file       | JC_Billing_Codes_MSTR_IMP_WHSE       | JC200601      |  |
| Change order master file        | JC_Change_Orders_MSTR_IMP_WH<br>SE   | JC201001      |  |
| Change order detail master file | JC_Chg_Ord_Detail_MSTR_IMP_WH<br>SE  | JC201002      |  |
| Vendor master file              | JC_Vendor_MSTR_IMP_WHSE              | JC201501      |  |
| Cost codes master file          | JC_Cost_Codes_MSTR_SETP_IMP_<br>WHSE | JC240202      |  |
| Miscellaneous File Names        |                                      |               |  |
| Master File Category            | File Name                            | Physical Name |  |

SV\_Import\_Journal\_MSTR

SV\_Import\_Setup\_Options

Users

SV02010

SV02020

WSUSERS

# **Service Management Field Definitions**

- Service Call Master File (page 19)
- Customer Master File (page 23)

Journal/History

**Setup Options** 

Users

- Location Master File (page 27)
- Receivables Sum Master File (page 30)
- Equipment Master File (page 35)
- Contract Master File (page 41)
- Contract Task Master File (page 48)
- Job Costs Master File (page 53)
- Employee Master File (page 57)

## **Service Call Master File**

Import File: SVSC001.CSV (Comma) or SVSC001.TXT (Tab)

Warehouse File: **SV\_Service\_MST\_IMP\_WHSE**Destination Files: **SV\_Service\_MSTR (SV00300)** 

<sup>\*\*\*</sup>Indicates required (and validated) if using Global Filtering.

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name  | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|---|--------------|---------|---------|
| 1                           | А                        | *Customer Number  | String       | 15      | 15      |
| 2                           | В                        | *Service Call<br>Description  | String       | 30      | 31      |
| 3                           | С                        | *Service Call ID<br>(required only if<br>system is set up to<br>manually create<br>service call Id's) | String       | 17      | 17      |
| 4                           | D                        | *Address Code   | String       | 15      | 15      |
| 5                           | Е                        | ***Signature<br>Affiliate   | String       | 15      | 15      |
| 6                           | F                        | ***Signature Region   | String       | 15      | 15      |
| 7                           | G                        | ***Signature Branch   | String       | 15      | 15      |
| 8                           | Н                        | Technician  | String       | 10      | 11      |
| 9                           | I                        | Type of Problem   | String       | 30      | 31      |
| 10                          | J                        | **Resolution ID   | String       | 3       | 3       |
| 11                          | К                        | **Type Call Short Note: If call type is MC or MCC, Contract Number is required.                       | String       | 3       | 3       |

<sup>\*</sup>Indicates validated fields, and must contain data.

<sup>\*\*</sup>Indicates validated fields, but can be left empty.

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name  | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|---|--------------|---------|---------|
| 12                          | L                        | User Define 1a  | String       | 30      | 31      |
| 13                          | M                        | **User Define 2a Note: Will be validated if the corresponding checkbox is marked in Service Options window, | String       | 30      | 31      |
| 14                          | N                        | User Define 3a  | String       | 30      | 31      |
| 15                          | 0                        | User Define 4a  | String       | 30      | 31      |
| 16                          | P                        | *Purchase Order<br>(required only if<br>location requires a<br>PO number)                                   | String       | 15      | 15      |
| 17                          | Q                        | *Date of Service Call   | Date         | 8       | 8       |
| 18                          | R                        | **Salesperson ID  | String       | 15      | 15      |
| 19                          | S                        | Priority of Call  | String       | 1       | 1       |
| 20                          | Т                        | Status of Call  | String       | 10      | 11      |
| 21                          | U                        | Completion Date Note: If Status of Call is complete, Completion Date is required.                           | Date         | 8       | 8       |
| 22                          | V                        | *WS Time 1  | Date         | 8       | 8       |
| 23                          | W                        | Time Zone   | String       | 3       | 3       |
| 24                          | X                        | DATE  | Date         | 8       | 8       |
| 25                          | Υ                        | *Divisions  | String       | 15      | 15      |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                   | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|------------------------------|--------------|---------|---------|
| 26                          | Z                        | Call Time                    | Integer      | 4       | 4       |
| 27                          | AA                       | Corporate Contract<br>Number | String       | 20      | 21      |
| 28                          | AB                       | **Contract Number            | String       | 10      | 11      |
| 29                          | AC                       | Caller Email Address         | String       | 40      | 41      |
| 30                          | AD                       | Caller Name                  | String       | 30      | 31      |
| 31                          | AE                       | Caller Phone                 | String       | 20      | 21      |
| 32                          | AF                       | Callback                     | Tiny Integer | 1       | 1       |
| 33                          | AG                       | WS Job Number                | String       | 17      | 17      |
| 34                          | АН                       | **SV Service Level ID        | String       | 10      | 11      |
| 35                          | AI                       | PO Outstanding<br>Status     | String       |         | 15      |
| 36                          | AJ                       | Service User Define 2        | String       | 20      | 21      |
| 37                          | AK                       | Service User Define 3        | String       | 30      | 31      |
| 38                          | AL                       | Service User Define<br>4     | String       | 30      | 31      |
| 39                          | АМ                       | Service User Define 5        | Integer      | 6       | 4       |
| 40                          | AN                       | Service User Define<br>6     | Integer      | 6       | 4       |
| 41                          | AO                       | Service User Define<br>7     | Integer      | 6       | 4       |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|---------------------------|--------------|---------|---------|
| 42                          | AP                       | Service User Define 8     | Integer      | 6       | 4       |
| 43                          | AQ                       | Service User Define<br>9  | Date         | 8       | 8       |
| 44                          | AR                       | Service User Define<br>10 | Date         | 8       | 8       |
| 45                          | AS                       | Service User Define<br>11 | Date         | 8       | 8       |
| 46                          | AT                       | Service User Define<br>12 | Date         | 8       | 8       |
| 47                          | AU                       | Service User Define<br>18 | Tiny Integer | 1       | 1       |
| 48                          | AV                       | Service User Define<br>19 | Tiny Integer | 1       | 1       |
| 49                          | AW                       | Service User Define<br>20 | Tiny Integer | 1       | 1       |
| 50                          | AX                       | Service User Define<br>21 | Tiny Integer | 1       | 1       |
| 51                          | AY                       | Service User Define<br>22 | Numeric      | 14      | 9       |
| 52                          | AZ                       | Service User Define<br>23 | Numeric      | 14      | 9       |
| 53                          | BA                       | Service User Define<br>24 | Numeric      | 14      | 9       |
| 54                          | ВВ                       | Service User Define<br>25 | Numeric      | 14      | 9       |
| 55                          | ВС                       | Added Rate                | Tiny Integer |         |         |

| Tab Position (.txt file) | Excel Column (.csv file) | Field Name           | Storage Type | Keyable | Storage |
|--------------------------|--------------------------|----------------------|--------------|---------|---------|
| 56                       | BD                       | WCA Originating Call | String       | 17      | 17      |
| 57                       | BE                       | WCA Technician       | String       | 15      | 15      |
| 58                       | BF                       | SV Call Source       | Integer      | 3       | 3       |
| 59                       | BG                       | SV Call Source ID1   | String       | 40      | 40      |
| 60                       | ВН                       | SV Call Source ID2   | String       | 40      | 40      |

#### **Customer Master File**

Import File: SVCU0001.CSV (Comma) or SVCU0001.TXT (Tab)

Warehouse File: **SV\_Customer\_IMP\_WHSE** 

Destination Files: RM\_Customer\_MSTR (RM00101), SV\_Customer\_MSTR (SV00100)

Quicksearch File: **SV\_Customer\_Quicksearch (SV00054)** 

\*Indicates validated fields, and must contain data.

<sup>\*\*</sup>Indicates validated fields, but can be left empty.



- 'Address Code' (8,H) and 'Primary Billto Address Code' (19,S) should have the same value.
- Your option for the 'PO Required' (47,AU) checkbox is populated when the Location Master file is imported.

| Tab Position (.txt file) | Excel Column (.csv file) | Field Name                   | Storage Type | Keyable | Storage |
|--------------------------|--------------------------|------------------------------|--------------|---------|---------|
| 1                        | А                        | *Customer Number             | String       | 15      | 16      |
| 2                        | В                        | Customer Name                | String       | 64      | 68      |
| 3                        | С                        | Customer Class               | String       | 15      | 16      |
| 4                        | D                        | Corporate Customer<br>Number | String       | 15      | 16      |
| 5                        | Е                        | Contact Person               | String       | 30      | 32      |
| 6                        | F                        | Statement Name               | String       | 64      | 66      |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                      | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|---------------------------------|--------------|---------|---------|
| 7                           | G                        | Short Name                      | String       | 15      | 16      |
| 8                           | Н                        | *Address Code                   | String       | 15      | 16      |
| 9                           | 1                        | Tax Schedule ID                 | String       | 15      | 16      |
| 10                          | J                        | Address 1                       | String       | 30      | 32      |
| 11                          | К                        | Address 2                       | String       | 30      | 32      |
| 12                          | L                        | Country                         | String       | 20      | 22      |
| 13                          | М                        | City                            | String       | 30      | 32      |
| 14                          | N                        | State                           | String       | 4       | 30      |
| 15                          | 0                        | Zip                             | String       | 10      | 12      |
| 16                          | Р                        | Phone 1                         | String       | 14      | 22      |
| 17                          | Q                        | Phone 2                         | String       | 14      | 22      |
| 18                          | R                        | Fax                             | String       | 14      | 22      |
| 19                          | S                        | *Primary Billto<br>Address Code | String       | 15      | 16      |
| 20                          | Т                        | Primary Shipto<br>Address Code  | String       | 15      | 16      |
| 21                          | U                        | Statement Address<br>Code       | String       | 15      | 16      |
| 22                          | V                        | Salesperson ID                  | String       | 15      | 16      |
| 23                          | W                        | Checkbook ID                    | String       | 15      | 16      |
| 24                          | X                        | Payment Terms ID                | String       | 20      | 22      |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                    | Storage Type  | Keyable | Storage |
|-----------------------------|--------------------------|-------------------------------|---|---------|---------|
| 25                          | Υ                        | Credit Limit Type             | Radio Group   | 1       | 1       |
| 26                          | Z                        | Credit Limit Amount           | Currency  | 17      | 10      |
| 27                          | AA                       | Credit Limit Period           | Drop-Down<br>List   | 1       | 1       |
| 28                          | AB                       | Credit Limit Period<br>Amount | Currency  | 17      | 10      |
| 29                          | AC                       | Currency ID                   | String  | 15      | 16      |
| 30                          | AD                       | Customer Discount             | Integer   | 5       | 2       |
| 31                          | AE                       | Price Level                   | String  | 15      | 16      |
| 32                          | AF                       | Tax Exempt 1                  | String  | 25      | 26      |
| 33                          | AG                       | Tax Exempt 2                  | String  | 25      | 26      |
| 34                          | АН                       | Tax Registration<br>Number    | String  | 25      | 26      |
| 35                          | AI                       | Balance Type                  | Radio Group   | 1       | 1       |
| 36                          | AJ                       | Statement Cycle               | Drop-Down List 1 = No Statement 2 = Weekly 3 = Biweekly 4 = Semimonthly 5 = Monthly 6 = Bimonthly 7 = Quarterly | 1       | 1       |
| 37                          | AK                       | Sales Territory               | String  | 15      | 16      |
| 38                          | AL                       | Inactive                      | Check Box   | 1       | 1       |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name            | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|-----------------------|--------------|---------|---------|
| 39                          | АМ                       | Hold                  | Check Box    | 1       | 1       |
| 40                          | AN                       | Note Index            | Currency     | 14      | 10      |
| 41                          | AO                       | **Signature Affiliate | String       | 15      | 16      |
| 42                          | АР                       | **SignatureRegion     | String       | 15      | 16      |
| 43                          | AQ                       | **SignatureBranch     | String       | 15      | 16      |
| 44                          | AR                       | User ID               | String       | 15      | 16      |
| 45                          | AS                       | Technician ID         | String       | 15      | 16      |
| 46                          | АТ                       | Technician Team       | String       | 15      | 16      |
| 47                          | AU                       | PO Required           | Check Box    | 1       | 1       |
| 48                          | AV                       | Contact Name          | String       | 15      | 16      |
| 49                          | AW                       | User Define 1a        | String       | 30      | 32      |
| 50                          | AX                       | User Define 2a        | String       | 30      | 32      |
| 51                          | AY                       | User Define 3a        | String       | 30      | 32      |
| 52                          | AZ                       | User Define 4a        | String       | 30      | 32      |
| 53                          | BA                       | User Define 5a        | String       | 30      | 32      |
| 54                          | ВВ                       | User Define 6a        | String       | 30      | 32      |
| 55                          | BC                       | Time Zone             | String       | 3       | 4       |
| 56                          | BD                       | SV Language ID        | Integer      | 2       | 2       |
| 57                          | BE                       | Supervisors ID        | String       | 15      | 16      |

| Tab Position (.txt file) | Excel Column (.csv file) | Field Name          | Storage Type | Keyable | Storage |
|--------------------------|--------------------------|---------------------|--------------|---------|---------|
| 58                       | BF                       | Hold Transaction ID | Long Integer | 7       | 4       |

## **Location Master File**

Import File: SVCU0002.CSV (Comma) or SVCU0002.TXT (Tab)

Warehouse File: **SV\_Location\_IMP\_WHSE** 

Destination Files: RM\_Customer\_MSTR\_ADDR (RM00102), SV\_Location\_MSTR (SV00200)

<sup>\*\*</sup>Indicates validated fields, but can be left empty.

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name       | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|------------------|--------------|---------|---------|
| 1                           | А                        | *Customer Number | String       | 15      | 16      |
| 2                           | В                        | *Address Code    | String       | 15      | 16      |
| 3                           | С                        | Salesperson ID   | String       | 15      | 16      |
| 4                           | D                        | UPS Zone         | String       | 3       | 4       |
| 5                           | Е                        | Shipping Method  | String       | 15      | 16      |
| 6                           | F                        | Tax Schedule ID  | String       | 15      | 16      |
| 7                           | G                        | Contact Person   | String       | 30      | 32      |
| 8                           | н                        | Address 1        | String       | 30      | 32      |
| 9                           | 1                        | Address 2        | String       | 30      | 32      |
| 10                          | J                        | Country          | String       | 20      | 22      |
| 11                          | К                        | City             | String       | 30      | 32      |
| 12                          | L                        | State            | String       | 4       | 30      |
| 13                          | М                        | Zip              | String       | 10      | 12      |

<sup>\*</sup>Indicates validated fields, and must contain data.

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name              | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|-------------------------|--------------|---------|---------|
| 14                          | N                        | Phone 1                 | String       | 14      | 22      |
| 15                          | 0                        | Phone 2                 | String       | 14      | 22      |
| 16                          | Р                        | Fax                     | String       | 14      | 22      |
| 17                          | Q                        | **Signature Affiliate   | String       | 15      | 16      |
| 18                          | R                        | **Signature Region      | String       | 15      | 16      |
| 19                          | S                        | **Signature Branch      | String       | 15      | 16      |
| 20                          | Т                        | User ID                 | String       | 15      | 16      |
| 21                          | U                        | Technician ID           | String       | 15      | 16      |
| 22                          | V                        | Technician Team         | String       | 15      | 16      |
| 23                          | w                        | Customer Name           | String       | 64      | 66      |
| 24                          | Х                        | Map Grid                | String       | 15      | 16      |
| 25                          | Υ                        | Service Area            | String       | 15      | 16      |
| 26                          | Z                        | *Location Name          | String       | 30      | 32      |
| 27                          | AA                       | *Labor Group Name       | String       | 15      | 16      |
| 28                          | AB                       | *Pricing Matrix<br>Name | String       | 15      | 16      |
| 29                          | AC                       | Technician              | String       | 10      | 12      |
| 30                          | AD                       | Technician 2            | String       | 10      | 12      |
| 31                          | AE                       | Technician ID2          | String       | 15      | 16      |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                   | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|------------------------------|--------------|---------|---------|
| 32                          | AF                       | Contact Name                 | String       | 15      | 16      |
| 33                          | AG                       | Hold Transaction ID          | Long Integer | 7       | 4       |
| 34                          | АН                       | User Define 1a               | String       | 30      | 32      |
| 35                          | Al                       | User Define 2a               | String       | 30      | 32      |
| 36                          | AJ                       | User Define 3a               | String       | 30      | 32      |
| 37                          | AK                       | User Define 4a               | String       | 30      | 32      |
| 38                          | AL                       | User Define 5a               | String       | 30      | 32      |
| 39                          | АМ                       | User Define 6a               | String       | 30      | 32      |
| 40                          | AN                       | PO Required                  | Check Box    | 1       | 2       |
| 41                          | AO                       | Out of Service Flag          | Check Box    | 1       | 2       |
| 42                          | AP                       | Alarm Flag                   | Check Box    | 1       | 2       |
| 43                          | AQ                       | Supervisors ID               | String       | 15      | 16      |
| 44                          | AR                       | Supervisors Hold<br>Flag     | Check Box    | 1       | 2       |
| 45                          | AS                       | Corporate Customer<br>Number | String       | 15      | 16      |
| 46                          | AT                       | Time Zone Tag                | String       | 4       | 6       |
| 47                          | AU                       | SV Language ID               | Integer      | 2       | 2       |
| 48                          | AV                       | Base Currency ID             | String       | 15      | 16      |
| 49                          | AW                       | Billing Currency ID          | String       | 15      | 16      |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                     | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|--------------------------------|--------------|---------|---------|
| 50                          | AX                       | Local Currency ID              | String       | 15      | 16      |
| 51                          | AY                       | Priority of Call               | String       | 1       | 2       |
| 52                          | AZ                       | Divisions                      | String       | 15      | 16      |
| 53                          | BA                       | SV Service Level ID            | String       | 10      | 12      |
| 54                          | ВВ                       | Safety Flag                    | Tiny Integer |         |         |
| 55                          | ВС                       | Blanket PO Check<br>Box        | Tiny Integer |         |         |
| 56                          | BD                       | Blanket PO Number              | String       | 17      | 17      |
| 57                          | BE                       | Blanket PO Amount              | String       |         |         |
| 58                          | BF                       | Blanket PO Amount<br>Spent     | Currency     |         |         |
| 59                          | BG                       | Blanket PO Amount<br>Remaining | Currency     |         |         |
| 60                          | ВН                       | Blanket PO<br>Expiration Date  | Date         |         |         |
| 61                          | ВІ                       | *Bill Customer<br>Number       | String       | 15      | 16      |
| 62                          | ВЈ                       | *Bill Address Code             | String       | 15      | 16      |

## **Receivables Sum Master File**

Import File: SVRM0001.CSV (Comma) or SVRM0001.TXT (Tab)

Warehouse File: SV\_RM\_Customer\_SUM\_IMP\_WHSE
Destination File: RM\_Customer\_MSTR\_SUM (RM00103)

<sup>\*</sup>Indicates validated fields, and must contain data.

<sup>\*\*</sup>Indicates validated, but can be left empty.

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                         | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|------------------------------------|--------------|---------|---------|
| 1                           | A                        | Total Amount Of<br>NSF Checks Life | Currency     | 19      | 10      |
| 2                           | В                        | Number Of NSF<br>Checks Life       | Long Integer | 6       | 4       |
| 3                           | С                        | *Customer Number                   | String       | 15      | 16      |
| 4                           | D                        | Customer Balance                   | Currency     | 19      | 10      |
| 5 - 11                      | E-K                      | Aging Period<br>Amounts            | Currency     | 17      | 10      |
| 12                          | L                        | Last Aged                          | Date         | 6       | 4       |
| 13                          | М                        | First Invoice Date                 | Date         | 6       | 4       |
| 14                          | N                        | Last NSF Check Date                | Date         | 6       | 4       |
| 15                          | 0                        | Last Payment<br>Amount             | Currency     | 17      | 10      |
| 16                          | Р                        | Last Payment Date                  | Date         | 6       | 4       |
| 17                          | Q                        | Last Transaction<br>Date           | Date         | 6       | 4       |
| 18                          | R                        | Last Transaction<br>Amount         | Currency     | 17      | 10      |
| 19                          | S                        | Last Finance Charge<br>Amount      | Currency     | 17      | 10      |
| 20                          | Т                        | Unpaid Finance<br>Charges YTD      | Currency     | 17      | 10      |
| 21                          | U                        | Average Days to Pay<br>- LYR       | Integer      | 3       | 2       |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                        | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|-----------------------------------|--------------|---------|---------|
| 22                          | V                        | Average Days To Pay<br>- Life     | Integer      | 3       | 2       |
| 23                          | W                        | Average Days To Pay<br>- Year     | Integer      | 3       | 2       |
| 24                          | X                        | Number ADTP<br>Documents - Life   | Long Integer | 10      | 4       |
| 25                          | Υ                        | Number ADTP<br>Documents - Year   | Long Integer | 10      | 4       |
| 26                          | Z                        | Total Discounts<br>Taken YTD      | Currency     | 19      | 10      |
| 27                          | AA                       | Total Discounts<br>Taken LYR      | Currency     | 19      | 10      |
| 28                          | AB                       | Total Discounts<br>Taken LTD      | Currency     | 19      | 10      |
| 29                          | AC                       | Total Discounts<br>Available YTD  | Currency     | 19      | 10      |
| 30                          | AD                       | Retainage                         | Currency     | 19      | 10      |
| 31                          | AE                       | Total Amount Of<br>NSF Checks YTD | Currency     | 19      | 10      |
| 32                          | AF                       | Number Of NSF<br>Checks YTD       | Long Integer | 6       | 4       |
| 33                          | AG                       | Unposted Sales<br>Amount          | Currency     | 19      | 10      |
| 34                          | АН                       | Unposted Cash<br>Amount           | Currency     | 19      | 10      |
| 35                          | AI                       | Unposted Other<br>Sales Amount    | Currency     | 19      | 10      |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                           | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|--------------------------------------|--------------|---------|---------|
| 36                          | AJ                       | Unposted Other<br>Cash Amount        | Currency     | 19      | 10      |
| 37                          | AK                       | Non Current<br>Scheduled<br>Payments | Currency     | 19      | 10      |
| 38                          | AL                       | Total Sales YTD                      | Currency     | 19      | 10      |
| 39                          | АМ                       | Total Sales LTD                      | Currency     | 19      | 10      |
| 40                          | AN                       | Total Sales LYR                      | Currency     | 19      | 10      |
| 41                          | AO                       | Total Costs YTD                      | Currency     | 19      | 10      |
| 42                          | АР                       | Total Costs LTD                      | Currency     | 19      | 10      |
| 43                          | AQ                       | Total Costs LYR                      | Currency     | 19      | 10      |
| 44                          | AR                       | Total Cash Received<br>YTD           | Currency     | 19      | 10      |
| 45                          | AS                       | Total Cash Received<br>LTD           | Currency     | 19      | 10      |
| 46                          | AT                       | Total Cash Received<br>LYR           | Currency     | 19      | 10      |
| 47                          | AU                       | Total Finance<br>Charges YTD         | Currency     | 19      | 10      |
| 48                          | AV                       | Total Finance<br>Charges LTD         | Currency     | 19      | 10      |
| 49                          | AW                       | Total Finance<br>Charges LYR         | Currency     | 19      | 10      |
| 50                          | AX                       | Finance Charges<br>CYTD              | Currency     | 19      | 10      |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                      | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|---------------------------------|--------------|---------|---------|
| 51                          | AY                       | Finance Charges LYR<br>Calendar | Currency     | 19      | 10      |
| 52                          | AZ                       | Total Bad Debt YTD              | Currency     | 19      | 10      |
| 53                          | ВА                       | Total Bad Debt LYR              | Currency     | 19      | 10      |
| 54                          | ВВ                       | Total Bad Debt LTD              | Currency     | 19      | 10      |
| 55                          | ВС                       | Total Waived FC YTD             | Currency     | 19      | 10      |
| 56                          | BD                       | Total Waived FC LTD             | Currency     | 19      | 10      |
| 57                          | BE                       | Total Waived FC LYR             | Currency     | 19      | 10      |
| 58                          | BF                       | Total Writeoffs YTD             | Currency     | 19      | 10      |
| 59                          | BG                       | Total Writeoffs LTD             | Currency     | 19      | 10      |
| 60                          | ВН                       | Total Writeoffs LYR             | Currency     | 19      | 10      |
| 61                          | ВІ                       | Total # Invoices YTD            | Long Integer | 6       | 4       |
| 62                          | BJ                       | Total # Invoices LTD            | Long Integer | 6       | 4       |
| 63                          | вк                       | Total # Invoices LYR            | Long Integer | 6       | 4       |
| 64                          | BL                       | Total # FC YTD                  | Long Integer | 6       | 4       |
| 65                          | ВМ                       | Total # FC LTD                  | Long Integer | 6       | 4       |
| 66                          | BN                       | Total # FC LYR                  | Long Integer | 6       | 4       |
| 67                          | во                       | Write Offs LIFE                 | Currency     | 19      | 10      |
| 68                          | BP                       | Write Offs LYR                  | Currency     | 19      | 10      |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name               | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|--------------------------|--------------|---------|---------|
| 69                          | BQ                       | Write Offs YTD           | Currency     | 19      | 10      |
| 70                          | BR                       | High Balance LYR         | Currency     | 19      | 10      |
| 71                          | BS                       | High Balance YTD         | Currency     | 19      | 10      |
| 72                          | ВТ                       | High Balance LTD         | Currency     | 19      | 10      |
| 73                          | BU                       | Last Statement Date      | Date         | 6       | 4       |
| 74                          | BV                       | Last Statement<br>Amount | Currency     | 17      | 10      |
| 75                          | BW                       | Deposits Received        | Currency     | 19      | 10      |
| 76                          | ВХ                       | On Order Amount          | Currency     | 19      | 10      |

## **Equipment Master File**

Import File: SVEQ0001.CSV (Comma) or SVEQ0001.TXT (Tab)

Warehouse File: **SV\_Equipment\_MSTR\_IMP\_WHSE** Destination File: **SV\_Equipment\_MSTR(SV00400)** 

Quicksearch File: **SV\_Equipment\_Quicksearch (SV00055)** 

\*Indicates validated fields, and must contain data.

<sup>\*</sup>Indicates validated fields, but can be left empty.



⚠ If importing equipment groups, 'Wennsoft Master Equipment ID' (7,G) for all group items must be the same as the lead item's 'Equipment ID' (3,C). The lead item's 'Component Flag' (8,H) must be 0 and 'Wennsoft Master Equipment ID' (7,G) must be blank. The group items' 'Component Flag' (8,H) must be 1.

| Tab Position (.txt file) | Excel Column (.csv file) | Field Name       | Storage Type | Keyable | Storage |
|--------------------------|--------------------------|------------------|--------------|---------|---------|
| 1                        | А                        | *Customer Number | String       | 15      | 16      |
| 2                        | В                        | *Address Code    | String       | 15      | 16      |
| 3                        | С                        | *Equipment ID    | String       | 30      | 30      |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                       | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|----------------------------------|--------------|---------|---------|
| 4                           | D                        | User ID                          | String       | 15      | 16      |
| 5                           | Е                        | Technician ID                    | String       | 15      | 16      |
| 6                           | F                        | Technician Team                  | String       | 15      | 16      |
| 7                           | G                        | Signature Master<br>Equipment ID | String       | 15      | 16      |
| 8                           | Н                        | Component Flag                   | Check Box    | 1       | 2       |
| 9                           | 1                        | Component Qty                    | Integer      | 4       | 2       |
| 10                          | J                        | Corporate Customer<br>Number     | String       | 15      | 16      |
| 11                          | К                        | **Manufacturer ID                | String       | 15      | 16      |
| 12                          | L                        | **Equipment Type                 | String       | 30      | 32      |
| 13                          | М                        | Signature Model<br>Number        | String       | 20      | 22      |
| 14                          | N                        | Signature Serial<br>Number       | String       | 40      | 42      |
| 15                          | 0                        | Installed By Long<br>Description | String       | 40      | 42      |
| 16                          | Р                        | Extended Warranty<br>Type        | String       | 30      | 32      |
| 17                          | Q                        | Extended Warranty<br>Expiration  | Date         | 8       | 4       |
| 18                          | R                        | Warranty Expiration              | Date         | 8       | 4       |
| 19                          | S                        | Install Date                     | Date         | 8       | 4       |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                   | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|------------------------------|--------------|---------|---------|
| 20                          | Т                        | Location Equipment           | String       | 50      | 52      |
| 21                          | U                        | Contract Number              | String       | 10      | 12      |
| 22                          | V                        | User Define 1a               | String       | 30      | 32      |
| 23                          | w                        | User Define 2a               | String       | 30      | 32      |
| 24                          | X                        | User Define 3a               | String       | 30      | 32      |
| 25                          | Y                        | User Define 4a               | String       | 30      | 32      |
| 26                          | Z                        | User Define 5a               | String       | 30      | 32      |
| 27                          | AA                       | User Define 9a               | Date         | 8       | 4       |
| 28                          | АВ                       | Start Up Date                | Date         | 6       | 4       |
| 29                          | AC                       | Shutdown Month               | Integer      | 2       | 2       |
| 30                          | AD                       | Startup Month                | Integer      | 2       | 2       |
| 31                          | AE                       | Operating Hours Per<br>Month | Integer      | 4       | 2       |
| 32                          | AF                       | Total Controls Per<br>Unit   | Integer      | 4       | 2       |
| 33                          | AG                       | Total Controls Qty           | Integer      | 4       | 2       |
| 34                          | АН                       | Shutdown Jan                 | Integer      | 2       | 2       |
| 35                          | Al                       | Shutdown Feb                 | Integer      | 2       | 2       |
| 36                          | AJ                       | Shutdown Mar                 | Integer      | 2       | 2       |
| 37                          | AK                       | Shutdown Apr                 | Integer      | 2       | 2       |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name               | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|--------------------------|--------------|---------|---------|
| 38                          | AL                       | Shutdown May             | Integer      | 2       | 2       |
| 39                          | АМ                       | Shutdown Jun             | Integer      | 2       | 2       |
| 40                          | AN                       | Shutdown Jul             | Integer      | 2       | 2       |
| 41                          | AO                       | Shutdown Aug             | Integer      | 2       | 2       |
| 42                          | AP                       | Shutdown Sep             | Integer      | 2       | 2       |
| 43                          | AQ                       | Shutdown Oct             | Integer      | 2       | 2       |
| 44                          | AR                       | Shutdown Nov             | Integer      | 2       | 2       |
| 45                          | AS                       | Shutdown Dec             | Integer      | 2       | 2       |
| 46                          | AT                       | Auto Date                | Date         | 6       | 4       |
| 47                          | AU                       | PM Group                 | String       | 3       | 4       |
| 48                          | AV                       | ID 1                     | String       | 10      | 12      |
| 49                          | AW                       | ID 2                     | String       | 10      | 12      |
| 50                          | AX                       | Service User Define<br>1 | String       | 20      | 22      |
| 51                          | AY                       | Service User Define<br>2 | String       | 20      | 22      |
| 52                          | AZ                       | Service User Define 3    | String       | 30      | 32      |
| 53                          | ВА                       | Service User Define<br>4 | String       | 30      | 32      |
| 54                          | ВВ                       | Service User Define<br>5 | Long Integer | 6       | 4       |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|---------------------------|--------------|---------|---------|
| 55                          | ВС                       | Service User Define<br>6  | Long Integer | 6       | 4       |
| 56                          | BD                       | Service User Define<br>7  | Long Integer | 6       | 4       |
| 57                          | BE                       | Service User Define<br>8  | Long Integer | 6       | 4       |
| 58                          | BF                       | Service User Define<br>9  | Date         | 8       | 4       |
| 59                          | BG                       | Service User Define<br>10 | Date         | 8       | 4       |
| 60                          | ВН                       | Service User Define<br>11 | Date         | 8       | 4       |
| 61                          | ВІ                       | Service User Define<br>12 | Date         | 8       | 4       |
| 62                          | ВЈ                       | Service User Define<br>18 | Check Box    | 1       | 2       |
| 63                          | ВК                       | Service User Define<br>19 | Check Box    | 1       | 2       |
| 64                          | BL                       | Service User Define<br>20 | Check Box    | 1       | 2       |
| 65                          | ВМ                       | Service User Define<br>21 | Check Box    | 1       | 2       |
| 66                          | BN                       | Service User Define<br>22 | Currency     | 14      | 10      |
| 67                          | ВО                       | Service User Define<br>23 | Currency     | 14      | 10      |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|---------------------------|--------------|---------|---------|
| 68                          | ВР                       | Service User Define<br>24 | Currency     | 14      | 10      |
| 69                          | BQ                       | Service User Define<br>25 | Currency     | 14      | 10      |
| 70                          | BR                       | Out of Service Flag       | Check Box    | 1       | 2       |
| 71                          | BS                       | Out of Service Date       | Date         | 1       | 2       |
| 72                          | ВТ                       | Out of Service Time       | Time         | 6       | 4       |
| 73                          | BU                       | Out of Service By         | String       | 15      | 16      |
| 74                          | BV                       | Out of Service<br>Reason  | String       | 30      | 32      |
| 75                          | BW                       | WSBarCodeID               | String       | 50      | 50      |
| 76                          | вх                       | Startup By                | String       | 50      | 50      |
| 77                          | ВУ                       | Startup Job Number        | String       | 17      | 17      |
| 78                          | BZ                       | Shipped Date              | Date         |         |         |
| 79                          | CA                       | Vibration Date            | Date         |         |         |
| 80                          | СВ                       | Overhaul Date             | Date         |         |         |
| 81                          | СС                       | ECT Date                  | Date         |         |         |
| 82                          | CD                       | Conversion Date           | Date         |         |         |
| 83                          | CE                       | Blanket PO Check<br>Box   | Tiny Integer |         |         |
| 84                          | CF                       | Blanket PO Number         | String       | 17      | 17      |

| Tab Position (.txt file) | Excel Column (.csv file) | Field Name                     | Storage Type | Keyable | Storage |
|--------------------------|--------------------------|--------------------------------|--------------|---------|---------|
| 85                       | CG                       | Original Blanket PO<br>Amount  | Currency     |         |         |
| 86                       | СН                       | Blanket PO Amount<br>Spent     | Currency     |         |         |
| 87                       | CI                       | Blanket PO Amount<br>Remaining | Currency     |         |         |
| 88                       | CJ                       | Blanket PO<br>Expiration Date  | Date         |         |         |

#### **Contract Master File**

Import File: SVCT0002.CSV (Comma) or SVCT0002.TXT (Tab)

Warehouse File: **SV\_Maint\_MSTR\_IMP\_WHSE** Destination File: **SV\_Maint\_MSTR (SV00500)** 

Quicksearch File: **SV\_Contract\_Quicksearch (SV00053)** 

<sup>\*\*\*</sup>Indicates calculated field. If value is entered, it will be overwritten.



▲ Set 'Escalation Date' (89,CK) with the anniversary date.

'Last Review User ID' (97,CS) specifies the Master Tax Schedule used.

If 'Contract Billing Date' (57,BE) is empty, it will be set to 1.

If 'Contract Service Date' (58,BF) is empty, it will be set to 1.

If 'Escalation Frequency' (88,CJ) is empty, it will be set to 'AT ANNIVERSARY'.

If 'Anniversary Date' (93,CO) is empty, it will be set to 'Contract Expiration Date'.

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name       | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|------------------|--------------|---------|---------|
| 1                           | А                        | *Customer Number | String       | 15      | 16      |
| 2                           | В                        | *Address Code    | String       | 15      | 16      |
| 3                           | С                        | *Contract Number | String       | 10      | 12      |
| 4                           | D                        | User ID          | String       | 15      | 16      |

<sup>\*</sup>Indicates validated fields, and must contain data.

<sup>\*\*</sup>Indicates validated, but can be left empty.

| Tab Position (.txt file) | Excel Column (.csv file) | Field Name                          | Storage Type   | Keyable | Storage |
|--------------------------|--------------------------|-------------------------------------|--|---------|---------|
| 5                        | Е                        | Technician ID                       | String   | 15      | 16      |
| 6                        | F                        | Technician Team                     | String   | 15      | 16      |
| 7                        | G                        | Technician                          | String   | 10      | 12      |
| 8                        | Н                        | Corporate Customer<br>Number        | String   | 15      | 16      |
| 9                        | 1                        | Corporate Contract<br>Number        | String   | 20      | 22      |
| 10                       | J                        | Corporate Invoice<br>Number         | String   | 17      | 18      |
| 11                       | К                        | *Contract Amount                    | Currency   | 14      | 10      |
| 12                       | L                        | *Bill Freq                          | Drop-Down List 1 = Monthly 2 = Quarterly 3 = Annual 4 = Semi- annual 5 = Other 6 = Every Other Month | 1       | 2       |
| 13                       | М                        | Signature Close<br>Date             | Date   | 8       | 4       |
| 14                       | N                        | Amount Billed                       | Currency   | 19      | 10      |
| 15                       | 0                        | Salesperson ID                      | String   | 15      | 16      |
| 16                       | Р                        | Annual Contract<br>Value            | Currency   | 14      | 10      |
| 17                       | Q                        | Revenue<br>Recognition Method<br>ID | Integer  | 2       | 2       |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                   | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|------------------------------|--------------|---------|---------|
| 18                          | R                        | Invoice Style                | Integer      | 2       | 2       |
| 19                          | S                        | Multiyear Contract<br>Flag   | Boolean      | 1       | 2       |
| 20                          | Т                        | *Contract Start Date         | Date         | 8       | 4       |
| 21                          | U                        | *Contract Expiration<br>Date | Date         | 8       | 4       |
| 22                          | V                        | Estimate Equipment           | Currency     | 14      | 10      |
| 23                          | W                        | Estimate Labor               | Currency     | 14      | 10      |
| 24                          | Х                        | Estimate Material            | Currency     | 14      | 10      |
| 25                          | Y                        | Estimate Subs                | Currency     | 14      | 10      |
| 26                          | z                        | Estimate Other               | Currency     | 14      | 10      |
| 27                          | AA                       | ***Estimate Total<br>Cost    | Currency     | 14      | 10      |
| 28                          | АВ                       | Estimate Hours               | Long Integer | 6       | 4       |
| 29                          | AC                       | Estimate Labor 1             | Currency     | 14      | 10      |
| 30                          | AD                       | Estimate Labor 1<br>Hours    | Long Integer | 6       | 4       |
| 31                          | AE                       | Estimate Labor 2             | Currency     | 14      | 10      |
| 32                          | AF                       | Estimate Labor 2<br>Hours    | Long Integer | 6       | 4       |
| 33                          | AG                       | Estimate Labor 3             | Currency     | 14      | 10      |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                  | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|-----------------------------|--------------|---------|---------|
| 34                          | АН                       | Estimate Labor 3<br>Hours   | Long Integer | 6       | 4       |
| 35                          | AI                       | Estimate Labor 4            | Currency     | 14      | 10      |
| 36                          | AJ                       | Estimate Labor 4<br>Hours   | Long Integer | 6       | 4       |
| 37                          | AK                       | Estimate Labor 5            | Currency     | 14      | 10      |
| 38                          | AL                       | Estimate Labor 5<br>Hours   | Long Integer | 6       | 4       |
| 39                          | АМ                       | Estimate Total<br>Labor     | Currency     | 14      | 10      |
| 40                          | AN                       | Estimate Total<br>Labor Hrs | Long Integer | 6       | 4       |
| 41                          | АО                       | Budget Group                | Radio Group  | 0       | 2       |
| 42                          | АР                       | Contract Description        | String       | 30      | 32      |
| 43                          | AQ                       | User Define 1a              | String       | 30      | 32      |
| 44                          | AR                       | User Define 2a              | String       | 30      | 32      |
| 45                          | AS                       | User Define 3a              | String       | 30      | 32      |
| 46                          | AT                       | User Define 4a              | String       | 30      | 32      |
| 47                          | AU                       | Service User Define 3       | String       | 30      | 32      |
| 48                          | AV                       | Service User Define<br>5    | Long Integer | 6       | 4       |
| 49                          | AW                       | Service User Define<br>6    | Long Integer | 6       | 4       |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|---------------------------|--------------|---------|---------|
| 50                          | AX                       | Service User Define<br>9  | Date         | 8       | 4       |
| 51                          | AY                       | Service User Define<br>10 | Date         | 8       | 4       |
| 52                          | AZ                       | Service User Define<br>18 | Check Box    | 1       | 2       |
| 53                          | ВА                       | Service User Define<br>19 | Check Box    | 1       | 2       |
| 54                          | ВВ                       | Service User Define<br>22 | Currency     | 14      | 10      |
| 55                          | ВС                       | Service User Define<br>23 | Currency     | 14      | 10      |
| 56                          | BD                       | Service User Define<br>24 | Currency     | 14      | 10      |
| 57                          | BE                       | Contract Billing Date     | Integer      | 2       | 2       |
| 58                          | BF                       | Contract Service<br>Date  | Integer      | 2       | 2       |
| 59                          | BG                       | Closed                    | Boolean      | 1       | 2       |
| 60                          | ВН                       | Auto Bill                 | Check Box    | 1       | 2       |
| 61                          | ВІ                       | Purchase Order            | String       | 15      | 16      |
| 62                          | BJ                       | Last Fiscal Day           | Date         | 6       | 4       |
| 63                          | ВК                       | *Divisions                | String       | 15      | 16      |
| 64                          | BL                       | Auto Date                 | Date         | 6       | 4       |
| 65                          | ВМ                       | Cancel Box                | Check Box    | 1       | 2       |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                     | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|--------------------------------|--------------|---------|---------|
| 66                          | BN                       | Hold                           | Check Box    | 1       | 2       |
| 67                          | во                       | Contract NTE Units             | Long Integer | 8       | 4       |
| 68                          | ВР                       | Contract Annual<br>Units       | Long Integer | 8       | 4       |
| 69                          | BQ                       | Equipment ID                   | String       | 10      | 12      |
| 70                          | BR                       | Warranty Check Box             | Check Box    | 1       | 2       |
| 71                          | BS                       | Time Zone                      | String       | 3       | 4       |
| 72                          | ВТ                       | SV Language ID                 | Integer      | 2       | 2       |
| 73                          | ви                       | Base Currency ID               | String       | 15      | 16      |
| 74                          | BV                       | Billing Currency ID            | String       | 15      | 16      |
| 75                          | BW                       | Local Currency ID              | String       | 15      | 16      |
| 76                          | вх                       | Hold Reason ID                 | Integer      | 4       | 2       |
| 77                          | ВУ                       | Billing Equipment              | Currency     | 14      | 10      |
| 78                          | BZ                       | Billing Material               | Currency     | 14      | 10      |
| 79                          | CA                       | Billing Labor                  | Currency     | 14      | 10      |
| 80                          | СВ                       | Billing Subs                   | Currency     | 14      | 10      |
| 81                          | сс                       | Billing Other                  | Currency     | 14      | 10      |
| 82                          | CD                       | Billing Percentage<br>Equip    | Currency     | 8       | 10      |
| 83                          | CE                       | Billing Percentage<br>Material | Currency     | 8       | 10      |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                      | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|---------------------------------|--------------|---------|---------|
| 84                          | CF                       | Billing Percentage<br>Labor     | Currency     | 8       | 10      |
| 85                          | CG                       | Billing Percentage<br>Subs      | Currency     | 8       | 10      |
| 86                          | СН                       | Billing Percentage<br>Other     | Currency     | 8       | 10      |
| 87                          | CI                       | Current Billing<br>Amount       | Currency     | 14      | 10      |
| 88                          | CJ                       | Escalation<br>Frequency         | String       | 15      | 16      |
| 89                          | СК                       | Escalation Date                 | Date         | 6       | 4       |
| 90                          | CL                       | Escalation<br>Notification Days | Integer      | 3       | 2       |
| 91                          | СМ                       | Next Escalation Date            | Date         | 6       | 4       |
| 92                          | CN                       | Begin Date CY                   | Date         | 6       | 4       |
| 93                          | СО                       | Anniversary Date                | Date         | 6       | 4       |
| 94                          | СР                       | Evergreen Contract<br>Flag      | Boolean      | 1       | 2       |
| 95                          | CQ                       | Contract Units<br>Measure       | String       | 15      | 16      |
| 96                          | CR                       | Last Review Date                | Date         | 6       | 4       |
| 97                          | CS                       | Last Review User ID             | String       | 15      | 16      |

| Tab Position (.txt file) | Excel Column (.csv file) | Field Name   | Storage Type | Keyable | Storage |
|--------------------------|--------------------------|--|--------------|---------|---------|
| 98                       | СТ                       | Contract Internal<br>Name<br><b>Note:</b> This<br>represents the<br>Contract Type field. | String       | 15      | 16      |
| 99                       | CU                       | Automatic<br>Escalation Flag   | Boolean      | 1       | 2       |
| 100                      | CV                       | *Bill Customer<br>Number   | String       | 15      | 16      |
| 101                      | CW                       | *Bill Address Code   | String       | 15      | 16      |

### **Contract Task Master File**

Import File: SVCT0001.CSV (Comma) or SVCT0001.TXT (Tab) Warehouse File: SV\_Contract\_Task\_MSTR\_IMP\_WHSE

Destination Files: SV\_Contract\_Task\_MSTR (SV00582), SV\_Contract\_Task\_Schedule (SV00585

<sup>\*\*</sup>Indicates validated, but can be left empty.

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                  | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|-----------------------------|--------------|---------|---------|
| 1                           | А                        | *Customer Number            | String       | 15      | 16      |
| 2                           | В                        | *Address Code               | String       | 15      | 16      |
| 3                           | С                        | Customer Contract<br>Number | String       | 15      | 16      |
| 4                           | D                        | User ID                     | String       | 15      | 16      |
| 5                           | Е                        | Technician ID               | String       | 15      | 16      |
| 6                           | F                        | Technician Team             | String       | 15      | 16      |

<sup>\*</sup>Indicates validated fields, and must contain data.

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                  | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|-----------------------------|--------------|---------|---------|
| 7                           | G                        | Subcontractor ID (not used) | String       | 15      | 16      |
| 8                           | Н                        | *Contract Number            | String       | 10      | 12      |
| 9                           | I                        | *Equipment ID               | String       | 10      | 12      |
| 10                          | J                        | Equipment Type              | String       | 30      | 32      |
| 11                          | К                        | *Task Code                  | String       | 10      | 12      |
| 12                          | L                        | Contract Task List ID       | String       | 10      | 12      |
| 13                          | М                        | System                      | String       | 15      | 16      |
| 14                          | N                        | Major                       | String       | 15      | 16      |
| 15                          | 0                        | Sub 1                       | String       | 15      | 16      |
| 16                          | Р                        | Sub 2                       | String       | 15      | 16      |
| 17                          | Q                        | Sub 3                       | String       | 15      | 16      |
| 18                          | R                        | Sub 4                       | String       | 15      | 16      |
| 19                          | S                        | Task Description            | String       | 60      | 62      |
| 20                          | Т                        | Signature Close<br>Date     | Date         | 8       | 4       |
| 21                          | U                        | Inactive                    | Check Box    | 1       | 2       |
| 22                          | V                        | Estimate Hours              | Long Integer | 6       | 4       |
| 23                          | W                        | Estimate Labor              | Currency     | 14      | 10      |
| 24                          | Х                        | Estimate Labor 1            | Currency     | 14      | 10      |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|---------------------------|--------------|---------|---------|
| 25                          | Υ                        | Estimate Labor 1<br>Hours | Long Integer | 6       | 4       |
| 26                          | Z                        | Estimate Labor 2          | Currency     | 14      | 10      |
| 27                          | AA                       | Estimate Labor 2<br>Hours | Long Integer | 6       | 4       |
| 28                          | АВ                       | Estimate Labor 3          | Currency     | 14      | 10      |
| 29                          | AC                       | Estimate Labor 3<br>Hours | Long Integer | 6       | 4       |
| 30                          | AD                       | Estimate Labor 4          | Currency     | 14      | 10      |
| 31                          | AF                       | Estimate Labor 4<br>Hours | Long Integer | 6       | 4       |
| 32                          | AG                       | Estimate Labor 5          | Currency     | 14      | 10      |
| 33                          | АН                       | Estimate Labor 5<br>Hours | Long Integer | 6       | 4       |
| 34                          | Al                       | Estimate Equipment        | Currency     | 14      | 10      |
| 35                          | AJ                       | Estimate Material         | Currency     | 14      | 10      |
| 36                          | AK                       | Estimate Subs             | Currency     | 14      | 10      |
| 37                          | AL                       | Estimate Other            | Currency     | 14      | 10      |
| 38                          | АМ                       | Estimate Total Cost       | Currency     | 14      | 10      |
| 39                          | AN                       | Billable Equipment        | String       | 15      | 16      |
| 40                          | AO                       | Billable Material         | Currency     | 14      | 10      |
| 41                          | AP                       | Billable Subs             | Currency     | 14      | 10      |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name               | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|--------------------------|--------------|---------|---------|
| 42                          | AQ                       | Billable Other           | Currency     | 14      | 10      |
| 43                          | AR                       | Billable Labor 1         | Currency     | 14      | 10      |
| 44                          | AS                       | Billable Labor 2         | Currency     | 14      | 10      |
| 45                          | АТ                       | Billable Labor 3         | Currency     | 14      | 10      |
| 46                          | AU                       | Billable Labor 4         | Currency     | 14      | 10      |
| 47                          | AV                       | Billable Labor 5         | Currency     | 14      | 10      |
| 48                          | AW                       | • Frequency              | String       | 15      | 16      |
| 49                          | AX                       | *Schedule                | Integer      | 2       | 2       |
| 50                          | AY                       | Optional                 | Check Box    | 1       | 2       |
| 51                          | AZ                       | *Skill Level             | String       | 15      | 16      |
| 52                          | ВА                       | Material Kit<br>Required | String       | 30      | 32      |
| 53                          | ВВ                       | Material Kit Quantity    | Long Integer | 7       | 4       |
| 54                          | ВС                       | Tool Kit Required        | String       | 15      | 16      |
| 55                          | BD                       | Coverage Code            | Integer      | 5       | 2       |
| 56                          | BE                       | Task User Define1        | String       | 20      | 22      |
| 57                          | BF                       | Task User Define2        | String       | 20      | 22      |
| 58                          | BG                       | Task User Define3        | String       | 30      | 32      |
| 59                          | ВН                       | Task User Define4        | String       | 30      | 32      |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name         | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|--------------------|--------------|---------|---------|
| 60                          | ВІ                       | Task User Define5  | Long Integer | 6       | 4       |
| 61                          | ВЈ                       | Task User Define6  | Long Integer | 6       | 4       |
| 62                          | вк                       | Task User Define7  | Long Integer | 6       | 4       |
| 63                          | BL                       | Task User Define8  | Long Integer | 6       | 4       |
| 64                          | ВМ                       | Task User Define9  | Date         | 8       | 4       |
| 65                          | BN                       | Task User Define10 | Date         | 8       | 4       |
| 66                          | во                       | Task User Define11 | Date         | 8       | 4       |
| 67                          | ВР                       | Task User Define12 | Date         | 8       | 4       |
| 68                          | BQ                       | Task User Define13 | Currency     | 14      | 10      |
| 69                          | BR                       | Task User Define14 | Currency     | 14      | 10      |
| 70                          | BS                       | Task User Define15 | Currency     | 14      | 10      |
| 71                          | ВТ                       | Task User Define16 | Currency     | 14      | 10      |
| 72                          | BU                       | Task User Define17 | Currency     | 14      | 10      |
| 73                          | BV                       | Task User Define18 | Check Box    | 1       | 2       |
| 74                          | BW                       | Task User Define19 | Check Box    | 1       | 2       |
| 75                          | BX                       | Task User Define20 | Check Box    | 1       | 2       |
| 76                          | BY                       | Task User Define21 | Check Box    | 1       | 2       |
| 77                          | BZ                       | Task Hours         | Long Integer | 6       | 4       |
| 78                          | CA                       | Week 1             | Check Box    | 1       | 2       |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name          | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|---------------------|--------------|---------|---------|
| 79                          | СВ                       | Week 2              | Check Box    | 1       | 2       |
| 80                          | СС                       | Week 3              | Check Box    | 1       | 2       |
| 81                          | CD                       | Week 4              | Check Box    | 1       | 2       |
| 82                          | CE                       | Week 5              | Check Box    | 1       | 2       |
| 83                          | CF                       | Time Zone           | String       | 3       | 4       |
| 84                          | CG                       | SV Language ID      | Integer      | 2       | 2       |
| 85                          | СН                       | Base Currency ID    | String       | 15      | 16      |
| 86                          | СІ                       | Billing Currency ID | String       | 15      | 16      |
| 87                          | C1                       | Local Currency ID   | String       | 15      | 16      |
| 88                          | СК                       | PM Group            | String       | 3       | 4       |
| 89                          | CL                       | ID 1                | String       | 10      | 12      |
| 90                          | СМ                       | ID 2                | String       | 10      | 12      |
| 91                          | CN                       | YR MOD              | Integer      | 2       | 2       |
| 92                          | СО                       | YR REM              | Integer      | 2       | 2       |

## **Job Costs Master File**

Import File: SVJC0001.CSV (Comma) or SVJC0001.TXT (Tab)

Warehouse File: **SV\_Job\_Costs\_IMP\_WHSE** 

Destination File: SV\_Job\_Costs\_WORK (SV000810)

<sup>\*</sup>Indicates validated fields, and must contain data.

<sup>\*\*</sup>Indicates validated, but can be left empty.

<sup>\*\*\*</sup>Indicates validated for non-labor only (Cost Code: 1, 2, 4, 5).

Indicates assigned by Service Management or Microsoft Dynamics GP.

*Italic* Indicates assigned by Service Management, if empty.



▲ To modify an existing Job Costs WORK record, fill in the proper values for the 'Service Call ID', 'Reference TRX Number', and 'Sequence Number' fields. To add new Job Costs WORK records, leave the 'Reference TRX Number' and 'Sequence Number' fields empty, the next available numbers will automatically be generated.

<sup>&#</sup>x27;Batch Number' (29,AC) is set to 'IMPORTED'.

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                               | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|--|--------------|---------|---------|
| 1                           | А                        | *Service Call ID                         | String       | 17      | 18      |
| 2                           | В                        | Call Invoice Number                      | String       | 17      | 18      |
| 3                           | С                        | User ID                                  | String       | 15      | 16      |
| 4                           | D                        | Technician ID                            | String       | 15      | 16      |
| 5                           | E                        | Technician Team                          | String       | 15      | 16      |
| 6                           | F                        | ** <u>Reference TRX</u><br><u>Number</u> | String       | 17      | 18      |
| 7                           | G                        | *Customer Number                         | String       | 15      | 16      |
| 8                           | н                        | *Address Code                            | String       | 15      | 16      |
| 9                           | I                        | ** <u>Sequence Number</u>                | Long Integer | 10      | 4       |
| 10                          | J                        | Job Name                                 | String       | 30      | 32      |
| 11                          | К                        | Job Type                                 | String       | 7       | 8       |
| 12                          | L                        | *Cost Code                               | Long Integer | 8       | 4       |

<sup>\*\*\*\*</sup>Indicates validated for labor only (Cost Code: 6, 7, 8, 9, 10).

<sup>&#</sup>x27;Job Name' (10,J) is set to 'Location Name' (26,Z).

<sup>&#</sup>x27;Job Type' (11,K) is set to 'SERVICE'.

<sup>&#</sup>x27;Transaction Source' (21,U) is set to 'MANUAL'.

<sup>&#</sup>x27;Billing Amount' (22,V) is calculated per the Hours and Pay Rate.

<sup>&#</sup>x27;Dynamics Status' (27,AA) is set to 'OPEN'.

<sup>&#</sup>x27;Signature Status' (28,AB) is set to 'OPEN'.

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                 | Storage Type      | Keyable | Storage |
|-----------------------------|--------------------------|----------------------------|-------------------|---------|---------|
| 13                          | М                        | Cost Code<br>Description   | String            | 30      | 32      |
| 14                          | N                        | Task Code                  | String            | 10      | 12      |
| 15                          | 0                        | Document Type              | Drop-Down<br>List | 0       | 2       |
| 16                          | Р                        | Document Amount            | Currency          | 17      | 10      |
| 17                          | Q                        | *Document Date             | Date              | 8       | 4       |
| 18                          | R                        | Transaction<br>Description | String            | 30      | 32      |
| 19                          | S                        | Billable Check Box         | Check Box         | 1       | 2       |
| 20                          | Т                        | Taxable                    | Check Box         | 1       | 2       |
| 21                          | U                        | Transaction Source         | String            | 25      | 26      |
| 22                          | V                        | Billing Amount             | Currency          | 14      | 10      |
| 23                          | W                        | ***Vendor ID               | String            | 15      | 16      |
| 24                          | х                        | Vendor Name                | String            | 64      | 66      |
| 25                          | Υ                        | **Equipment ID             | String            | 10      | 12      |
| 26                          | Z                        | Equipment Type             | String            | 30      | 32      |
| 27                          | AA                       | Dynamics Status            | String            | 4       | 6       |
| 28                          | АВ                       | Signature Status           | String            | 4       | 6       |
| 29                          | AC                       | Batch Number               | String            | 15      | 16      |
| 30                          | AD                       | Batch Source               | String            | 15      | 16      |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                  | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|-----------------------------|--------------|---------|---------|
| 31                          | AE                       | ****TRX Hours/Units         | Long Integer | 6       | 4       |
| 32                          | AF                       | ****Employee ID             | String       | 15      | 16      |
| 33                          | AG                       | Employee Name               | String       | 40      | 42      |
| 34                          | АН                       | Voucher Number -<br>WORK    | String       | 17      | 18      |
| 35                          | AI                       | OH Amount                   | Currency     | 14      | 10      |
| 36                          | AJ                       | Extended Cost               | Currency     | 17      | 10      |
| 37                          | AK                       | ***WS Extended<br>Cost      | Currency     | 14      | 10      |
| 38                          | AL                       | TRX QTY                     | Currency     | 17      | 10      |
| 39                          | АМ                       | U Of M                      | String       | 8       | 10      |
| 40                          | AN                       | Item Number                 | String       | 30      | 32      |
| 41                          | AO                       | Item Description            | String       | 50      | 52      |
| 42                          | AP                       | Unit Price                  | Currency     | 17      | 10      |
| 43                          | AQ                       | Job Title                   | String       | 6       | 8       |
| 44                          | AR                       | ****Pay Record              | String       | 6       | 8       |
| 45                          | AS                       | Pay Rate                    | Currency     | 14      | 10      |
| 46                          | AT                       | Billing Rate                | Currency     | 14      | 10      |
| 47                          | AU                       | Add New Equipment<br>Record | Check Box    | 1       | 2       |
| 48                          | AV                       | New Equipment ID            | String       | 10      | 12      |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                        | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|-----------------------------------|--------------|---------|---------|
| 49                          | AW                       | Signature Model<br>Number         | String       | 20      | 22      |
| 50                          | AX                       | Signature Serial<br>Number        | String       | 40      | 42      |
| 51                          | AY                       | Manufacturer ID                   | String       | 15      | 16      |
| 52                          | AZ                       | Note Check Box                    | Check Box    | 1       | 2       |
| 53                          | ВА                       | SV Language ID                    | Integer      | 2       | 2       |
| 54                          | ВВ                       | Base Currency ID                  | String       | 15      | 16      |
| 55                          | ВС                       | Base Curr<br>Conversion Factor    | Currency     | 14      | 10      |
| 56                          | BD                       | Billing Currency ID               | String       | 15      | 16      |
| 57                          | BE                       | Billing Curr<br>Conversion Factor | Currency     | 14      | 10      |
| 58                          | BF                       | Local Currency ID                 | String       | 15      | 16      |
| 59                          | BG                       | Subcontractor<br>Percent          | Long Integer | 6       | 4       |

## **Employee Master File**

Import File: SVEM0001.CSV (Comma) or SVEM0001.TXT (Tab)

Warehouse File: **SV\_Employee\_IMP\_WHSE** 

Destination Files: UPR\_MSTR (UPR00100), UPR\_MSTR\_Pay\_Type (UPR00400), SV\_Lookup\_Tech\_MSTR (SV00115)

⚠ If 'Technician' (93, CO) is empty, it will be set to the 'Employee ID' (32,AF).

<sup>\*</sup>Indicates validated fields, and must contain data.

<sup>\*\*</sup>Indicates validated, but can be left empty.

<sup>&#</sup>x27;Base Pay Record' (45,AS) is not validated.
'Pay Unit' (47,AU) must be present if a 'Pay Type' (44,AR) of 1 or 3 is entered.
'Base Pay Record' (45,AS) must be present if a 'Pay Type' (44,AR) of 6, 7, 8, or 9 is entered.

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                 | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|----------------------------|--------------|---------|---------|
| 1                           | А                        | *Employee ID               | String       | 15      | 16      |
| 2                           | В                        | *Pay Record (Pay<br>Code)  | String       | 6       | 8       |
| 3                           | С                        | Employee Class             | String       | 15      | 16      |
| 4                           | D                        | Inactive                   | checkbox     | 1       | 2       |
| 5                           | Е                        | *Last Name                 | String       | 20      | 22      |
| 6                           | F                        | *First Name                | String       | 15      | 16      |
| 7                           | G                        | Middle Name                | String       | 15      | 16      |
| 8                           | н                        | Address 1                  | String       | 30      | 32      |
| 9                           | 1                        | Address 2                  | String       | 30      | 32      |
| 10                          | J                        | City                       | String       | 30      | 32      |
| 11                          | К                        | State                      | String       | 4       | 30      |
| 12                          | L                        | Country                    | String       | 20      | 22      |
| 13                          | М                        | Zip Code                   | String       | 10      | 12      |
| 14                          | N                        | Phone Number               | String       | 14      | 22      |
| 15                          | 0                        | *Social Security<br>Number | String       | 15      | 16      |
| 16                          | Р                        | Birth Date                 | Date         | 6       | 4       |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                     | Storage Type  | Keyable | Storage |
|-----------------------------|--------------------------|--------------------------------|---|---------|---------|
| 17                          | Q                        | Gender                         | Drop-Down<br>List<br>1 = Male<br>2 = Female   | 6       | 2       |
| 18                          | R                        | Ethnic Origin                  | Drop-Down List 1 = Caucasian 2 = Native American 3 = Black 4 = Asian 5 = Hispanic 6 = Other | 15      | 2       |
| 19                          | S                        | Part Time                      | checkbox  | 1       | 2       |
| 20                          | Т                        | *Department                    | String  | 6       | 8       |
| 21                          | U                        | *Job Title                     | String  | 6       | 8       |
| 22                          | V                        | Which Cash Account<br>For Pay  | Radio Group   | 0       | 2       |
| 23                          | W                        | Account Index                  | Long Integer  | 14      | 4       |
| 24                          | X                        | *Work Hours Per<br>Year        | Integer   | 4       | 2       |
| 25                          | Y                        | Start Date                     | Date  | 6       | 4       |
| 26                          | Z                        | Date Employee<br>Inactivated   | Date  | 8       | 4       |
| 27                          | AA                       | Reason Employee<br>Inactivated | String  | 30      | 32      |
| 28                          | AB                       | Minimum Net Pay                | Currency  | 14      | 10      |
| 29                          | AC                       | Suta State                     | String  | 2       | 4       |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                  | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|-----------------------------|--------------|---------|---------|
| 30                          | AD                       | Workers Comp                | String       | 6       | 8       |
| 31                          | AE                       | Auto Accrue<br>Vacation     | checkbox     | 16      | 2       |
| 32                          | AF                       | Vacation Accrual<br>Amount  | Long Integer | 6       | 4       |
| 33                          | AG                       | Vacation Accrual<br>Method  | Radio Group  | 0       | 2       |
| 34                          | АН                       | Vacation Hours Per<br>Year  | Long Integer | 6       | 4       |
| 35                          | AI                       | Vacation Available          | Long Integer | 6       | 4       |
| 36                          | AJ                       | Auto Accrue Sick<br>Time    | checkbox     | 1       | 2       |
| 37                          | AK                       | Sick Time Accrual<br>Method | Radio Group  | 0       | 2       |
| 38                          | AL                       | Sick Time Accrual<br>Amount | Long Integer | 6       | 4       |
| 39                          | АМ                       | Sick Time Available         | Long Integer | 6       | 4       |
| 40                          | AN                       | Sick Time Hours Per<br>Year | Long Integer | 6       | 4       |
| 41                          | AO                       | User Defined 1              | String       | 20      | 22      |
| 42                          | АР                       | User Defined 2              | String       | 20      | 22      |
| 43                          | AQ                       | Note Index                  | Currency     | 14      | 10      |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name       | Storage Type  | Keyable | Storage |
|-----------------------------|--------------------------|------------------|---|---------|---------|
| 44                          | AR                       | *Pay Type        | Drop-Down List 1 = Hourly 2 = Salary 3 = Piecework 4 = Commission 5 = Business Expense 6 = Overtime 7 = Double Time 8 = Vacation 9 = Sick 10 = Holiday 11 = Pension 12 = Other 13 = Earned Inc. Credit 14 = Charged Tips 15 = Reported Tips 16 = Min. Wage Bal. | 20      | 2       |
| 45                          | AS                       | Base Pay Record  | String  | 6       | 8       |
| 46                          | AT                       | *Pay Rate Amount | Currency  | 14      | 10      |
| 47                          | AU                       | Pay Unit         | String  | 25      | 26      |
| 48                          | AV                       | Pay Unit Period  | Drop-Down List 1 = Weekly 2 = Biweekly 3 = Semimonthly 4 = Monthly 5 = Quarterly 6 = Semiannually 7 = Annually 8 = Daily/Misc.  | 19      | 2       |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                    | Storage Type   | Keyable | Storage |
|-----------------------------|--------------------------|-------------------------------|--|---------|---------|
| 49                          | AW                       | Report As Wages               | checkbox   | 1       | 2       |
| 50                          | AX                       | Taxable                       | checkbox   | 1       | 2       |
| 51                          | AY                       | Subject To Federal<br>Tax     | checkbox   | 1       | 2       |
| 52                          | AZ                       | Subject To Social<br>Security | checkbox   | 1       | 2       |
| 53                          | ВА                       | Subject To Medicare           | checkbox   | 1       | 2       |
| 54                          | ВВ                       | Subject To State Tax          | checkbox   | 1       | 2       |
| 55                          | ВС                       | Subject To Local Tax          | checkbox   | 1       | 2       |
| 56                          | BD                       | Subject To Futa               | checkbox   | 1       | 2       |
| 57                          | BE                       | Subject To Suta               | checkbox   | 1       | 2       |
| 58                          | BF                       | Flat Federal Tax<br>Rate      | Integer  | 4       | 2       |
| 59                          | BG                       | Flat State Tax Rate           | Integer  | 4       | 2       |
| 60                          | ВН                       | Pay Period                    | Drop-Down List 1 = Weekly 2 = Biweekly 3 = Semimonthly 4 = Monthly 5 = Quarterly 6 = Semiannually 7 = Annually 8 = Daily/Misc. | 19      | 2       |
| 61                          | ВІ                       | Pay Per Period                | Currency   | 14      | 10      |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name         | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|--------------------|--------------|---------|---------|
| 62                          | ВЈ                       | Max Pay Per Period | Currency     | 14      | 10      |
| 63                          | ВК                       | Pay Advance        | Currency     | 14      | 10      |
| 64                          | BL                       | Accrue Vacation    | checkbox     | 1       | 2       |
| 65                          | ВМ                       | Accrue Sick Time   | checkbox     | 1       | 2       |
| 66                          | ви                       | W2 Box Number      | Integer      | 2       | 2       |
| 67                          | ВО                       | W2 Box Label       | String       | 6       | 8       |
| 68                          | ВР                       | Pay Advance Taken  | Currency     | 14      | 10      |
| 69-80                       | BQ-CB                    | MTD Hours          | Long Integer | 6       | 4       |
| 81-92                       | CC-CN                    | MTD Wages          | Currency     | 14      | 10      |
| 93                          | СО                       | Technician         | String       | 10      | 12      |
| 94                          | СР                       | **Technician Team  | String       | 15      | 16      |
| 95                          | cQ                       | Vendor Switch      | checkbox     | 1       | 2       |
| 96                          | CR                       | Vendor ID          | String       | 15      | 16      |
| 97                          | CS                       | **Branch Name      | String       | 40      | 42      |

# **Job Cost Field Definitions**

If you have been using Signature before the Signature 2016 R3 release, the Job Cost change order rules were updated with that release. For more information, see <u>Updated change order rules (page 72)</u>.

- Job Master File (page 64)
- Job Detail Master File (page 66)
- Billing Codes Master File (page 70)
- Change Order Master File (page 70)
- Change Order Detail Master File (page 72)
- JC Vendor Master File (page 74)

• Cost Code Master File (page 76)

### **Job Master File**

Import File: JCJM0001.CSV (Comma) or JCJM0001.TXT (Tab)

Warehouse File: JC\_Job\_MSTR\_IMP\_WHSE Destination File: JC\_Job\_MSTR (JC00102)



- The 'WS Job Number' field has a maximum length of 17 characters. Job numbers longer than this will be cut off.
- If you are importing a certified payroll job, enter "1" in the 'Certified Payroll' field. If the job is not certified payroll, leave this field blank.

<sup>\*</sup>Indicates validated fields, and must contain data.

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                  | Storage Type  | Keyable | Storage |
|-----------------------------|--------------------------|-----------------------------|---|---------|---------|
| 1                           | А                        | *WS Job Number              | String  | 17      | 18      |
| 2                           | В                        | *WS Job Name                | String  | 30      | 32      |
| 3                           | С                        | Project Number              | String  | 17      | 18      |
| 4                           | D                        | *Divisions                  | String  | 15      | 16      |
| 5                           | Е                        | *Customer Number            | String  | 15      | 16      |
| 6                           | F                        | *Job Address Code           | String  | 15      | 16      |
| 7                           | G                        | *Job Billto Address<br>Code | String  | 15      | 16      |
| 8                           | н                        | Estimator ID                | String  | 15      | 16      |
| 9                           | ı                        | WS Manager ID               | String  | 15      | 16      |
| 10                          | J                        | Contract Type               | Drop-Down List 1 = Fixed Amount 2 = Cost Plus 3 = Cost Plus NTE | 1       | 1       |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                      | Storage Type   | Keyable | Storage |
|-----------------------------|--------------------------|---------------------------------|--|---------|---------|
| 11                          | K                        | WS Billing Type                 | Drop-Down List 1 = Standard 2 = User Defined 3 = Cost Code 4 = Trx. Level 5 = Project Billing 6 = SOP 7 = Project Bill Code 8 = Project Trx. Level 9 = Project Allocated Revenue | 1       | 1       |
| 12                          | L                        | *Tax Schedule ID                | String   | 15      | 16      |
| 13                          | М                        | Suta State                      | String   | 2       | 4       |
| 14                          | N                        | Local Tax                       | String   | 6       | 8       |
| 15                          | 0                        | Rate Class                      | String   | 15      | 16      |
| 16                          | Р                        | Bid Due Date                    | Date   | 6       | 6       |
| 17                          | Q                        | Schedule Start Date             | Date   | 6       | 6       |
| 18                          | R                        | Scheduled<br>Completion Date    | Date   | 6       | 6       |
| 19                          | S                        | JC Contract Number              | String   | 15      | 16      |
| 20                          | Т                        | Original Contract<br>Amount     | Currency   | 14      | 14      |
| 21                          | U                        | Contract Maximum<br>Bill Amount | Currency   | 14      | 14      |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name               | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|--------------------------|--------------|---------|---------|
| 22                          | V                        | Retention %              | Currency     | 14      | 14      |
| 23                          | W                        | Tax Exempt Number        | String       | 15      | 16      |
| 24                          | Х                        | Certified Payroll        | Check Box    | 1       | 2       |
| 25                          | Υ                        | WS Inactive              | Check Box    | 1       | 2       |
| 26                          | Z                        | User Define 1            | String       | 30      | 32      |
| 27                          | AA                       | User Define 2            | String       | 30      | 32      |
| 28                          | АВ                       | User Defined 1           | String       | 20      | 22      |
| 29                          | AC                       | User Defined 2           | String       | 20      | 22      |
| 30                          | AD                       | User Defined Dollar<br>1 | Currency     | 14      | 14      |
| 31                          | AE                       | User Defined Dollar<br>2 | Currency     | 14      | 14      |
| 32                          | AF                       | User Defined Date 1      | Date         | 8       | 8       |
| 33                          | AG                       | User Defined Date 2      | Date         | 8       | 8       |

### Job Detail Master File

Import File: JCJD0001.CSV (Comma) or JCJD0001.TXT (Tab)

Warehouse File: JC\_Job\_Detail\_MSTR\_IMP\_WHSE Destination File: JC\_Job\_Detail\_MSTR (JC00701)

<sup>\*\*</sup>Indicates validated, but can be left empty.



▲ 'Labor Group Name' (42, AP) must be validated if a 'Profit Type Number' (9,I) of 9 is entered.

'WS Account Index 1' (43, AQ) must be validated if using the Cost Code posting option.

The Change Order Estimate Cost (U) and Change Order Estimate Units (AC) should be empty when importing this file.

<sup>\*</sup>Indicates validated fields, and must contain data.

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                 | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|----------------------------|--------------|---------|---------|
| 1                           | Α                        | *WS Job Number             | String       | 17      | 18      |
| 2                           | В                        | Project Number             | String       | 17      | 18      |
| 3                           | С                        | *Cost Code Number<br>1     | Composite    | 4       | 4       |
| 4                           | D                        | *Cost Code Number<br>2     | Composite    | 4       | 4       |
| 5                           | Е                        | *Cost Code Number<br>3     | Composite    | 4       | 4       |
| 6                           | F                        | *Cost Code Number<br>4     | Composite    | 4       | 4       |
| 7                           | G                        | *Cost Code<br>Description  | String       | 30      | 32      |
| 8                           | Н                        | *Cost Element              | Integer      | 3       | 3       |
| 9                           | 1                        | *Profit Type Number        | Integer      | 2       | 2       |
| 10                          | J                        | *Profit Amount             | Currency     | 14      | 14      |
| 11                          | к                        | WS Manager ID              | String       | 15      | 16      |
| 12                          | L                        | Estimated Measure<br>Code  | String       | 6       | 8       |
| 13                          | М                        | Production Measure<br>Code | String       | 6       | 8       |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                       | Storage Type   | Keyable | Storage |
|-----------------------------|--------------------------|----------------------------------|--|---------|---------|
| 14                          | N                        | *Type of<br>Transaction          | Drop-Down List 1 = All 2 = Inventory Item 3 = Vendor ID 4 = Purchase Order | 1       | 1       |
| 15                          | 0                        | Workers Comp                     | String   | 6       | 8       |
| 16                          | Р                        | Track Production<br>Qty          | Check Box  | 1       | 2       |
| 17                          | Q                        | Production Estimate<br>Qty       | Currency   | 14      | 14      |
| 18                          | R                        | Production Qty/Unit              | Currency   | 14      | 14      |
| 19                          | S                        | Production Best                  | Currency   | 12      | 12      |
| 20                          | Т                        | Cost Code<br>Estimated Cost      | Currency   | 14      | 14      |
| 21                          | U                        | Change Order<br>Estimated Cost   | Currency   | 14      | 14      |
| 22                          | V                        | Cost Code Rvsd<br>Estimated Cost | Currency   | 14      | 14      |
| 23                          | W                        | Original Estimate<br>Units       | Currency   | 14      | 14      |
| 24                          | X                        | Cost Code<br>Estimated Units     | Currency   | 14      | 14      |
| 25                          | Υ                        | Estimated Amt/<br>Units          | Currency   | 14      | 14      |
| 26                          | Z                        | Scheduled<br>Completion Date     | Date   | 6       | 6       |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                      | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|---------------------------------|--------------|---------|---------|
| 27                          | AA                       | Scheduled Start<br>Date         | Date         | 6       | 6       |
| 28                          | АВ                       | Field % Complete                | Integer      | 5       | 5       |
| 29                          | AC                       | Change Order<br>Estimated Units | Currency     | 14      | 14      |
| 30                          | AD                       | User Define 1                   | String       | 30      | 32      |
| 31                          | AE                       | User Define 2                   | String       | 30      | 32      |
| 32                          | AF                       | User Defined 1                  | String       | 20      | 22      |
| 33                          | AG                       | User Defined 2                  | String       | 20      | 22      |
| 34                          | АН                       | User Defined Dollar             | Currency     | 14      | 14      |
| 35                          | Al                       | User Defined Dollar<br>2        | Currency     | 14      | 14      |
| 36                          | AJ                       | User Defined Date 1             | Date         | 8       | 8       |
| 37                          | AK                       | User Defined Date 2             | Date         | 8       | 8       |
| 38                          | AL                       | Vendor Number                   | String       | 25      | 26      |
| 39                          | AM                       | Item Number                     | String       | 30      | 32      |
| 40                          | AN                       | Purchase Order<br>Number        | String       | 20      | 22      |
| 41                          | AO                       | Rate Per Unit                   | Currency     | 14      | 14      |
| 42                          | AP                       | **Labor Group<br>Name           | String       | 15      | 16      |

| Tab Position (.txt file) | Excel Column (.csv file) | Field Name         | Storage Type | Keyable | Storage |
|--------------------------|--------------------------|--------------------|--------------|---------|---------|
| 43                       | AQ                       | WS Account Index 1 | Long Integer | 14      | 14      |

## **Billing Codes Master File**

Import File: JCBC0001.CSV (Comma) or JCBC0001.TXT (Tab)

Warehouse File: JC\_Billing\_Codes\_MSTR\_IMP\_WHSE Destination File: JC\_Billing\_Codes\_MSTR (JC00601)

<sup>\*</sup>Indicates validated fields, and must contain data.

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|---------------------------|--------------|---------|---------|
| 1                           | А                        | *WS Job Number            | String       | 17      | 18      |
| 2                           | В                        | *Bill Code<br>Description | String       | 30      | 32      |
| 3                           | С                        | *Bill Code Number         | String       | 26      | 28      |
| 4                           | D                        | *Cost Element             | Integer      | 3       | 3       |
| 5                           | Е                        | *Total Billable<br>Amount | Currency     | 14      | 14      |
| 6                           | F                        | Bill %                    | Integer      | 5       | 5       |

## **Change Order Master File**

Import File: JCCO0001.CSV (Comma) or JCCO0001.TXT (Tab) Warehouse File: JC\_Change\_Orders\_MSTR\_IMP\_WHSE Destination File: JC\_Change\_Orders\_MSTR (JC01001)

<sup>\*\*</sup> New rules for change order type



△ 'Posting Status' (6,F) must have a value of 2, or be empty.

<sup>\*</sup>Indicates validated fields, and must contain data.

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                     | Storage Type  | Keyable | Storage |
|-----------------------------|--------------------------|--------------------------------|---|---------|---------|
| 1                           | А                        | *WS Job Number                 | String  | 17      | 18      |
| 2                           | В                        | Project Number                 | String  | 17      | 18      |
| 3                           | С                        | *Change Order #                | String  | 14      | 16      |
| 4                           | D                        | *Change Order<br>Status        | Drop-Down List 1 = Confirmed 2 = In-Process 3 = Pending 4 = User Defined 2 5 = User Defined 3 | 1       | 1       |
| 5                           | Е                        | *Change Order<br>Type**        | Drop-Down List 1 = Fixed Amount 2 = Cost Plus 3 = Cost Plus NTE                               | 1       | 1       |
| 6                           | F                        | Posting Status                 | Integer   | 1       | 1       |
| 7                           | G                        | *Change Order<br>Description   | String  | 30      | 32      |
| 8                           | Н                        | Change Order<br>Estimated Cost | Currency  | 14      | 14      |
| 9                           | I                        | Confirmed Modified<br>Date     | Date  | 8       | 8       |
| 10                          | J                        | Confirmed Modified<br>User ID  | String  | 15      | 16      |
| 11                          | К                        | User Defined CO 1              | String  | 15      | 16      |
| 12                          | L                        | User Defined CO 2              | String  | 15      | 16      |

| Tab Position (.txt file) | Excel Column (.csv file) | Field Name                     | Storage Type | Keyable | Storage |
|--------------------------|--------------------------|--------------------------------|--------------|---------|---------|
| 13                       | М                        | User Defined CO 3              | String       | 15      | 16      |
| 14                       | N                        | User Defined CO 4              | String       | 15      | 16      |
| 15                       | 0                        | User Defined Date 1            | Date         | 8       | 8       |
| 16                       | Р                        | User Defined Date 2            | Date         | 8       | 8       |
| 17                       | Q                        | User Defined Date 3            | Date         | 8       | 8       |
| 18                       | R                        | User Defined Date 4            | Date         | 8       | 8       |
| 19                       | S                        | Posting Date                   | Date         | 8       | 8       |
| 20                       | Т                        | Change Order<br>Maximum Amount | Currency     | 14      | 14      |

#### **Update to Change Order Rules**

If you are using the RPO revenue recognition method, the updated change order rules were implemented in the Signature 2016 R3 release. The change orders that can be created are limited based on the job's contract type:

| Job Type      | Change Order Type |
|---------------|-------------------|
| Fixed         | Fixed, Cost Plus  |
| Cost Plus     | N/A - None        |
| Cost Plus NTE | Cost Plus NTE*    |

<sup>\*</sup>By design, a Cost Plus NTE change order increases the overall NTE amount for the job. It is not tracked as a separate NTE change order.

## **Change Order Detail Master File**

Import File: JCCOD0001.CSV (Comma) or JCCOD0001.TXT (Tab)

Warehouse File: JC\_Chg\_Ord\_Detail\_MSTR\_IMP\_WHSE Destination File: JC\_Chg\_Ord\_Detail\_MSTR (JC01002)

\*Indicates validated fields, and must contain data.



△ 'Posting Status' (12,L) must have a value of 2, or be empty.

Cost codes applied to a change order must already exist on the job record.

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                | Storage Type   | Keyable | Storage |
|-----------------------------|--------------------------|---------------------------|--|---------|---------|
| 1                           | А                        | *WS Job Number            | String   | 17      | 18      |
| 2                           | В                        | *Change Order#            | String   | 14      | 16      |
| 3                           | С                        | *Cost Code Number<br>1    | Composite  | 4       | 4       |
| 4                           | D                        | *Cost Code Number<br>2    | Composite  | 4       | 4       |
| 5                           | Е                        | *Cost Code Number<br>3    | Composite  | 4       | 4       |
| 6                           | F                        | *Cost Code Number<br>4    | Composite  | 4       | 4       |
| 7                           | G                        | *Cost Code<br>Description | String   | 30      | 32      |
| 8                           | н                        | *Cost Element             | Integer  | 3       | 3       |
| 9                           | 1                        | Estimated Measure<br>Code | String   | 6       | 8       |
| 10                          | J                        | WS Manager ID             | String   | 15      | 16      |
| 11                          | K                        | *Type of<br>Transaction   | Drop-Down List 1 = All 2 = Inventory Item 3 = Vendor ID 4 = Purchase Order | 1       | 1       |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                      | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|---------------------------------|--------------|---------|---------|
| 12                          | L                        | Posting Status                  | Integer      | 5       | 5       |
| 13                          | М                        | Change Order<br>Estimated Units | Currency     | 14      | 14      |
| 14                          | N                        | CO Estimated Amt/<br>Units      | Currency     | 14      | 14      |
| 15                          | 0                        | Change Order<br>Estimated Costs | Currency     | 14      | 14      |
| 16                          | Р                        | Scheduled<br>Completion Date    | Date         | 6       | 6       |
| 17                          | Q                        | Schedule Start Date             | Date         | 6       | 6       |
| 18                          | R                        | Vendor Number                   | String       | 25      | 26      |
| 19                          | S                        | Inventory Item<br>Number        | String       | 20      | 22      |
| 20                          | Т                        | Purchase Order<br>Number        | String       | 20      | 22      |

### **JC Vendor Master File**

Import File: JCVM0001.CSV (Comma) or JCVM0001.TXT (Tab)

Warehouse File: JC\_Vendor\_MSTR\_IMP\_WHSE Destination File: JC\_Vendor\_MSTR (JC01501)

<sup>\*</sup>Indicates validated fields, and must contain data.

| Tab Position (.txt file) | Excel Column (.csv file) | Field Name     | Storage Type | Keyable | Storage |
|--------------------------|--------------------------|----------------|--------------|---------|---------|
| 1                        | Α                        | *WS Job Number | String       | 17      | 18      |
| 2                        | В                        | Project Number | String       | 17      | 18      |
| 3                        | С                        | *Vendor ID     | String       | 15      | 16      |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name                    | Storage Type                                       | Keyable | Storage |
|-----------------------------|--------------------------|-------------------------------|--|---------|---------|
| 4                           | D                        | Vendor Name                   | String   | 64      | 66      |
| 5                           | Е                        | *Address Code                 | String   | 15      | 16      |
| 6                           | F                        | *Vendor Contract<br>Type      | Drop-Down List 1 = NTE 2 = Lump Sum 3 = Unit Price |         |         |
| 7                           | G                        | *Original Contract<br>Amount  | Currency   | 14      | 14      |
| 8                           | Н                        | Retention %                   | Currency   | 14      | 14      |
| 9                           | I                        | Mod Rate                      | Integer  | 3       | 3       |
| 10                          | J                        | Purchase Order<br>Number      | String   | 14      | 16      |
| 11                          | К                        | Contract Date                 | Date   | 8       | 8       |
| 12                          | L                        | Insurance Certificate on File | Date   | 8       | 8       |
| 13                          | М                        | Insurance Expiration<br>Date  | Date   | 8       | 8       |
| 14                          | N                        | Submit Date                   | Date   | 8       | 8       |
| 15                          | 0                        | Resubmit Date                 | Date   | 8       | 8       |
| 16                          | Р                        | Approved Date                 | Date   | 8       | 8       |
| 17                          | Q                        | Disapproved Date              | Date   | 8       | 8       |
| 18                          | R                        | User Define 1                 | String   | 30      | 32      |
| 19                          | S                        | User Define 2                 | String   | 30      | 32      |

| Tab Position (.txt<br>file) | Excel Column (.csv file) | Field Name               | Storage Type | Keyable | Storage |
|-----------------------------|--------------------------|--------------------------|--------------|---------|---------|
| 20                          | Т                        | User Defined 1           | String       | 20      | 22      |
| 21                          | U                        | User Defined 2           | String       | 20      | 22      |
| 22                          | V                        | User Defined Dollar      | Currency     | 14      | 14      |
| 23                          | W                        | User Defined Dollar<br>2 | Currency     | 14      | 14      |
| 24                          | Х                        | User Defined Date 1      | Date         | 6       | 6       |
| 25                          | Υ                        | User Defined Date 2      | Date         | 6       | 6       |

### **Cost Code Master File**

Import File: JCCC0001.CSV (Comma) or JCCC0001.TXT (Tab)

Warehouse File: JC\_Cost\_Codes\_MSTR\_IMP\_WHSE Destination File: JC\_Cost\_Codes\_MSTR (JC40202)

<sup>\*</sup>Indicates validated fields, and must contain data.



⚠ 'WS Account Index 1' (20,T) must be validated if using the Cost Code posting option.

| Tab Position (.txt file) | Excel Column | Field Name             | Storage Typ | Keyable | Storage |
|--------------------------|--------------|------------------------|-------------|---------|---------|
| 1                        | A            | *Cost Code<br>Number1  | Composite   |         |         |
| 2                        | В            | *Cost Code Number<br>2 | Composite   |         |         |
| 3                        | С            | *Cost Code Number<br>3 | Composite   |         |         |
| 4                        | D            | *Cost Code Number<br>4 | Composite   |         |         |

| Tab Position (.txt<br>file) | Excel Column | Field Name                       | Storage Typ  | Keyable | Storage |
|-----------------------------|--------------|----------------------------------|--|---------|---------|
| 5                           | Е            | *Cost Code<br>Description        | String   | 30      | 32      |
| 6                           | F            | *Cost Element                    | Integer  | 2       | 2       |
| 7                           | G            | *Profit Type Number              | Integer  | 2       | 2       |
| 8                           | Н            | *Profit Amount                   | Currency   | 14      | 16      |
| 9                           | 1            | Estimated Measure<br>Code        | String   | 6       | 8       |
| 10                          | J            | Production Measure<br>Code       | String   | 15      | 16      |
| 11                          | К            | *Type of<br>Transaction          | Drop-Down List 1 = All 2 = Inventory Item 3 = Vendor ID 4 = Purchase Order | 1       | 1       |
| 12                          | L            | Workers Comp                     | String   | 6       | 8       |
| 13                          | М            | Estimated Amt/<br>Units          | Currency   | 14      | 14      |
| 14                          | N            | Cost Code<br>Estimated Cost      | Currency   | 14      | 14      |
| 15                          | 0            | Cost Code Rvsd<br>Estimated Cost | Currency   | 14      | 14      |
| 16                          | Р            | Production Estimate<br>Qty       | Currency   | 14      | 14      |
| 17                          | Q            | Production Qty/Unit              | Currency   | 14      | 14      |

| Tab Position (.txt<br>file) | Excel Column | Field Name         | Storage Typ  | Keyable | Storage |
|-----------------------------|--------------|--------------------|--------------|---------|---------|
| 18                          | R            | Vendor Number      | String       | 25      | 26      |
| 19                          | S            | Item Number        | String       | 30      | 32      |
| 20                          | Т            | WS Account Index 1 | Long Integer | 14      | 14      |

# **Contact Information**

#### Support & Sales

**Support Phone**: 262-317-3800 **Email**: support@wennsoft.com

**Hours**: Normal support hours are 7:00 a.m. to 6:00 p.m. Central Time. After-hours and weekend support is available for an additional charge. Please contact WennSoft Support for more information.

WennSoft will be closed in observance of the following holidays: New Year's Day, Presidents' Day, Memorial Day, Juneteenth, Independence Day, Labor Day, Veterans' Day, Thanksgiving Day, the Day after Thanksgiving, Christmas Day, and the Day after Christmas.

#### **Support Plans**

We're committed to providing the service you need to solve your problems and help your team maximize productivity.

We offer several Signature Enhancement and Support Plans to meet your needs and Extended Support Plans for retired product versions available at <a href="https://www.wennsoft.com/wsportal.">https://www.wennsoft.com/wsportal.</a>

#### Sales

Phone: 262-317-3700 Fax: 262-317-3701

#### **Address**

WennSoft Headquarters 1970 S. Calhoun Rd. New Berlin, WI 53151-1187

Phone: 262-821-4100 or 866-539-2228

Email: info@wennsoft.com Website: www.wennsoft.com

Office hours: Monday through Friday from 8 a.m. to 5 p.m. Central Time.