MobileTech 2023 (9.5) Readme

Release Version: 2023 (9.5) Release Date: September 2023

- Installing MobileTech (page 1)
- Installation Components and Compatibility (page 1)
- Installation Notes (page 3)
- New Features (page 4)
- Bug Fixes (page 31)

Installing MobileTech

Upgrading to MobileTech 2023 from a previous version

You can upgrade to MobileTech 2023 from version 9.0 (2022) or higher.

- Before you upgrade from a previous version of MobileTech:
 - Make sure that all mobile devices have been synchronized to the host system. If you've made changes to views or stored procedures in previous versions of MobileTech, those changes will be overwritten during the upgrade.
 - IMPORTANT: Inactivate any active Woodford projects prior to running the upgrade.
- You'll be prompted to install database objects the first time you log into MobileTech Administration after upgrading. You must do this for each company. If you're not prompted to install database objects, go to Tools > Create MobileTech Objects and select Process. For more information, see Log into MobileTech Administration in the Installation & Administration Guide¹. For additional upgrade notes, see Upgrade MobileTech Server² in the Installation & Administrative Guide. Installing database objects during an upgrade does not remove any data from the middle tier.

Installing MobileTech for the first time

You can install and set up MobileTech as described in the Signature MobileTech Installation & Administration Guide³.

Installation Components and Compatibility

- Installing MobileTech (page 1)
 - Installing MobileTech for the first time (page 1)
- Installation Components and Compatibility (page 1)
 - MobileTech Components to Install (page 2)
 - Important Notes (page 2)
 - Compatibility (page 2)
 - Incompatibility (page 2)
 - Obtain a Google Maps API Key (page 3)
- Installation Notes (page 3)
- New Features (page 4)

¹ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620188

² https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620214/Upgrade+MobileTech+Server

³ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620188

• Bug Fixes (page 31)

MobileTech Components to Install

To set up and implement MobileTech, you must install these components:

- MobileTech Server 2023 (9.5.57) includes Resco Woodford v16.0.0.1130, Publish Version 16.0
- MobileTech 9.5.57.Woodford (included in installation) or MobileTech with Inspections 9.5.57.Woodford
- Resco Mobile CRM 16.0.9 or higher (from device App Store)

Important Notes

- As App Stores are increasing their security requirements, HTTPS (with Trusted SSL Certificates) will soon become
 a requirement across all device types. Therefore, it is our recommendation that you transition your MobileTech
 environment to use SSL with a trusted certificate.
- Do not install MobileTech server components on your SQL Server machine.
- Install MobileTech Administration on the MobileTech web server.
- Verify the eTimeTrack Web Service current release version matches the installed version of Signature. For installation instructions for each component, see the Installation & Administration Guide⁴.

Compatibility

To find a complete list of system requirements across all the Signature modules, refer to the <u>System Requirements</u>⁵ documentation.

This table lists the tested and supported compatible versions for MobileTech 2023.

Software or device	Compatible versions
Operating Systems	Android 12, 13iOS 16, 17Windows 10, 11
Signature Version IMPORTANT	 Signature 2023 (18.06b08) - To be released November 2023. Signature 2022 (18.05b07)
If you are upgrading to Signature 18.06b08, you must upgrade to MobileTech 9.5. However, if you are only upgrading MobileTech to version 9.5, you can be on any of these compatible Signature versions.	

Incompatibility

- Flexible Forms are not compatible with Microsoft Windows 11.
- Servers running Cylance script control.

⁴ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620188

⁵ https://wennsoft.atlassian.net/wiki/spaces/1806b08/pages/8162005/System+Requirements

• MobileTech inventory transactions do not support Microsoft Dynamics GP Inventory Lots.

Obtain a Google Maps API Key

If you will be using the Mapping feature on a Windows computer, you will need to obtain a Google Maps API key at https://cloud.google.com/maps-platform/pricing/. You will need the Maps JavaScript API (Maps > Dynamic Maps) and Geocoding (Places tab). Geocoding is required for setting coordinates.

Installation Notes

- After installing MobileTech 2023, if you have set up password complexity, you will need to set this up again as the MobileTechAdmin.exe.Config file is overwritten.
- You will need to add the IIS APPPOOL\RescoCloud user to the SQL Server Reporting Services Home Folder permissions page. For instructions on adding the user, see https://docs.microsoft.com/en-us/sql/reporting- services/install-windows/reporting-services-configuration-manager-native-mode?view=sqlallproductsallversions. You can filter the instructions to your SQL Server version.
- The Job Summary Timesheet report no longer prints automatically when a technician completes a job appointment with billable transactions on the appointment. If your company would like to continue to have this report automatically generated, you can remove the comment lines from Offline HTML:

Enabling the automatic timesheet generation after completing a job appointment:

- a. In Woodford, select the MobileTech Woodford project and then select *Edit* from the menu bar.
- b. From the left navigation, select **Offline HTML**.
- c. Double-click Entity to open. Double-click **Appointment** to open.
- d. Select **appointment-form_complete-job.html** and then select *Edit* from the menu bar.
- e. Scroll down to FORM EXECUTIONS.
- f. Locate //, generateTimesheetReport(appointment) // Uncomment line to turn on automatic generation of timesheets.
- g. Remove the preceding //, and succeeding //Uncomment line to turn on automatic generation of timesheets so that the line only displays the following. generateTimesheetReport(appointment)
- h. Select Save.
- i. Select Save from the menu bar.
- j. Publish the project.


IMPORTANT


Deprecation Note:

The legacy UseXOi feature has been deprecated and is no longer available as a setup option in MobileTech Administration.

New Features

General






⁶ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620295/User+Role+Maintenance

⁷ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620295/User+Role+Maintenance

⁸ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6626921/Map+Unbilled+Activities+to+General+Ledger+Accounts

⁹ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6626921/Map+Unbilled+Activities+to+General+Ledger+Accounts



¹⁰ https://wennsoft.atlassian.net/wiki/spaces/1806b08/pages/8161161/Choosing+Job+Cost+Setup+Options

¹¹ https://wennsoft.atlassian.net/wiki/spaces/1806b08/pages/8161161/Choosing+Job+Cost+Setup+Options

¹² https://wennsoft.atlassian.net/wiki/spaces/1806b08/pages/8160765/Process+Inventory+and+Non-Inventory+Item+Transactions


¹³ https://wennsoft.atlassian.net/wiki/spaces/1806b08/pages/8160765/Process+Inventory+and+Non-Inventory+Item+Transactions

Case # **New Feature**

MT-752

The Change an Administrator Password option available from the Tools menu has been renamed to Manage Resco Administrator Account. In addition to being able to update an admin's password, an administrator can now add an administrator account, add/remove access to one or more databases, and/or delete an administrator account. See Manage Resco Administrator Account 1415.

⚠ This option is available only for users who belong to the SysAdmin role in SQL Server. These users can be Windows or SQL users. You can change the password for only one MobileTech administrator at a time.



MT-765

Separate time entries are now created if a user times in/out and the resulting values overlap midnight of the default week-ending day. Midnight is determined by the technician's device. The first entry is for the time up to midnight (12:00 am) and the second entry is post-midnight (12:00).

For example, the week-ending day is set to Friday. If a technician times into an appointment at 10:00 pm on Friday and times out at 2:00 am on Saturday, two entries are created. The first time entry is for the previous time period (10:00 pm to 12:00 am) and the second time entry is for the current time period (12:00 am to 2:00 am).

The default week-ending day is determined by the existing Default Week-Ending Day that is set up in TimeTrack. See Choosing Setup Options¹⁶¹⁷ in the TimeTrack documentation.

¹⁴ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620376/Manage+Resco+Administrator+Account

¹⁵ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620376/Manage+Resco+Administrator+Account

¹⁶ https://wennsoft.atlassian.net/wiki/spaces/1806b08/pages/8161305/Choosing+Setup+Options

¹⁷ https://wennsoft.atlassian.net/wiki/spaces/1806b08/pages/8161305/Choosing+Setup+Options

Case #	New Feature
MT-767	If you have any customers who do not allow the use of XOi onsite, you can now disable XOi Deep Linking for the specific customer(s). Go to MobileTech Admin > Setup Options > Options > Customer Setup. Mark the checkbox in the Disable XOi Deep Linking column.
MT-768	We've updated the MobileTech Cleanup job to include service appointment and job appointment steps with the following criteria.
	 Service Appointments: An integration record is created to delete the appointment. • With a Task_Date 14 days before or after the current date. • With a Task_Date within 14 days of the current date but have a status that is REASSIGN or COMPLETE. • Job Appointments: • With a Start Date 14 days before or after the current date.
	■ If you currently have a Cleanup Job set up, you will need to recreate the job to add the new Service Appointment and Job Appointment steps. For more information, see <u>Create a Cleanup Job for the Middle-tier Database</u> ¹⁸¹⁹ .
MT-772	Field invoicing is now disabled when the Invoice_Type equals 1 (Fixed) or 3 (NTE) for the service call that originated from a quote in Service Management. The Reports tab is hidden and the Location Contacts are not displayed when completing the service appointment. With this new functionality, we have also added "invoicetype" to the servicecall entity for MobileTech.
MT-773	MobileTech's new call creation process has been transitioned to now use wsiSMSServiceCall. (MobileTech had been using SMS_Create_Service_Call.) The transition was made to align the MobileTech process with the same process that we use with Schedule.
MT-778	You can set up MobileTech to automatically include the technician name (request the report) in the subject line and attachment filename. Add {0} to the Employee Time Sheet to add the technician's name as specified in the systemuser table. See Optional: Adding Information to Email Subject Lines and Attachment Names ²⁰²¹ .
MT-786	For reporting and/or filtering purposes, we've added Division to the middle-tier servicecall entity. This field is read-only and is not exposed on any of the MobileTech forms.

¹⁸ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620236/Create+a+Cleanup+Job+for+the+Middle-tier+Database 19 https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620236/Create+a+Cleanup+Job+for+the+Middle-tier+Database 20 https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620281/

Optional%3A+Adding+Information+to+Email+Subject+Lines+and+Attachment+Names

²¹ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620281/

Optional%3A+Adding+Information+to+Email+Subject+Lines+and+Attachment+Names

Case # **New Feature** In the MobileTech Admin Setup Options window, you can now: MT-787, MT-791, • Search for a specific setup option name. The search is case-insensitive. Use the Clear button to MT-800 remove the text from the Search field. • Collapse All/Expand All of the sections to quickly navigate to the specific section. The default view is with all sections expanded. MobileTech Administration File View Tools 88 Users Setup Options Load Data Integration Monitor Role Maintenance Report Maintenance Exit Options -Search: Clear Send Test Email Expand All Save Mobile Tech Global Settings Mobile Tech Company Specific Settings Report Settings Mobile Device Global Settings Time Log Settings Field Invoicing and Field Payments Settings Job Safety Tasks MT-788 On the Time Entry list, we now display the Time-In/Time-Out or Begin Travel/End Travel times. 4/7/2023 TECH ACTIVITY: 000035 Alan Flint tegin Travet 7:49 AM HOUR-Hourly Pay Code End Travel 7:50 AM 4/7/2023 JOB: 1001 Alan Flint 1.00 hrs HOUR-Hourly Pay Code CEDAR FAMILY COUNSELING Time in 8:00 AM time out 9:00 AM 4/7/2023 UNBILLED Alan Flint 1.00 hrs HOUR-Hourly Pay Code


Case # New Feature

MT-802

We've updated the Load Data window so that if any of the required lookup tables are missing lookups after the load data process, the Sync Lookups checkbox remains marked and disabled and the View Missing Lookups button is displayed. Select the View Missing Lookups button to display a popup window that lists the required lookups that do not have any records in their table. The required tables include callresolution, appointmentstatus, calltype, costcode, equipmenttype, extendedwarrantytype, manufacturer, paycode, problemtype, taskstatus, unitofmeasure, setupoption. See Load Data²²²³ for more information.



If your company does not use the displayed required lookup(s), like the Extended Warranty Type, you do not have to do anything. This does not indicate that you have missing or bad data.



MT-801

You can now choose to display the Task Materials AND Replacement Parts tabs on the Appointment Completion form for service appointments. Prior to the MobileTech 9.5 release, users could only enable one of these options. For more information about each option see <u>Task Settings</u>²⁴²⁵ for the task materials setting and <u>Equipment Settings</u>²⁶²⁷ for the replacement parts setting.

²² https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620293/Load+Data

²³ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620293/Load+Data

²⁴ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620255/Task+Settings

²⁵ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620255/Task+Settings

²⁶ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620253/Equipment+Settings

²⁷ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620253/Equipment+Settings

Case #	New Feature
MT-806	When a technician only has one site assigned in Service Management, that site will now default on the PO Line when creating a non-inventory purchase order.
	If the technician has more than one site assigned:
	 The technician will need to select the site. If the technician is assigned to the default site set up in Purchase Order settings, that site will default to the PO Line.
	See <u>Purchase Order Settings</u> ²⁸²⁹ for more information about designating a default site.
MT-808	In the Report Email Options window, the Call Type drop-down list has been removed for the Job Appointment Summary because call types are not available for job appointments.
MT-809	The laborexpense.userdefine1 mapping has been changed to map to WS10702.User_Define_1. Previously it was mapped to US10702.LOCNCODE.

²⁸ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620257/Purchase+Order+Settings 29 https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620257/Purchase+Order+Settings

Case # New Feature

MT-870

You can now create a specific "parts needed" resolution note snippet in Signature that when selected in MobileTech, the Site Inventory list opens. Technicians can select the part and quantity needed. The resolution note snippet includes additional information related to the selected part. See Setting Up Information in Microsoft Dynamics GP³⁰³¹ for information on setting up the resolution note snippet and see Enter an Appointment Resolution³²³³.

In Signature, create the resolution note snippet with a resolution code of **PN**. Then add the curly bracket information in the description text box along with any other labels that you want to display.

One example:

Part Needed Name: {name} Site: {site}

Item Number: {itemnumber}
Description: {description}
Unit of Measure: {unitofmeasure}

Quantity: {quantity}


Another example might be to have everything on one line without descriptions:

{name} - {site}: {item number} - {description}, Quantity: {quantity}

4

- The curly brackets and information within the brackets have to be exactly as written.
- The resolution code also must be PN.
- You can enter any descriptive text and the information does not have to be specifically written on separate lines.
- The Quantity line is optional. If you want the Quantity field to display in the pop-up form, add the Quantity line.

Screenshot of the pop-up form after the technician has selected the item from the Site Inventory List:




Screenshot of the Resolution Note Snippets window in Signature:

³⁰ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620366/Setting+Up+Information+in+Microsoft+Dynamics+GP

³¹ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620366/Setting+Up+Information+in+Microsoft+Dynamics+GP

³² https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620483/Enter+an+Appointment+Resolution


³³ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620483/Enter+an+Appointment+Resolution



Case # **New Feature** MT-873 Inventory applied to a service call from the back office is now visible from the Inventory tab on the Appointment Completion form. Technicians cannot edit or delete these inventory items. These inventory items can be added in Service Management from an inventory adjustment or from an SOP transaction. See Enter an Inventory Transaction Before Completing an Appointment 3435. ⚠ Only Invoice (SOPTYPE 3) inventory will be visible to the technicians. Return SOP (SOPTYPE 4) will not be visible to technicians. + Inventory ↑ Name Q Search 0-20X16X1 FILTER--01-N 20"X16"X1" Furnace Filter 5/2/2023 1.00

³⁴ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620467/ Enter+an+Inventory+Transaction+Before+Completing+an+Appointment

³⁵ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620467/ Enter+an+Inventory+Transaction+Before+Completing+an+Appointment



Case # **New Feature** MT-1077 We have improved security by updating the sysadmin requirements: • A user with the sysadmin server role (does not need to be 'sa' user) is needed to perform the initial installation or upgrade. See <u>Install MobileTech Server</u>³⁶³⁷ and/or <u>Upgrade MobileTech</u> Server³⁸³⁹. ⚠ The sysadmin user is needed in the MobileTech Installer, and in MobileTech Admin (only for first login to create/update all db and objects). • When entering Quadra parameters, the sysadmin user role is needed to apply MobileTech permissions on the entered QuadraDbName. See <u>Quadra Integration</u>⁴⁰⁴¹. We've also changed what users can access in the MobileTech Admin > Tools menu. See Access by User Role/Type⁴²⁴³. • A user with the **sysadmin server role**, can do the following tasks: Create MobileTech Objects • Update Middle Tier Database • Create Middle Tier Database Clean Up Job • Load Data Refresh Lookups • Manage Resco Administrator Accounts • Update Password Policy · Launch Resco Cloud Dashboard • Install Resco MobileCRM Client • A 'mobiletech' user can do the following tasks: Update Middle Tier Database · Load Data Refresh Lookups • Manage Resco Administrator Accounts • Update Password Policy · Launch Resco Cloud Dashboard Install Resco MobileCRM Client

³⁶ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620212/Install+MobileTech+Server

³⁷ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620212/Install+MobileTech+Server

³⁸ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620214/Upgrade+MobileTech+Server

³⁹ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620214/Upgrade+MobileTech+Server


⁴⁰ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620137/Quadra+Integration

⁴¹ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620137/Quadra+Integration

⁴² https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6625460

⁴³ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6625460

Case #	New Feature
MT-1078	MobileTech now displays Australian telephone numbers without the United States formatting. This is determined by the mobile device's localization. Australian phone numbers will now display without any formatting. For example, 12345678901234.
	If the telephone number is 14 characters long and the extension is 0000, these four characters will be removed. (For example, 1234567890 0000 will display as 1234567890.)
	The following areas display the updated telephone number format:
	 Additional Work Form Location Contact Form Location Contact List
	If you would prefer the Australian-specific XX XXXX XXXX ext: XXXX (example: 12 3456 7890 ext:1234) formatting for these forms, contact your WennSoft Customer Support Representative.



⁴⁴ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620228/Setup+Password+Complexity+and+Lockout+Policy 45 https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620228/Setup+Password+Complexity+and+Lockout+Policy

New MobileTech Admin Setup Options

Description MT-700 A CreateNewCallForBillOnlyLocations setup option has been added to the Service Call Settings section in MobileTech Admin Setup Options. This is a new setup option that, when set to True, allows technicians to create new service calls for locations marked as Bill Only in Service Management. Additionally, the bill only customer locations have an indicator displayed next to the location name. The default value is **False**, which means the Bill Only locations do not appear in the lookups in MobileTech and technicians are not able to create new service calls for Bill Only locations. We have also added a new "isbillonly" field to the location table. See Service Call Settings 4647. With this option set to True, the indicator is displayed next to the location name. Customer Location: * Select... 101 - ACCURATE PRINTING MAIN OFFICE - ACCURATE-12500 CLEVELAND AVE 12500 Cleveland Avenue WAREHOUSE - ACCURATE-4181 S 65th St 4181 South 65th Street 102 - CEDAR FAMILY COUNSELING MAIN OFFICE - CEDAR-15500 CLEVELAND AVENUE 15500 Cleveland Avenue Customer PO #: MT-757 The SetAppointmentDetailsOnNewCall has been moved to the Service Call Settings section. Previously this was a line that needed to be added to SQL. The SetAppointmentDetailsOnNew Call option determines if technicians can add appointment information on a new call. The default value is **True**. If you do not want to display the Appointment Details to display on the New Call form, you can update this setting to False. See Service Call Settings⁴⁸⁴⁹.

⁴⁶ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6625776/Service+Call+Settings

⁴⁷ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6625776/Service+Call+Settings

⁴⁸ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6625776/Service+Call+Settings

⁴⁹ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6625776/Service+Call+Settings

MT-764

A new Auto Open Form Settings section has been added to MobileTech Admin Setup Options. Previously this was manually updated in Offline HTML.

When enabled for any of the lists mentioned below, when a technician selects a list tab, if the list has no items, the form to create that item displays automatically. The form auto-open happens the first time you navigate to the corresponding tab within the same instance of the Appointment Completion form. The functionality has been added to the following lists. By default, this has been enabled for the Inventory, Purchase Order Detail, and Time Entry (from the Appointment Completion form) lists. See <u>Auto Open Form Settings</u> for more information.

- Additional Work
- Attachment
- Change Order
- · Change Order Detail
- Meter Reading
- Note
- Refrigerant

MT-764

The UseSyncMaintenance has been moved to the Mobile Device Global Settings section in MobileTech Admin Setup Options. The setup had previously been manually set up in Offline HTML. For more information, see <u>UseSyncMaintenance</u>⁵²⁵³.

The UseSyncMaintenance option is used to help prevent issues with users having multiple devices by displaying a sync prompt automatically on the device if the user hasn't synchronized their device after the SyncInterval value (hours). You can also set the CheckInterval (minutes) that determines how often MobileTech checks to see if the SyncInterval has been reached. Once the technician syncs the device, the Sync Interval resets. If the technician selects Cancel on a sync reminder prompt, this is logged in the JSBridge file on the device. The log file includes the date and time that Cancel was selected. The log file can be sent and you will be able to see if the technician was not syncing when they were prompted.

MT-764

The AllowDeleteTimeIn has been moved to the Time Log Settings section in MobileTech Admin Setup Options. This setup option previously need to be disabled/enabled in Offline HTML.

The AllowDeleteTimeIn option determines if technicians are able to delete a time-in for a job/service appointment and technician activities. The default value is **True**. Select **False** if you do not want your technicians to be able to delete a time-in from their mobile device. See <u>Time Log Settings</u>⁵⁴⁵⁵.

⁵⁰ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620139/Auto+Open+Form+Settings

⁵¹ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620139/Auto+Open+Form+Settings

 $^{52\,}https://wenns of t. at lass ian. net/wiki/spaces/MT95/pages/6620245/Mobile + Device + Global + Settings \# Mobile Device Global Settings syncprompt$

⁵³ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620245/Mobile+Device+Global+Settings#MobileDeviceGlobalSettings-syncprompt

⁵⁴ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620247/Time+Log+Settings

⁵⁵ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620247/Time+Log+Settings


	Description
MT-764	The UsePOEventBasedSync has been moved to the Purchase Order Settings section in MobileTech Admin Setup Options. Previously this needed to be manually enabled in Offline HTML.
	The UsePOEventBasedSync option determines if event-based syncing is used to sync to the host after a purchase order line is created. The default value is False . If set to True , this option also requires that UseEventBasedSync is set to True. See <u>Purchase Order Settings</u> ⁵⁶⁵⁷ .
MT-764	The UseTimeLogBackgroundSync has been moved to the Time Log Settings section in MobileTech Admin Setup Options. Previously this needed to be manually disabled in Offline HTML.
	The UseTimeLogBackground Sync option determines if the technician's coordinates are automatically uploaded to the audit_timelog table with a background sync to the middle-tier anytime they time in, time out, or delete a time-in. The default value is True . Select False if you do want the coordinates automatically uploaded to the audit_timelog table. This option is disabled if UseTimeLog is set to False.

⁵⁶ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620257/Purchase+Order+Settings 57 https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620257/Purchase+Order+Settings

MT-769

A SetCallerDetailsOnNewCall setup option has been added to the Service Call Settings section in MobileTech Admin Setup Options.

The new SetCallerDetailsOnNewCall setup option determines if the caller detail fields are enabled on the New Call form. The caller detail fields include Caller Name, Caller Email, and Caller Phone. The default value is **False**. Select **True** to enable these fields. See <u>Service Call Settings</u>⁵⁸⁵⁹.



⁵⁸ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6625776/Service+Call+Settings 59 https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6625776/Service+Call+Settings

MT-770

A RoundInitialTimeInOut setup option has been moved to the Time Log Settings section in MobileTech Admin Setup Options. Previously this was manually set up in Offline HTML.

The RoundIntialTimeInOut setting determines if rounding is applied to the *initial* Time In and Out values instead of using actual time. The default value is **False**, which indicates that the actual time is used when the MobileTech user initially times. When set to **True**, the initial values are rounded based on the *TimeLogRoundingInterval* setting. See <u>Time Log Settings</u>⁶⁰⁶¹.

▲ IMPORTANT

If you previously had set up Offline HTML to display the rounding, you will need to set this up in MobileTech Setup Options. You won't have to update this again for any other upgrades as this will be saved as a setup option.

MT-771

The Quadra Integration setup has been moved to MobileTech Admin in MobileTech Admin Setup Options. Previously this had been a multi-step manual setup. The MobileTech/Quadra integration allows field technicians to generate Quadra recommendations directly from the MobileTech appointment completion process. Technicians can then view that recommendation from within ERTH's Quadra mobile application and turn that into field quotes and future service call work in Signature/MobileTech. See Quadra Integration⁶²⁶³.

Once you save the Setup Options window after setting up the integration, the following Quadra Objects are created:

- View: FTQuadraRecommendationTemplateLookup
- Trigger: QuadraRecommendationTemplateTrigger
- Stored Procedure: WSMobileLoadQuadraRecommendationTemplate

IMPORTANT

If you previously had Quadra installed, you will need to add the Quadra database name in the Quadra Integration section of the Setup Options window so that the view and triggers are created.

⁶⁰ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620247/Time+Log+Settings

⁶¹ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620247/Time+Log+Settings

⁶² https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620137/Quadra+Integration

⁶³ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620137/Quadra+Integration

Description MT-775 An AllPreviousWeekEntries setup option has been added to the Mobile Device Global Settings section in MobileTech Admin Setup Options. This new option provides the ability to limit technicians to entering time for the current week only. The default value is **True**. See Mobile Device Global Settings⁶⁴⁶⁵ for more information. • **True**: Technicians are able to create and edit time entries for the previous week. • False: Technicians can only enter time entries for the current week. If you are using Manager Approval for time sheets and the manager rejects an entry from the previous week, the MobileTech user will not be able to update the entry. MT-781 A LogError setup option has been added to the MobileTech Global Settings section in MobileTech Admin Setup Options. This new option determines if MobileTech errors are emailed to the AdminEmailAddress as well as saved in the Event Log. The default value is set to Event Log and Email Admin, errors are saved to the event log and emailed to the AdminEmailAddress. If set to Event Log Only, the errors are saved only to the Event Log and no emails are sent. See MobileTech Global Settings⁶⁶⁶⁷. MT-835 A ShowRelatedAppointmentsOnCompletion setup option has been added to the Service Call Settings section in MobileTech Admin Setup Options. This new option allows technicians to view related appointments for the service call or job, regardless of the assigned technician from the Appointment Completion form. Technicians can also access related appointments from the Appointment form on the Related tab. The default value is **True**. See <u>Service Call Settings</u>⁶⁸⁶⁹ and <u>View</u> Related Appointments⁷⁰⁷¹. • True: The Related Appointments button is displayed on the Completion form. • False: Technicians do not see the Related Appointments button on the Completion form.

⁶⁴ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620245/Mobile+Device+Global+Settings 65 https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620245/Mobile+Device+Global+Settings

⁶⁶ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620240/MobileTech+Global+Settings

⁶⁷ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620240/MobileTech+Global+Settings

⁶⁸ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6625776/Service+Call+Settings

⁶⁹ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6625776/Service+Call+Settings


⁷⁰ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6625725/View+Related+Appointments

⁷¹ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6625725/View+Related+Appointments

MT-875

An IncludeAllCallNotesWithHistory setup option has been added to the MobileTech Company-Specific Settings section in MobileTech Admin Setup Options. This new option provides the ability to include all service call notes when historical records are requested. The default value is False. See MobileTech Company-Specific Settings⁷²⁷³.

A new Other Notes section has been added to the History form The notes are separated by [DATE1 TIME1 - MDFUSRID - Note_Service_Index]. The notes display on the History tab in the Other Notes section. The notes are pulled from the SV000805 table. The Other Notes section displays up to 100,000 characters. If the combined notes in the Other Notes section are longer than the allowed 100,000 character length, the displayed notes are appended with "..." to indicate to the user that the message is too long to display.



MT-858

An AllowCreateSublocations setup option has been added to Equipment Settings in MobileTech Admin Setup Options. This new option determines if a technician can create sublocations from their device. The default value is False. Set to True to allow technicians the ability to create unique (for the location) sublocations for equipment. With this set to True, technicians can also edit the description

⁷² https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620242/MobileTech+Company-Specific+Settings 73 https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620242/MobileTech+Company-Specific+Settings

Description
and barcode (if enabled) for an existing sublocation. See <u>Equipment Settings</u> ⁷⁴⁷⁵ and <u>Create or Change an Equipment Record</u> ⁷⁶⁷⁷ for additional information.
The AllowCreateSublocations option is enabled if Use Validation for Sublocations is marked in Service Management Service Options. (Microsoft Dynamics GP > Tools > Setup > Service Management > Module Setup > Setup Options).
A RequireLaborForTechnicianActivities setup option has been added to Labor Settings in MobileTech Admin Setup Options. This new option provides the ability to require a labor transaction to be entered before technician activities can be completed. The default value is True . When set to False, the technician can complete the technician activity without having to enter a labor transaction. See <u>Labor Settings</u> ⁷⁸⁷⁹ .
An AllowRescheduleAppointments setup option has been added to Service Call Settings in MobileTech Admin Setup Options. This new option determines if technicians can change the start date and time of service call appointments and technician activities. The default value is True . See <u>Service Call Settings</u> ⁸⁰⁸¹ .
 This setting does not apply to creating new service appointments or technician activities. This setting also does not apply job appointments. The job appointment start date and time cannot be changed.
Two new setup options for auto-populating the call type and/or problem type when creating a new service call have been added to Service Call Settings in MobileTech Admin Setup Options. See <u>Service Call Settings</u> ⁸²⁸³ .
• DefaultCallType : Determines the default call type for new service calls. The default value is <none>. Select the default call type from the drop-down list of available call types. The only call type not included is MCC.</none>

⁷⁴ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620253/Equipment+Settings

⁷⁵ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620253/Equipment+Settings

 $^{76\,}https://wenns of t. at lassian.net/wiki/spaces/MT95/pages/6620519/Create+or+Change+an+Equipment+Record$

 $^{77\,}https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620519/Create+or+Change+an+Equipment+Record$

⁷⁸ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620261/Labor+Settings

⁷⁹ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620261/Labor+Settings

⁸⁰ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6625776/Service+Call+Settings

⁸¹ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6625776/Service+Call+Settings

⁸² https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6625776/Service+Call+Settings

⁸³ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6625776/Service+Call+Settings

Resco Inspections

Case # **Description** MT-649 We've added a warning icon to indicate when an Inspection Report is required. This displays when the Inspection validation is set to REQUIRED. This icon displays on the following lookup views and applies to Service Call, Job, and Equipment required inspections. See Inspection Validation During Appointment Validation Check (optional) 8485 for information on setting up the validation levels for inspections. Associated Inspections · Answered Inspections Completed **Email Reports** In progress or completed In progress Appointment Answered Inspections V **♦** Filter Q Search ↓ Modified On 27. March, 2023 Completed | REQUIRED Questionnaire 0000000001 - ROOF TOP UNIT In Progress 27. March, 2023 WARNING Questionnaire MT-668 Additional new features from Resco's Winter 2022 Release: • Report Designer user interface improvements: · Design grids more conveniently · Understand properties better Inspections • Map guestions to fields • Buttons can create instances of repeatable groups · Omit unanswered questions from reports For information including a YouTube demonstration from Resco, please go to https://docs.resco.net/ wiki/Releases/Winter 2022#Report Designer user interface improvements.

⁸⁴ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620158 85 https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620158

Case #	Description
Case # MT-670	Additional new features from Resco's Spring 2023 Release: • Questionnaires • Data mapping in bulk • Multiple images limit • Multiple images display • Reports • Image size • Easy access to variables • Report preview • More control over page size • Clone style • Woodford/platform • Nicer app UI • Form designer UI overhaul • Calendar: week selector • Form localization improvements • Design Size button removed from view editor • Sync download performance tips
	 Rich text tab and process flow tab technology change Windows 8.1 app support change For information including a YouTube demonstration from Resco, please go to https://docs.resco.net/wiki/Releases/Spring_2023.

Case # **Description** MT-678, **New Inspection Report Setup Options** MT-803, We've added new setup options for the Inspection Report to the Report Settings section in MobileTech MT-810 Admin. See Report Settings⁸⁶⁸⁷. InspectionReportEmailMode: Determines how inspection reports are automatically sent. ⚠ Emails are sent only if Inspection Email Options for the given inspection template and SMTP settings are set up in Inspection Email Options. Technicians will only receive the reports if the Email Technician checkbox is marked in Inspection Email Options for the given inspection template. See <u>Set Up Email Options for an Inspection Report</u> (optional)⁸⁸. • Do not send inspection report emails: The inspection report is not automatically sent. The technician can still manually send the report from the device. This is the default value. • Send when inspection report is first created: Sends the inspection report when the technician syncs after creating the report. • Selected or entered by technician: Sends the inspection report(s) related to an appointment when the appointment is completed to the designated recipients in Inspection Email Options. The technician can also select one or more Contact email addresses to send the inspection report(s). The technician can also enter new contacts and customers' email addresses. ReportEmailAttachmentMode: Determines if multiple attachments are included in one email **upon appointment completion.** This option is enabled if InspectionReportEmailMode is set to "Selected or entered by Technician". • Send individual emails per report attachment: Attaches only one inspection report per email when the appointment is completed. If multiple inspection reports exist for the appointment, an email is sent for each inspection report. This is the default value. • Combine inspection attachments to one email: Attaches all inspection reports related to the appointment when the appointment is completed. • Combine all report attachments into one email: Attaches all inspection reports and the call, appointment, and/or job appointment summary reports related to the appointment when the appointment is completed. This option does not include field invoices. Field invoices will be sent as a separate attachment. ⚠ To be able to attach the inspection and summary reports to one email, both ReportEmailMode and InspectionReportEmailMode need to be set to "Selected or entered by Technician." MT-776 We've added wild card character functionality to appointment and inspection linking in Offline HTML if you (optionally) limit to a specific value such as a service call type or equipment type. This would provide you with the ability to group similar entities. The wild card character's default value is %, however, you can edit this by updating the wildCardChar variable value found in utility\questionnaire\link-appointment.js. This wild card character can be used on any field for the

⁸⁶ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620131/Report+Settings 87 https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620131/Report+Settings 88 https://docs.key2act.io/pages/viewpage.action?pageId=149520569

Case # Description

service call, job, or equipment. See <u>Inspection Validation During Appointment Validation Check</u> (<u>optional</u>)⁸⁹⁹⁰.


4

The wild card character can only be added to the beginning or end of the entity's field value, For example, %AMP SERVICE or AMPSERVICE%. Not allowed would be AMP%SERVICE.

An example of how this might be used so that anything equipment type that ends with AMP SERVICE or anything that has ROOF TOP UNIT with text before and/or after in the name:

MT-807

When setting up Inspection Email Options, you will now find that the Inspection Source drop-down list is sorted alphabetically for the templates that you've added in Resco Cloud. Note that the COMBINED ATTACHMENT EMAIL and SERVER EMAIL DELIVERY options remain pinned to the top of the list. You can also type the first few letters of the template name to navigate to that section of the list as well as auto-fill the Inspection Source field. For more information about the Inspection Email Options, see Set Up Email Options for an Inspection Report (optional) (optional)



⁸⁹ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620158

⁹⁰ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620158

⁹¹ https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620337

⁹² https://wennsoft.atlassian.net/wiki/spaces/MT95/pages/6620337

Bug Fixes

Case #	Fixed Issue
MT-695	Technicians can now see all of the service calls when there are more than 500 records. We've updated the service call list fetch to use the fetchAllPages function.
MT-720	We've updated the WSMobileTechSyncTrigger so that it no longer allows duplicate integration records if triggered from an alternate source.
MT-727	We've fixed an issue where the annotation sync filter was allowing a summary report for a completed appointment when there were multiple appointments on the service call.
MT-733	When inventory is marked as inactive in Signature, the inventory is now removed as expected from MobileTech.
MT-742	We've updated the Inspections Lookup View in the Woodford project so that the Questionnaire Templates Lookup is the initial view. This will prevent multiple template versions from displaying templates on devices.
MT-935	When updating the Time Out value in Signature, the related Time Log in MobileTech is now updated as expected.
MT-1105	We've fixed a few Task Response History issues.
, MT-1116 , MT-1118	 Users will no longer receive a Call Back error when exiting a task for an MCC service call and selecting a different task when accessed from the Service Call form or from the Appointment Completion form. Duplicate task history responses no longer display on an MCC service call. This occurred when there was an open MCC call with a task and equipment without a sublocation and at least one closed MCC call with the same task/equipment and no sublocation.
MT-1110	Duplicate service calls are no longer created in the middle tier when the service calls originate from the back office and are added from the integration sync.
MT-1186	Users will no longer receive the "No data found to generate report" error when generating the Time Sheet Report. This issue was introduced by another bug fix for the initial MobileTech 2023 (9.5) release.