



KEY2ACT®



Signature

SmartConnect Integration Manager Guide

Version: 1805b07

Exported: 12/14/2022

Legal Declarations

Copyright

Copyright © 2022 Key2Act®. All rights reserved.

Your right to copy this documentation is limited by copyright law and the terms of the software license agreement. As the software licensee, you may make a reasonable number of copies or printouts for your own use. Making unauthorized copies, adaptations, compilations, or derivative works for commercial distribution is prohibited and constitutes a punishable violation of the law.

Portions of this manual are taken from materials and products by Microsoft Dynamics GP. Copyright 2022 by Microsoft. Reprinted by permission of Microsoft. Unless otherwise noted, all names of companies, products, street addresses, and persons contained herein are fictitious and are used solely to document the use of this product.

Trademarks

All company or product names mentioned are trademarks or registered trademarks of Key2Act, Microsoft, or of their respective holders.

Warranty

Key2Act disclaims any warranty regarding the program, documentation, or sample code contained in this document, including the warranties of merchantability and fitness for a particular purpose.

Limitation of Liability

The information contained within this manual, if modified by a Partner or Customer, from the original version delivered by Key2Act, shall indemnify and release Key2Act from any loss, damage, or error resulting from the use of this modified documentation. The resulting content of this manual is furnished for informational use only, is subject to change without notice, and should not be construed as a commitment by Key2Act. Key2Act assumes no responsibility or liability for any errors or inaccuracies that may appear in this manual. Neither Key2Act nor anyone else who has been involved in the creation, production, or delivery of this documentation shall be liable for any indirect, incidental, special, exemplary, or consequential damages, including but not limited to any loss of anticipated profit or benefits, resulting from the use of this documentation or sample code.

License Agreement

Use of this product is covered by a license agreement provided by Key2Act, with the software product. If you have any questions, please call Key2Act Sales at 262-821-4100.

Table of Contents

Installing Integration Manager.....	1
Prerequisites	1
Installation	1
Enable Registration Keys	1
Install Integration Manager	2
Set up Read Access in SQL Server Manager for eConnect User	2
Signature Nodes Reference.....	3
Signature Service Management	3
Signature Job Cost.....	3
Signature Equipment Management.....	3
Signature Shared	3
Signature Integration Technical Reference	3
k2aJobAppointmentNote.....	4
k2aMobileContactWork	5
SMS_Build_Customer_Quicksearch	7
Table Name: SV00054	7
Error Codes.....	9
wsiCreateJobMasterCostCode	10
Table Name: JC40202	10
Error Codes.....	16
wsiCustomerMaintenance.....	17
wsiJCBillingCodesMSTR	33
Table Name: JC00601	33
Validations.....	38
Error Codes.....	38
wsiJCCashReceipts	39
Table Name: JC20502	39
Error Codes.....	43
wsiJCChangeOrdersDetailMSTR	43
Table Name: JC01002	43
Error Codes.....	50

wsiJCChangeOrdersMSTR	52
Table Name: JC01001	52
Error Codes	59
wsiJCForecastCostRevisionMSTR	60
Table Name: JC00201	60
Error Codes	65
wsiJCInventoryWork	66
Table: JC10201	66
Error Codes	71
wsiJCInvoiceSchedule	71
Table: JC10503	71
Error Codes	76
wsiJCJobDetailMSTR	77
Table Name: JC00701	77
Error Codes	87
wsiJCJobEstimates	89
Table: JC00401	89
Error Codes	93
wsiJCJobMaster	94
Error Codes	107
wsiJCVendorMaster	110
Table Name: JC01501	110
Error Codes	115
wsiJobCostInvoiceOPEN	115
Table: JC20501	115
Error Codes	124
wsiJobCostInvoiceScheduleOPEN	130
Table: JC20503	131
Error Codes	135
wsiJobInvoiceUpdateJCJobMSTRRecord	137
wsiMobileInventoryWork	146
Table Name: WS20002	146

wsiMobilePurchaseOrderWork.....	148
Table Name: WS20003	148
wsiPMTransactionLine.....	150
Table Name: WS10001	150
wsiSMSAppointment.....	156
Table: SV00301	156
Error Codes.....	160
wsiSMSContract	161
Table Name: SV00500	161
wsiSMSContractQuote.....	173
Table: SV00502	173
Error Codes	182
wsiSMSContractTask	182
Table Name: SV00582	182
wsiSMSEquipment	190
Table Name: SV00400	190
wsiSMSEquipmentContract	198
Table Name: SV00403	198
wsiSMSInvoice.....	201
Table Name: SV00700	201
wsiSMSJobCostsHistory	212
Table: SV000815	212
Error Codes.....	220
wsiSMSJobCostsWork.....	221
Table: SV000810	221
Error Codes.....	228
wsiSMSLocation	229
Table Name: SV00200	230
Error Codes.....	240
wsiSMSQuote	241
Table Name: SV00502	241
wsiSMSQuoteTask.....	250

Table: SV00545	251
Error Codes	257
wsiSMSServiceCall	258
Table: SV00300	258
Error Codes	268
wsiSMSServiceTasksMaster.....	269
Table: SV00302	269
Error Codes	275
wsiSMSTaskCodes.....	275
Table: SV00560	275
Error Codes	281
wsiSMSTechnician	282
Table: SV00115	283
Error Codes	285
wsiSMSVehicle.....	286
Table: SV00113	287
Error Codes	290
wsiWSCreateUpdatePurchaseOrderIntegration	290
Tables: WS10101, SV00300, JC00102, JC00701, PM00200, IV00101, POP10100, POP10110 ..	290
Error Codes	292
wsiWSTransactionalHeaderAndLine.....	293
Name: wsiWSTransactionHeader.....	293
Name: wsiWSTransactionLine.....	297
wsiWSTransactionHeaderCreate	304
Table Name: WS10801	304
wsiWSTransactionLineCreate	308
Table Name: WS10802	308
Contact Information	316

Signature SmartConnect Integration Manager aids you in creating and updating records in Signature by importing data from different sources. Using SmartConnect, Integration Manager allows you to build maps from existing sources of data, for example, Excel, CRM, XML, or any other ODBC connection, to Signature's import procedures. Signature data can then be imported into Microsoft Dynamics GP. This is useful during both the initial implementation of Signature as well as any ongoing interfacing with other systems. SmartConnect uses eConnect to integrate Microsoft Dynamics GP with other data sources; both products come with a standard set of GP nodes, node types, and node groups that are used to break down the integration into areas. For example, the General Ledger node group contains many node types, for importing Accounts, Transactions, etc. Each node type is a functional group of nodes that are used to create, update, or delete GP transactions and records.

Depending on the data you need to import, for each group of related nodes, you can create a SmartConnect map that matches the source data to the destination. This map allows you to import data into GP. In addition to the standard GP nodes, you can now import Signature data with nodes created by Signature Integration Manager.

CONTENTS

- [Installing Integration Manager \(page 1\)](#)
- [Signature Nodes Reference \(page 3\)](#)
- [Signature Integration Technical Reference \(page 3\)](#)

Installing Integration Manager

Refer to the SmartConnect manual for system requirements and instructions for installing and setting up SmartConnect 2018.

- [Prerequisites \(page 1\)](#)
- [Installation \(page 1\)](#)
 - [Enable Registration Keys \(page 1\)](#)
 - [Install Integration Manager \(page 2\)](#)
 - [Set up Read Access in SQL Server Manager for eConnect User \(page 2\)](#)

Prerequisites

To find a complete list of system requirements across all the Signature modules, please refer to the Signature System Requirements document found on the [Product Download¹](#) page on Signature Resources. <http://www.key2act.com/customer-portal/downloads>

Installation

Enable Registration Keys

Integration Manager must be registered before it can be installed. Complete the following steps to validate the registration key that includes Integration Manager.

1. Select Start > All Programs > Signature Product Registration > Registration Key Setup.

¹ <http://www.key2act.com/customer-portal/downloads>

2. In the Registration Key Entry window, enter the **User ID** and **Password** for the "sa" user.
3. Select the **SQL Server Instance** where Signature products are installed.
4. Enter a **Runtime Password** for the registration user.
5. Enter the **Server Name** and select the **Virtual Directory** where the WSRegistration web service is located.
6. Locate and select the **.TXT** file that contains your registration key information.
7. Select *Register*.
8. You will receive a message when the registration key is successfully validated. Select *OK*.

Install Integration Manager

1. Launch the file *Signature.SmartConnect.IntegrationManager xxxx.exe*.
2. Complete the following fields on the installation window:
 - **Username**
Enter your Microsoft Dynamics GP user name, or leave this field blank to use your Windows credentials.
 - **Password**
If you entered a user name, enter your password.
 - **SQL Server**
Enter the SQL Server name and instance where Signature is installed:
<server name>\<server instance>
 - **System Database**
Enter the name of the system database where Signature is installed.
 - **Web Server**
Enter the location where the Signature Registration Web service is installed. You must have Integration Manager registered before it can be installed.
3. Select *Install*. When the installation is complete, you receive a message telling you that Integration Manager was successfully installed.
4. Select *OK*, and close the installer window.

Set up Read Access in SQL Server Manager for eConnect User

To view more precise error messages that you may receive, the user that was set up to run the integrations needs to have Read Access to the SmartConnect database.

Determining the User Name

To find the user name:

1. On the workstation where eConnect is installed, open **Windows Administrative Tools**.
2. Double-click **Services**.
3. Double-click **eConnect for Microsoft Dynamics GP xxxx Integration Service**. (xxxx is the GP year.)
4. Select the **Log On** tab.
5. The user listed in this window needs to have Read Access to the SmartConnect database.

Granting Read Access

1. Open **SQL Server Management Studio**.
2. Verify that the user exists under **Security > Login**. If the user does not exist, you will have to add the user with permissions to the SmartConnect database.
3. If the user does exist, right-click on the user and select **Properties**.
4. Under **Select a page**, select **User Mapping**.

5. Under **Users mapped to this login**, select **SmartConnect** to give access to the database.
6. Under **Database role membership**, mark at least **db_datareader**.
7. Select **OK** to save your changes.

Signature Nodes Reference

The following nodes are created for importing Signature data when Integration Manager is installed.

Signature Service Management

- SMS Equipment
- SMS Contracts
- SMS Contract Tasks
- SMS Contract Equipment
- SMS Technician
- SMS Customers
- SMS Locations
- SMS Vehicles
- SMS Job Cost Work Transactions
- SMS Service Calls
- SMS Task Codes
- SMS Contract Quotes
- SMS Service Appointments
- SMS Quotes
- SMS Quote Tasks

Signature Job Cost

- JC Jobs
- JC Job Details
- JC Billing Codes
- JC Forecast Revisions
- JC Change Orders
- JC Change Order Details
- JC Vendors
- JC Cost Codes
- JC Job Estimates
- JC Invoice Schedules
- JC Invoice Open Transactions
- JC Cash Receipts

Signature Equipment Management

- EMS Equipment
- EMS Rental Agreement Header
- EMS Rental Agreement Line
- EMS Rental Agreement Line Distributions
- EMS Rental Agreement Line Rates
- EMS Register OP Log Master
- EMS Preventative Maintenance

Signature Shared

- WS Transactions Header
- WS Transaction Line
- WS Purchase Orders
- WS PM Transactions

Signature Integration Technical Reference

Stored procedures are now provided to enhance the Signature Utilities imports. This will enable integration developers to create a data migration solution that is quicker and easier to use.

For each table, there is a PRE- and POST- script, which are non-encrypted procedures that allow consumers of the main procedure to validate both incoming and outgoing data from the main procedure. These scripts are essentially "empty boxes" that pass the parameters through and from the main script and the consumer of these import procedures can modify these and apply their own custom logic.

Refer to each section below to review information such as the SQL table that it represents, element definitions, and error codes.

k2aJobAppointmentNote

Table Name: JC000805

Description: This procedure allows the insert or update of records into the Job Appointment Note MSTR table.

Element Name	Data Type	Length	Required	Default	Description
@l_vWS_Job_Number	varchar	17	Yes		
@l_vAppointment	varchar	25	Yes		
@l_vTechnician	varchar	11	Yes		
@l_vNote_Service_Ind ex	varchar	25	Yes		
@l_vWS_Note_Type	varchar	1	Yes		
@l_vNote_Author	varchar	21	No	null	
@l_vReminder	tinyint	1	No	null	
@l_vReminder_Date	datetime	8	No	null	
@l_vPrintable_Group	smallint	2	No	null	
@l_vCREATDDT	datetime	8	No	null	
@l_vCreated_Time	datetime	8	No	null	
@l_vCRUSRID	varchar	15	No	null	
@l_vMODIFDT	datetime	8	No	null	
@l_vModified_Time	datetime	8	No	null	
@l_vMDFUSRID	varchar	15	No	null	
@l_vRecord_Notes	varchar	8000	No	null	

Element Name	Data Type	Length	Required	Default	Description
@I_vUSRDEFND1	varchar	50	No	null	
@I_vUSRDEFND2	varchar	50	No	null	
@I_vUSRDEFND3	varchar	50	No	null	
@I_vUSRDEFND4	varchar	8000	No	null	
@I_vUSRDEFND5	varchar	8000	No	null	
@I_vUpdateIfExists	tinyint	1	No	0	
@I_vSkipIfExists	tinyint	1	No	0	
@O_iErrorState	int	4	No	0	
@oErrString	varchar	255	No	empty	

k2aMobileContactWork

Table Name: WS20004

Description: This procedure allows the insert or update of records into the Mobile Contacts WORK table.

Element Name	Data Type	Length	Required	Default	Description
@I_vcUSTNMBR	varchar	15	Yes		
@I_vADRSCODE	varchar	15	Yes		
@I_vWS_Contact_Name	varchar	41	Yes		
@I_vE_Mail_Address	varchar	255	Yes		
@I_vPHONE1	varchar	21	Yes		
@I_vContact_ID	varchar	15	No	0	The value of 0 really means new contact

Element Name	Data Type	Length	Required	Default	Description
@l_vPhone_ID	varchar	15	No	0	The value of 0 really means new contact phone.
@l_vContact_Role_Type	varchar	11	No	null	
@l_vPhone_Type	varchar	13	No	null	
@l_vMODIFDT	datetime	8	No	null	
@l_vModified_Time	datetime	8	No	null	
@l_vMDFUSRID	varchar	15	No	null	
@l_vCREATDDT	datetime	8	No	null	
@l_vCreated_Time	datetime	8	No	null	
@l_vCRUSRID	varchar	15	No	null	
@l_vMKTOPROC	tinyint	1	No	null	
@l_vERMSGTXT	varchar	255	No	null	
@l_vUSRDEFND1	varchar	50	No	null	
@l_vUSRDEFND2	varchar	50	No	null	
@l_vUSRDEFND3	varchar	50	No	null	
@l_vUSRDEFND4	varchar	8000	No	null	
@l_vUSRDEFND5	varchar	8000	No	null	
@l_vUpdateIfExists	tinyint	1	No	0	
@l_vSkipIfExists	tinyint	1	No	0	

Element Name	Data Type	Length	Required	Default	Description
@O_iErrorState	int	4	No	0	
@oErrString	varchar	255	No	empty	

SMS_Build_Customer_Quicksearch

- [Table Name: SV00054 \(page 7\)](#)
- [Error Codes \(page 9\)](#)

Table Name: SV00054

Other tables affected: None

Other stored procedures called: None

Description:

This procedure allows the insert/update of records into the Service Customer Quicksearch.

Element Name	Data Type	Length	Required	Default	Description
@I_vCustomerNumber	char	15	Yes		Validated in SV00100 and RM00101, convert to upper case
@I_vAddressCode	char	15	Yes		
@I_vWennsoftAffiliate	char	15	Yes		Existing Affiliate in sv00015. Only required if 'Use Global Record Identification Records' is marked on in Service. Not Required on Updates
@I_vWennsoftRegion	char	15	Yes		Existing Region in sv00015. Only required if 'Use Global Record Identification Records' is marked on in Service. Not Required on Updates
@I_vWennsoftBranch	char	15	Yes		Existing Branch in sv00015. Only required if 'Use Global Record Identification Records' is marked on in Service. Not Required on Updates

Element Name	Data Type	Length	Required	Default	Description
@l_vCustomerName	char	65	No		
@l_vLocationName	char	31	No		
@l_vAddress1	char	61	No		
@l_vPhone1	char	21	No	0000000000000000	Defaults to zero. Is right padded to fill with zeros Not formatted (i.e. 262-821-4100 Ext: 3619 would be 26282141003619) Length can't be greater than 14
@l_vPhone2	char	21	No	0000000000000000	Defaults to zero. Is right padded to fill with zeros Not formatted (i.e. 262-821-4100 Ext: 3619 would be 26282141003619) Length can't be greater than 14
@l_vFax	char	21	No	0000000000000000	Defaults to zero. Is right padded to fill with zeros Not formatted (i.e. 262-821-4100 Ext: 3619 would be 26282141003619) Length can't be greater than 14
@l_vZip	char	11	No		
@l_vUserDefine1a	char	31	No		
@l_vTimeZone	char	3	No		
@l_vWSPrimary	tinyint	3	No		With Customer and Primary Bill Address Code check to see if Primary and if it is then set to 1
@l_vGlobalCustomer	tinyint	3	No		
@l_vCity	char	35	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vUpdateIfExists	tinyint	3	Yes	1	Defaults to 1. It can only be 0 for don't update or 1 update if exists
@l_vWennSoftTablesOnly	tinyint	3	Yes	0	Defaults to false.
@l_vOnlyValidate	tinyint	3	Yes	0	Defaults to false
@l_vUSRDEFND1	char	50	No		
@l_vUSRDEFND2	char	50	No		
@l_vUSRDEFND3	char	50	No		
@l_vUSRDEFND4	varchar	8000	No		
@l_vUSRDEFND5	varchar	8000	No		
@l_vReturnErrorText	tinyint	3	No	1	Defaults to false
@o_iErrorState	int	10	No	0	
@oErrString	varchar	255	No		

Error Codes

Error Code	Description
51102	The customer is empty
51000	Customer Number does not exist in Service
51001	Customer Number does not exist in Microsoft Business Solutions
52189	Address Code field is empty

Error Code	Description
52177	affiliate, region and branch are not valid
52190	Location Name field is empty
52191	Phone 1 field contains an invalid value (length > 14).
52192	Phone 2 field contains an invalid value (length > 14).
52192	Fax field contains an invalid value (length > 14).

wsiCreateJobMasterCostCode

- [Table Name: JC40202 \(page 10\)](#)
- [Error Codes \(page 16\)](#)

Table Name: JC40202

Other tables affected: <none>

Other stored procedures called: wsiCreateJobMasterCostCodePre, wsiCreateJobMasterCostCodePost

Description:

This procedure allows the insert or update of records into the Job Master Cost Code table.

Element Name	Data Type	Length	Required	Default	Description
@I_vWSCostCodeNumber1	char	7	Yes	'	I_vWSCostCodeNumber1 length is equal to the value in JC40103.Cost_Code_Seg_Length_1
@I_vWSCostCodeNumber2	char	7	Yes	'	I_vWSCostCodeNumber2 length is equal to the value in JC40103.Cost_Code_Seg_Length_2
@I_vWSCostCodeNumber3	char	7	Yes	'	I_vWSCostCodeNumber3 length is equal to the value in JC40103.Cost_Code_Seg_Length_3
@I_vWSCostCodeNumber4	char	7	Yes	'	I_vWSCostCodeNumber4 length is equal to the value in JC40103.Cost_Code_Seg_Length_4

Element Name	Data Type	Length	Required	Default	Description
@l_vCostCodeAlias	char	27	No	'	This value must be empty. The stored procedure will construct the Cost Code Alias based on Cost Code Numbers and Cost Element.
@l_vCostCodeDescription	char	31	No	'	Cannot be blank
@l_vAccountIndex	int	10	No	0	I_vAccountIndex exists in GL00100 and is not a unit account. I_vAccountIndex must be zero when using option "Cost Code Debit Posting Accounts by Division" since the Account Index will default in when the cost code is added to a job. I_vAccountIndex must not be zero when using "Cost Code Debit Posting Account by Cost Codes", unless the Cost Code exists already in which case I_vAccountIndex will default in. I_vAccountIndex must be for an active account.
@l_vNextSubdivisionType	smallint	5	No	0	
@l_vProfitTypeNumber	smallint	5	No	0	A) I_vProfitTypeNumber exists in JC40208 B) if I_vProfitTypeNumber is 9, then I_vCostElement must be 1
@l_vProfitAmount	numeric	19,5	No	0	A) If I_vProfitTypeNumber = 3, then I_vProfitAmount cannot equal 100 B) If I_vProfitTypeNumber = 1 or I_vProfitTypeNumber = 2, then I_vProfitAmount must be zero
@l_vTypeofTransaction	smallint	5	No	0	The type of transaction is 1, 2, 3, or 4
@l_vCostElement	smallint	5	Yes	0	I_vCostElement exists in JC40209
@l_vEstimatedStartDate	datetime		No	01/01/1900'	

Element Name	Data Type	Length	Required	Default	Description
@l_vEstimatedCompletionDate	datetime		No	01/01/1900'	
@l_vCostCodeEstimatedUnits	numeric	19,5	No	0	
@l_vEstimatedAmtUnits	numeric	19,5	No	0	
@l_vEstimatedMeasureCode	char	7	No	'	l_vEstimatedMeasureCode exists in JC40102
@l_vCostCodeEstimatedCost	numeric	19,5	No	0	
@l_vCostCodeRvsdEstimatedCost	numeric	19,5	No	0	
@l_vCostCodeForecastCost	numeric	19,5	No	0	
@l_vCostCodeRvsdForecast	numeric	19,5	No	0	
@l_vProductionEstimateQty	numeric	19,5	No	0	
@l_vProductionQtyUnit	numeric	19,5	No	0	
@l_vProductionMeasureCode	char	7	No	'	l_vProductionMeasureCode exists in JC40102
@l_vVendorNumber	char	25	No	'	l_vVendorNumber exists in PM00200
@l_vItemNumber	char	31	No	'	
@l_vPurchaseOrderNumber	char	21	No	'	

Element Name	Data Type	Length	Required	Default	Description
@l_vWorkersCom p	char	7	No	'	I_vWorkersComp exists in UPR40700
@l_vUserDefine1	char	31	No	'	
@l_vUserDefine2	char	31	No	'	
@l_vUserDefined1	char	21	No	'	
@l_vUserDefined2	char	21	No	'	
@l_vUserDefinedI nteger1	int	10	No	0	
@l_vUserDefinedI nteger2	int	10	No	0	
@l_vUserDefinedI nteger3	int	10	No	0	
@l_vUserDefinedI nteger4	int	10	No	0	
@l_vUserDefinedD ollar1	numeric	19,5	No	0	
@l_vUserDefinedD ollar2	numeric	19,5	No	0	
@l_vUserDefinedD ollar3	numeric	19,5	No	0	
@l_vUserDefinedD ollar4	numeric	19,5	No	0	
@l_vUserDefinedD ate1	datetime		No	01/01/1900'	
@l_vUserDefinedD ate2	datetime		No	01/01/1900'	

Element Name	Data Type	Length	Required	Default	Description
@l_vWSUserDefinedDate3	datetime		No	01/01/1900'	
@l_vWSUserDefinedDate4	datetime		No	01/01/1900'	
@l_vUserDefinedCB1	tinyint	3	No	0	
@l_vUserDefinedCB2	tinyint	3	No	0	
@l_vUserDefinedCB3	tinyint	3	No	0	
@l_vUserDefinedCB4	tinyint	3	No	0	
@l_vWennsoftAffiliate	char	15	No	'	
@l_vWennsoftBranch	char	15	No	'	
@l_vWennsoftRegion	char	15	No	'	
@l_vSVLanguageID	smallint	5	No	0	
@l_vTimeZone	char	3	No	'	
@l_vWSReservedCB1	tinyint	3	No	0	
@l_vWSReservedCB2	tinyint	3	No	0	
@l_vWSReservedCB3	tinyint	3	No	0	

Element Name	Data Type	Length	Required	Default	Description
@l_vWSReservedC B4	tinyint	3	No	0	
@l_vWSReservedC B5	tinyint	3	No	0	
@l_vWSReservedC B6	tinyint	3	No	0	
@l_vWSReservedC B7	tinyint	3	No	0	
@l_vWSReservedC B8	tinyint	3	No	0	
@l_vWSReservedC B9	tinyint	3	No	0	
@l_vWSReservedC B10	tinyint	3	No	0	
@l_vWSReservedS TR1	char	11	No	'	
@l_vWSReservedS TR2	char	11	No	'	
@l_vUpdateIfExists	tinyint	3	Yes	0	
@l_vWennSoftTablesOnly	tinyint	3	Yes	0	
@l_vOnlyValidate	tinyint	3	Yes	0	
@l_vUSRDEFND1	char	50	No	'	
@l_vUSRDEFND2	char	50	No	'	
@l_vUSRDEFND3	char	50	No	'	

Element Name	Data Type	Length	Required	Default	Description
@I_vUSRDEFND4	varchar	8000	No	'	
@I_vUSRDEFND5	varchar	8000	No	'	
@I_vReturnErrorText	tinyint	3	No	1	
@O_iErrorState	int	10	No	0	
@oErrString	varchar	255	No	'	

Error Codes

Error Code	Description
51089	The Cost Element must be in the range of 1 to 9.
52243	The length of the first Job Cost Code Segment is incorrect.
52244	The length of the second Job Cost Code Segment is incorrect.
52245	The length of the third Job Cost Code Segment is incorrect.
52246	The length of the fourth Job Cost Code Segment is incorrect.
52293	Cost Code Alias must be empty.
51205	The profit type number does not exist in the profit type setup table.
52250	The Cost Element must be 1 for Profit Type Number 9 Service Labor Rate Group.
52251	The Profit Amount cannot be 100 for a Job Cost Code with Profit Type Number 3 Percent Margin.
52252	The Profit Amount must be zero for Job Cost Codes with Profit Type Number 1 Non-billable.

Error Code	Description
52253	The Profit Amount must be zero for Job Cost Codes with Profit Type Number 2 None.
52254	The Type of Transaction value for a Job Cost Code must be 1, 2, 3, or 4.
52298	The account index must be zero when using option Cost Code Debit Posting Accounts by Division.
51164	Account Index does not exist.
51165	Account number is inactive.
52264	Unit accounts cannot be used with job cost codes.
52256	The Production Measure Code does not exist.
52257	The Estimated Measure Code does not exist.
52259	The Workers Compensation Code does not exist.
52261	The Vendor ID does not exist.
52262	The Cost Code Description cannot be blank for a Job Cost Code.

wsiCustomerMaintenance

Description:

Imports customer data specific to Signature and validates the data substantially like the Signature Customer Maintenance window. Other data fields in this window specific to GP may be imported using eConnect.

Element Name	Data Type	Length	Required	Default	Description		
@I_vCustomer Number	char	15	No	Yes	Customer Number is checked to determine if this is a create or an update. If the field is null or empty the next auto-generated Customer Number from Service Setup - Service Options - Auto	x	SV00100SV00200eC -RM00101sv00015 - Branch MSTRSV00199 - Auto Number MSTR

Element Name	Data Type	Length	Required	Default	Description		
					Generate Numbers Setup is used. If the Auto Generate numbers in Service are not setup and the field is empty or null the record is rejected. Also convert to upper		
@l_vCustomer Name	char	65	Yes		Not required on updates.	x	eC
@l_vCustomer ClassID	char	15	No		Null orExisting Class ID in RM00201This will pull all the information from the classID into this customer's data.		eCRM00201.CLASSID
@l_vService Branch	char	15	Yes		Existing Branch in sv00015. Only required if 'Use Global Record Identification Records' is marked on in Service.Not required on updates	x	SV00100sv00196.Record=1check sv00196.Service_Option_Box_5 ("Use Global Record Identification Filters")sv00015.Branch_Name- (Branch Master table) is unique or use the combination of Wennsoft_Affiliate, Wennsoft_Region, Wennsoft_Branch (these three make the Primary Key)
@l_vAddressCode	char	15	Yes		Converted to upper case.Not required if update.Created or updated in RM00102	x	RM00102RM00101
@l_vLocation Name	char	?	Yes		Not required on updates.	x	
@l_vAddress1	char	61	No			x	

Element Name	Data Type	Length	Required	Default	Description		
@l_vAddress2	char	61	No			x	
@l_vAddress3	char	61	No			x	
@l_vCountry	char	61	No			x	
@l_vCity	char	35	No			x	
@l_vState	char	29	No			x	
@l_vZip	char	11	No			x	
@l_vPhone1	char	21	No	Yes	Defaults to zero. Is right padded to fill with zerosNot formatted (i.e. 262-821-4100 Ext: 3619 would be 26282141003619)	x	
@l_vPhone2	char	21	No	Yes	Defaults to zero. Is right padded to fill with zerosNot formatted (i.e. 262-821-4100 Ext: 3619 would be 26282141003619)	x	
@l_vPhone3	char	21	No	Yes	Defaults to zero. Is right padded to fill with zerosNot formatted (i.e. 262-821-4100 Ext: 3619 would be 26282141003619)	x	
@l_vFax	char	21	No		Defaults to zero. Not formatted.	x	
@l_vUserID	char	15	N		If empty or null a truncated SQL Server login is used	x	SV00100

Element Name	Data Type	Length	Required	Default	Description		
@l_vTechnicianID	char	15	N		Technician ID in SV_Lookup_Technician_MSTR	x	SV00100SV00115.Technician (this table maps a technician to either:UPR00100.EMPLOYID orPM00200.VENDORID)
@l_vTechnicianTeam	char	15	N		Typically empty.	x	SV00100
@l_vCorporateCustomerNumber	char	15	No		Only available if 'Use Corporate Customer ID' option is marked in Service Setup - Service Options. Converted to upper case.	x	RM00101.CUSTNMBR where sv00196_Service_Option_Box_4 =1 and Record=1
@l_vPORquired	tinyint	3	N		Bool. Defaults to zero.	x	SV00100
@l_vContactPerson	char	61	No			x	
@l_vContactName	char	15	N			x	SV00100
@l_vContactPerson2	char	15	No		Only available if the option 'Show Location Contact Fields' is marked in Service Setup. Don't validate ?	x	SV00200
@l_vSalespersonID	char	15	N		Existing SalespersonID in RM00301	x	RM00301.SLSPRSNID
@l_vLaborRateGroup	char	15	Yes		Existing Labor Rate Group in SV000122 or SV000123 (if "Use Overhead Amounts From Job Cost" Service_Option_Box_35 is marked in sv00196 SV_Setup2_MSTR). Con	x	SV00200if sv00196.Record = 1 and sv00196.Service_Option_Box_35 = 0 then check SV000122.Labor_Group_Nameif

Element Name	Data Type	Length	Required	Default	Description		
					vert to uppercaseNot required on update		sv00196.Record = 1 and sv00196.Service_Option_Box_35 = 1 then check SV000123.Labor_Group_Name
@l_vPriceMatrix	char	15	Yes		Existing PriceMatrix in SV00143Convert to uppercaseNot required on update	x	SV00200SV00143.Pricing_Matrix_Name
@l_vCustomer Type	char	31	N			x	SV00100
@l_vCustomer Source	char	31	N			x	SV00100
@l_vBlanketPOCheckbox	tinyint	3	N		Bool. Defaults to zero.	x	SV00100
@l_vBlanketPONumber	char	17	N		Not validated.	x	SV00100
@l_vOriginalBlanketPOAmount	numeric	19,5	N		>= 0. Not available on updates. Typically zero.	x	SV00100
@l_vBlanketPOAmountSpent	numeric	19,5	N		>= 0. Not available on updates. Typically zero.	x	SV00100
@l_vBlanketPOAmountRemaining	numeric	19,5	N		>= 0. Not available on updates. Typically zero.	x	SV00100
@l_vBlanketPOExpirationDate	datetime		N		valid dex date	x	SV00100

Element Name	Data Type	Length	Required	Default	Description		
@l_vUserDefin e1a	char	31	N			x	SV00100
@l_vUserDefin e2a	char	31	N			x	SV00100
@l_vUserDefin e3a	char	31	N			x	SV00100
@l_vUserDefin e4a	char	31	N			x	SV00100
@l_vUserDefin e5a	char	31	N			x	SV00100
@l_vUserDefin e6a	char	31	N			x	SV00100
@l_vServiceUs erDefine1	char	21	N			x	SV00100
@l_vServiceUs erDefine2	char	21	N			x	SV00100
@l_vServiceUs erDefine3	char	31	N			x	SV00100
@l_vServiceUs erDefine4	char	31	N			x	SV00100
@l_vServiceUs erDefine5	int	10	N			x	SV00100
@l_vServiceUs erDefine6	int	10	N			x	SV00100
@l_vServiceUs erDefine7	int	10	N			x	SV00100

Element Name	Data Type	Length	Required	Default	Description		
@l_vServiceUserDefine8	int	10	N			x	SV00100
@l_vServiceUserDefine9	datetime		N		valid dex date	x	SV00100
@l_vServiceUserDefine10	datetime		N		valid dex date	x	SV00100
@l_vServiceUserDefine11	datetime		N		valid dex date	x	SV00100
@l_vServiceUserDefine12	datetime		N		valid dex date	x	SV00100
@l_vServiceUserDefine18	tinyint	3	N		bool	x	SV00100
@l_vServiceUserDefine19	tinyint	3	N		bool	x	SV00100
@l_vServiceUserDefine20	tinyint	3	N		bool	x	SV00100
@l_vServiceUserDefine21	tinyint	3	N		bool	x	SV00100
@l_vServiceUserDefine22	numeric	19,5	N			x	SV00100
@l_vServiceUserDefine23	numeric	19,5	N			x	SV00100
@l_vServiceUserDefine24	numeric	19,5	N			x	SV00100
@l_vServiceUserDefine25	numeric	19,5	N			x	SV00100

Element Name	Data Type	Length	Required	Default	Description		
@l_vTimeZone	char	3	No		Defaults to zeroOnly available if 'Enable Time Zone Views' is marked in Service Setup - Service Options.NOT USED-Don't Validate	x	SV00100sv000196.Service_Option_Box_49
@l_vTimeZoneTag	char	5	N		Existing time zone tag in SV00045	x	SV00100SV00045.Time_Zone_Tag
@l_vSVLangaugeID	smallint	5	N		Defaults to zero.	x	SV00100
@l_vSupervisorsID	char	15	N		Existing EmpID??? Payroll Supervisor Master is UPR41700.	x	SV00100UPR41700.SUPERVISORCODE_I
@l_vHoldTransactionID	int	10	N			x	SV00100
@l_vWSReservedCB1	tinyint	3	N		Bool. Defaults to zero.	x	SV00100
@l_vWSReservedCB2	tinyint	3	N		Bool. Defaults to zero.	x	SV00100
@l_vWSReservedCB3	tinyint	3	N		Bool. Defaults to zero.	x	SV00100
@l_vWSReservedCB4	tinyint	3	N		Bool. Defaults to zero.	x	SV00100
@l_vWSReservedCB5	tinyint	3	N		Bool. Defaults to zero.	x	SV00100
@l_vWSReservedCB6	tinyint	3	N		Bool. Defaults to zero.	x	SV00100
@l_vWSReservedCB7	tinyint	3	N		Bool. Defaults to zero.	x	SV00100

Element Name	Data Type	Length	Required	Default	Description		
@l_vWSReservedCB8	tinyint	3	N		Bool. Defaults to zero.	x	SV00100
@l_vWSReservedCB9	tinyint	3	N		Bool. Defaults to zero.	x	SV00100
@l_vWSReservedCB10	tinyint	3	N		Bool. Defaults to zero.	x	SV00100
@l_vWSReservedSTR1	char	11	N			x	SV00100
@l_vWSReservedSTR2	char	11	N			x	SV00100
@l_vUpdateIfExists tinyint = 0,	tinyint	3	No	Yes	Defaults to true.	x	
@l_vWennSoftTablesOnly tinyint = 0,	tinyint	3	No	Yes	Defaults to false.	x	
@l_vOnlyValidate tinyint = 0,	tinyint	3	No	Yes	Defaults to false	x	
@l_vUSRDEFN D1 char(50) =",	char	50	No			x	
@l_vUSRDEFN D2 char(50) =",	char	50	No			x	
@l_vUSRDEFN D3 char(50) =",	char	50	No			x	
@l_vUSRDEFN D4 varchar(8000) =",	varchar	8000	No			x	

Element Name	Data Type	Length	Required	Default	Description		
@l_vUSRDEFN D5 varchar(8000) = '' ,	varchar	8000	No			x	
@l_vReturnErrorText tinyint = 0 ,	tinyint	3	No	Yes	Defaults to false	x	
@O_iErrorStat e int=0 OUTPUT ,	int	10	Yes			x	
@oErrString varchar(255) = " OUTPUT	varchar	255	Yes			x	
Other fields set automatically							
WennsoftAffiliate	char	15	N			calc	SV00100
WennsoftRegion	char	15	N			calc	SV00100
Other fields not included but listed for reference							
CustomerClass	char	15	No				
ParentCustomerID	?	?	No		Existing Customer ID in RM00101		
StatementName	char	65	No		If empty default with Name		

Element Name	Data Type	Length	Required	Default	Description		
ShortName	char	15	No		If null then the Customer Name is used.		
UPSZone	char	3	No				
ShippingMethod	char	15	No		Existing Shipping Method in xxx		
TaxScheduleID	char	15	No		Existing Tax Schedule ID in xxx		
PrimaryBilltoAddressCode	char	15	No		Existing Address Code in RM00102		
PrimaryShiptoAddressCode	char	15	No		Existing Address Code in RM00102		
StatementAddressCode	char	15	No		Existing Address Code in RM00102		
CheckbookID	char	15	No		Existing Checkbook ID in xxx		
PaymentTermSID	char	21	No		Existing Payment Terms in xxx		
CreditLimitType	smallint	5	No		Existing CreditLimitType		
CreditLimitAmount	numeric	19,5	No		Positive amt., dependent on type		
CreditLimitPeriod	smallint	5	No		valid period		
CreditLimitPeriodAmount	numeric	19,5	No		Positive amt.		
CurrencyID	char	15	No		set to func currID	calc	

Element Name	Data Type	Length	Required	Default	Description		
RateTypeID	char	15	No		set to empty (none)	calc	
ServiceArea	?	?	No		Existing Service Area in xxx	SV00220.Service_Area	
PrimaryTech	?	?	No		Existing TechnicianID in SV00115	SV00115.Technician	
SecondaryTech	?	?	No		Existing TechnicianID in SV00115	SV00115.Technician	
CustomerDiscount	smallint	5	No		Min 0, max 10000 (where 10000 is 100.00%)		
PriceLevel	char	11	No		Existing Price Level in xxx		
MinimumPaymentType	smallint	5	No		Existing MinimumPaymentType		
MinimumPaymentDollar	numeric	19,5	No		Positive amt., dependent on type		
MinimumPaymentPercent	smallint	5	No		Min 0, max 10000 (where 10000 is 100.00%)		
FinanceChargeAmtType	smallint	5	No		Valid Type		
FinanceChargePercent	smallint	5	No		Min 0, max 10000 (where 10000 is 100.00%)		
FinanceChargeDollar	numeric	19,5	No		Positive amt., dependent on type		
MaximumWriteoffType	smallint	5	No		Valid Type		

Element Name	Data Type	Length	Required	Default	Description			
MaxWriteoffAmount	numeric	19,5	No		Positive amt., dependent on type			
Division	?	?	No		Existing service Division in xxx			
ServiceCallPriority	char	1	No					
Comment1	char	31	No					
Comment2	char	31	No					
UserDefined1	char	21	No					
UserDefined2	char	21	No					
TaxExempt1	char	25	No					
TaxExempt2	char	25	No					
TaxRegistrationNumber	char	25	No					
BalanceType	smallint	5	No		Valid Type			
StatementCycle	smallint	5	No		Valid Statement Cycle			
BankName	char	31	No					
BankBranch	char	21	No					
SalesTerritory	char	15	No		Existing TerritoryID in xxx			
DefaultCashAccountType	smallint	5	No		Valid account type			

Element Name	Data Type	Length	Required	Default	Description		
RMCashAccountIndex	int	10	No		Existing posting account index		
RMARAccountIndex	int	10	No		Existing posting account index		
RMSalesAccountIndex	int	10	No		Existing posting account index		
RMIVAccountIndex	int	10	No		Existing posting account index		
RMCostOfSalesAccountIndex	int	10	No		Existing posting account index		
RMDiscountsTakenAccountIndex	int	10	No		Existing posting account index		
RMDiscountsAvailableAccountIndex	int	10	No		Existing posting account index		
RMFinanceChargeAccountIndex	int	10	No		Existing posting account index		
RMWriteoffAccountIndex	int	10	No		Existing posting account index		
RMSalesOrderReturnsAccountIndex	int	10	No		Existing posting account index		
FirstInvoiceDate	datetime		No		Valid date, ignore time		
Inactive	tinyint	3	No		bool		
Hold	tinyint	3	No		bool		

Element Name	Data Type	Length	Required	Default	Description		
CreditCardID	char	15	No		Existing CCID from xxx		
CreditCardNumber	char	21	No				
CreditCardExp Date	datetime		No		Valid dex date, Ignore time		
KeepDistributionHistory	tinyint	3	No		bool		
KeepCalendar History	tinyint	3	No		bool		
KeepPeriodHistory	tinyint	3	No		bool		
KeepTrxHistory	tinyint	3	No		bool		
NoteIndex	numeric	19,5	No		Unvalidated		
CreatedDate	datetime		No		Valid dex date, if empty current date will be used		
RevalueCustomer	tinyint	3	No		bool		
PostResultsTo	smallint	5	No		valid option		
FinanceChargeID	char	15	No				
Governmental CorporateID	char	31	No				

Element Name	Data Type	Length	Required	Default	Description			
GovernmentalIndividualID	char	31	No					
DiscountGracePeriod	smallint	5	No		Defaults to zero.			
DueDateGracePeriod	smallint	5	No		Defaults to zero.			
DocumentFormatID	char	15	No					
SendEmailStatements	tinyint	3	No		bool			
UserLanguageID	smallint	5	No		set to (none)			
GPSFOIntegrationID	char	31	No					
IntegrationSource	smallint	5	No					
IntegrationID	char	31	No					
OrderFulfillmentShortageDefault	smallint	5	No					
CustomerPriority	smallint	5	No		Defaults to 1 (None)			
CountryCode	char	7	No		Existing Country Code in xxx			
DeclarantID	char	15	No					

Element Name	Data Type	Length	Required	Default	Description			
RMOverpaymentWriteoffAccountIndex	int	10	No					
ShipComplete Document	tinyint	3	No		Defaults to zero (no).			
CashBasedVAT	tinyint	3	No					
IncludeinDemandPlanning	tinyint	3	No					
ServiceLevelID	int	10	No		Existing Service Level ID in xxx			

wsiJCBillingCodesMSTR

- [Table Name: JC00601 \(page 33\)](#)
- [Validations \(page 38\)](#)
- [Error Codes \(page 38\)](#)

Table Name: JC00601

Description:

Describe what the WSI procedure does in regards to a business goal.

Element Name	Data Type	Length	Required	Default	Description
@l_vWSJobNumber	char	17	Yes		
@l_vCostElement	smallint	5	Yes		Required
@l_vBillCodeNumber	char	27	Yes		Required
@l_vBillCodeDescription	char	31	No		Required
@l_vBillPct	smallint	5	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vBillAmount	numeric	19,5	No		
@l_vBilledAmountTTD	numeric	19,5	No		
@l_vTotalBillableAmount	numeric	19,5	No		
@l_vOriginatingTotalBillableAmount	numeric	19,5	No		
@l_vOriginatingBillAmount	numeric	19,5	No		
@l_vOriginatingBilledAmountTTD	numeric	19,5	No		
@l_vRetentionBilledTTD	numeric	19,5	No		
@l_vOriginatingRetentionBilledTTD	numeric	19,5	No		
@l_vOriginatingRetentionAmountTTD	numeric	19,5	No		
@l_vAddedByCOModule	tinyint	3	No		
@l_vChangeOrderNum	char	15	No		
@l_vUnitsBillable	numeric	19,5	No		
@l_vUnitsBilledTTD	numeric	19,5	No		
@l_vUnitsBillingRate	numeric	19,5	No		
@l_vRetentionAmountTTD	numeric	19,5	No		
@l_vAccountIndex	int	10	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vProfitTypeNumber	smallint	5	No		
@l_vProfitAmount	numeric	19,5	No		
@l_vWorkInPlace	numeric	19,5	No		
@l_vStoredToDate	numeric	19,5	No		
@l_vBillCodeAlias	char	31	No		
@l_vUserID	char	15	No		
@l_vUserDefine1	char	31	No		
@l_vUserDefine2	char	31	No		
@l_vUserDefined1	char	21	No		
@l_vUserDefined2	char	21	No		
@l_vUserDefinedDollar1	numeric	19,5	No		
@l_vUserDefinedDollar2	numeric	19,5	No		
@l_vUserDefinedDollar3	numeric	19,5	No		
@l_vUserDefinedDollar4	numeric	19,5	No		
@l_vUserDefinedInteger1	int	10	No		
@l_vUserDefinedInteger2	int	10	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vUserDefinedInteger3	int	10	No		
@l_vUserDefinedInteger4	int	10	No		
@l_vUserDefinedDate1	datetime		No		
@l_vUserDefinedDate2	datetime		No		
@l_vWSUserDefinedDate3	datetime		No		
@l_vWSUserDefinedDate4	datetime		No		
@l_vUserDefinedCB1	tinyint	3	No		
@l_vUserDefinedCB2	tinyint	3	No		
@l_vUserDefinedCB3	tinyint	3	No		
@l_vUserDefinedCB4	tinyint	3	No		
@l_vSVLanguageID	smallint	5	No		
@l_vTimeZone	char	3	No		
@l_vWennsoftAffiliate	char	15	No		
@l_vWennsoftBranch	char	15	No		
@l_vWennsoftRegion	char	15	No		
@l_vWSReservedCB1	tinyint	3	No		
@l_vWSReservedCB2	tinyint	3	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vWSReservedCB3	tinyint	3	No		
@l_vWSReservedCB4	tinyint	3	No		
@l_vWSReservedCB5	tinyint	3	No		
@l_vWSReservedCB6	tinyint	3	No		
@l_vWSReservedCB7	tinyint	3	No		
@l_vWSReservedCB8	tinyint	3	No		
@l_vWSReservedCB9	tinyint	3	No		
@l_vWSReservedCB10	tinyint	3	No		
@l_vWSReservedSTR1	char	11	No		
@l_vWSReservedSTR2	char	11	No		
@l_vAllocatedPercent	numeric	19,5	No		
@l_vRevenueAllocated	numeric	19,5	No		
@l_vPercentComplete	numeric	19,5	No		
@l_vEstHrtoComplete	numeric	19,5	No		
@l_vEstimateDate	datetime		No		
@l_vWSInactive	tinyint	3	No		
@l_vReimbursable	tinyint	3	No		
@l_vWSProjectNumber	char	17	Yes		
@l_vDEXROWID	int	10	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vUpdateIfExists	tinyint	3	Yes	0	If Value is 1 then you can update record if it exists.
@l_vWennSoftTablesOnly	tinyint	3	Yes	0	
@l_vOnlyValidate	tinyint	3	Yes	0	If value is 1 then you can validate without update
@l_vUSRDEFND1	char	50	No		
@l_vUSRDEFND2	char	50	No		
@l_vUSRDEFND3	char	50	No		
@l_vUSRDEFND4	varchar	8000	No		
@l_vUSRDEFND5	varchar	8000	No		
@l_vReturnErrorText	tinyint	3	No	1	If value is 0 then if multiple errors exist, you will get the list of error codes.
@O_iErrorState	int	10	No	0	
@oErrString	varchar	255	No		

Validations

WSJobNumber is required for a Job level Billing Code and not required for a Project Level Billing Code. Cost element of the Job must exist in JC40209. If Billing type of the Job is Standard, SOP, TRX Level or Project Billing, then Bill codes cannot be created for this Billing type. For Fixed type of contract, if the bill codes total billable is greater than the contract expected amount. if the status of "Use a sales account for each bill code" is set to 1; then the account number cannot be blank, except Project Bill Code type the bill code cannot be saved.

Error Codes

Error Code	Description
51005	Bill Codes cannot be created for this billing type.

Error Code	Description
51006	The Total Billable amount cannot be greater than the Contract Expected Amount.
51050	An error occurred during an update or insert into a Signature table.
51202	The job is blank.
51203	The cost element is blank.
51204	The cost element does not exist in the cost element setup table.
51206	The account index does not exist in the account setup table.
51400	The bill code number is blank.
51401	Cannot insert the bill code because the job is inactive.
52100	The description field is blank.
52300	Bill Code Alias must be blank.
52305	Account Index must be empty.

wsiJCCashReceipts

- [Table Name: JC20502 \(page 39\)](#)
- [Error Codes \(page 43\)](#)

Table Name: JC20502

Element Name	Data Type	Length	Required	Default	Description
@l_vApplyToAmount	numeric	19,5			
@l_vApplyToDocument Number	char	21			

Element Name	Data Type	Length	Required	Default	Description
@l_vAPTODCTY	smallint				
@l_vCheckNumber	char	21			
@l_vDiscountTakenAmount	numeric	19,5			
@l_vDocumentNumber	char	21			
@l_vOnlyValidate	tinyint				
@l_vOriginalTrxAmount	numeric	19,5			
@l_vReturnErrorText	tinyint				
@l_vRMDocumentTypeAll	smallint				
@l_vSVLanguageID	smallint				
@l_vTimeZone	char	3			
@l_vTRXDate	datetime				
@l_vTRXSource	char	13			
@l_vUpdateIfExists	tinyint				
@l_vUserDefine1	char	31			
@l_vUserDefine2	char	31			
@l_vUserDefined1	char	21			
@l_vUserDefined2	char	21			
@l_vUserDefinedCB1	tinyint				

Element Name	Data Type	Length	Required	Default	Description
@l_vUserDefinedCB2	tinyint				
@l_vUserDefinedCB3	tinyint				
@l_vUserDefinedCB4	tinyint				
@l_vUserDefinedDate1	datetime				
@l_vUserDefinedDate2	datetime				
@l_vUserDefinedDollar1	numeric	19,5			
@l_vUserDefinedDollar2	numeric	19,5			
@l_vUserDefinedDollar3	numeric	19,5			
@l_vUserDefinedDollar4	numeric	19,5			
@l_vUserDefinedInteger1	int				
@l_vUserDefinedInteger2	int				
@l_vUserDefinedInteger3	int				
@l_vUserDefinedInteger4	int				
@l_vUserID	char	15			
@l_vUSRDEFND1	char	50			
@l_vUSRDEFND2	char	50			
@l_vUSRDEFND3	char	50			
@l_vUSRDEFND4	varchar	8000			

Element Name	Data Type	Length	Required	Default	Description
@I_vUSRDEFND5	varchar	8000			
@I_vWennsoftAffiliate	char	15			
@I_vWennsoftBranch	char	15			
@I_vWennsoftRegion	char	15			
@I_vWennSoftTablesOnly	tinyint				
@I_vWriteOffAmount	numeric	19,5			
@I_vWSJobNumber	char	17			
@I_vWSReservedCB1	tinyint				
@I_vWSReservedCB2	tinyint				
@I_vWSReservedCB3	tinyint				
@I_vWSReservedCB4	tinyint				
@I_vWSReservedCB5	tinyint				
@I_vWSReservedSTR1	char	11			
@I_vWSReservedSTR2	char	11			
@I_vWSUserDefinedDate3	datetime				
@I_vWSUserDefinedDate4	datetime				
@O_iErrorState	int				
@oErrString	varchar	255			

Error Codes

Error Code	Description
51013	The Job Number parameter is missing or blank.
52404	The Document Number parameter is missing or blank.
52405	The Apply To Document Number parameter is missing or blank.
52478	The Apply To Document Type parameter is missing or blank.

wsiJCChangeOrdersDetailMSTR

- [Table Name: JC01002 \(page 43\)](#)
- [Error Codes \(page 50\)](#)

Table Name: JC01002

Other tables affected: <none>

Other stored procedures called: wsiJCChangeOrdersDetailMSTRPre, wsiJCChangeOrdersDetailMSTRPost, wsiJCJobDetailMSTRPre, wsiJCJobDetailMSTRPost

Description:

This procedure allows the insert or update of records into the Job Cost Change Orders Detail Master table.

Element Name	Data Type	Length	Required	Default	Description
@l_vShortDescription	char	30	No		If the Change Order Cost Code Estimate is the original one, the default description will be 'original estimate'. You do not need to provide it as it should default to that description.
@l_vWSJobNumber	char	17	Yes		I_vWSJobNumber must be an existing/active job.
@l_vWSProjectNumber	char	17	No	'	I_vWSProjectNumber must be an existing/active project and the project must be assigned to the job. If I_vWSProjectNumber is updated with the project assigned to the job if the passed in value is empty.

Element Name	Data Type	Length	Required	Default	Description
@l_vChangeOrderNum	char	15	Yes		I_vChangeOrderNum must contain a value and must also be an existing change order assigned to the job.
@l_vWSCostCodeNumber1	char	7	Yes		I_vWSCostCodeNumber1 length is equal to the value in JC40103.Cost_Code_Seg_Length_1
@l_vWSCostCodeNumber2	char	7	Yes		I_vWSCostCodeNumber2 length is equal to the value in JC40103.Cost_Code_Seg_Length_2
@l_vWSCostCodeNumber3	char	7	Yes		I_vWSCostCodeNumber3 length is equal to the value in JC40103.Cost_Code_Seg_Length_3
@l_vWSCostCodeNumber4	char	7	Yes		I_vWSCostCodeNumber4 length is equal to the value in JC40103.Cost_Code_Seg_Length_4
@l_vCostCodeNumberAlias	char	35	No	'	An empty cost code alias value must be passed in. The alias will be constructed from the passed in cost code numbers and element.
@l_vCostCodeDescription	char	31	Yes	'	I_vCostCodeDescription cannot be empty.
@l_vCostElement	smallint	5	Yes		I_vCostElement exists in JC40209
@l_vAccountIndex	int	10	No	0	The account index should be a valid account index stored in table GL00100. The account should be active and cannot be a unit (GL00100.ACCTTYPE = 2) account. When using option "Cost Code Debit Posting Accounts: Division" (JC40305.GB_CC_Acct_Setup = 1) pass in 0 or NULL. The account index will default in based on the account index stored in JC40302 for the division assigned to the job and the I_vCostElement passed into the stored procedure. If you do pass in a value, make sure to pass in the account index assigned in JC40302. It may be easier to

Element Name	Data Type	Length	Required	Default	Description
					just pass in NULL, since the default value will be correct. When using option "Cost Code Debit Posting Accounts: Cost Codes" (JC40305.GB_CC_Acct_Setup = 1) pass in a NULL or 0 index to default in the account index from Job Cost Code Master Setup (JC40202). If the cost code does not exist in JC40202, then you'll have to pass in a valid account index.
@I_vWSManagerID	char	15	No	'	I_vWSManagerID exists in UPR00100
@I_vTransactionDocNumber	numeric	19,5	No	0	
@I_vTypeofTransaction	smallint	5	Yes	0	The type of transaction is 1, 2, 3, or 4
@I_vProfitTypeNumber	smallint	5	Yes	0	A) I_vProfitTypeNumber exists in JC40208 B) I_vProfitTypeNumber must be 2 if the job is a "Fixed Amount" contract and I_vAddedByCOModule is 0 C) I_vProfitTypeNumber may be the values 1 thru 9 if I_vAddedByCOModule is 1 D) if I_vProfitTypeNumber is 9, then I_vCostElement must be 1
@I_vProfitAmount	numeric	19,5	No	0	A) If I_vProfitTypeNumber = 3, then I_vProfitAmount cannot equal 100 B) If I_vProfitTypeNumber = 1 or I_vProfitTypeNumber = 2, then I_vProfitAmount must be zero
@I_vProductionEstimateQty	numeric	19,5	No	0	
@I_vProductionQtyUnit	numeric	19,5	No	0	
@I_vProductionMeasureCode	char	7	No	'	I_vProductionMeasureCode exists in JC40102

Element Name	Data Type	Length	Required	Default	Description
@l_vEstimatedMeasureCode	char	7	No	'	l_vEstimatedMeasureCode exists in JC40102
@l_vChangeOrderEstimatedUnits	numeric	19,5	No	0	
@l_vCOEstimatedAmtUnits	numeric	19,5	No	0	
@l_vChangeOrderEstimatedCost	numeric	19,5	No	0	
@l_vAddedByCOModule	tinyint	3	No	0	l_vAddedByCOModule is 0 or 1
@l_vPostingStatus	smallint	5	No	0	
@l_vScheduleStartDate	datetime		No	01/01/1900'	
@l_vScheduledCompletionDate	datetime		No	01/01/1900'	
@l_vVendorNumber	char	25	No	'	l_vVendorNumber exists in PM00200
@l_vInventoryItemNumber	char	21	No	'	
@l_vPurchaseOrderNumber	char	21	No	'	
@l_vTrackProductionQty	tinyint	3	No	0	l_vTrackProductionQty is 0 or 1
@l_vUserID	char	15	No	'	
@l_vUserDefine1	char	31	No	'	
@l_vUserDefine2	char	31	No	'	

Element Name	Data Type	Length	Required	Default	Description
@l_vUserDefined1	char	21	No	'	
@l_vUserDefined2	char	21	No	'	
@l_vUserDefinedInteger1	int	10	No	0	
@l_vUserDefinedInteger2	int	10	No	0	
@l_vUserDefinedInteger3	int	10	No	0	
@l_vUserDefinedInteger4	int	10	No	0	
@l_vUserDefinedDollar1	numeric	19,5	No	0	
@l_vUserDefinedDollar2	numeric	19,5	No	0	
@l_vUserDefinedDollar3	numeric	19,5	No	0	
@l_vUserDefinedDollar4	numeric	19,5	No	0	
@l_vUserDefinedDate1	datetime		No	01/01/1900'	
@l_vUserDefinedDate2	datetime		No	01/01/1900'	
@l_vWSUserDefinedDate3	datetime		No	01/01/1900'	
@l_vWSUserDefinedDate4	datetime		No	01/01/1900'	

Element Name	Data Type	Length	Required	Default	Description
@l_vUserDefinedCB1	tinyint	3	No	0	
@l_vUserDefinedCB2	tinyint	3	No	0	
@l_vUserDefinedCB3	tinyint	3	No	0	
@l_vUserDefinedCB4	tinyint	3	No	0	
@l_vWennsoftAffiliate	char	15	No	'	
@l_vWennsoftBranch	char	15	No	'	
@l_vWennsoftRegion	char	15	No	'	
@l_vSVLanguageID	smallint	5	No	0	
@l_vTimeZone	char	3	No	'	
@l_vLaborGroupName	char	15	No	'	I_vLaborGroupName exists in SV00123
@l_vWSReservedCB1	tinyint	3	No	0	
@l_vWSReservedCB2	tinyint	3	No	0	
@l_vWSReservedCB3	tinyint	3	No	0	
@l_vWSReservedCB4	tinyint	3	No	0	

Element Name	Data Type	Length	Required	Default	Description
@l_vWSReserved CB5	tinyint	3	No	0	
@l_vWSReserved CB6	tinyint	3	No	0	
@l_vWSReserved CB7	tinyint	3	No	0	
@l_vWSReserved CB8	tinyint	3	No	0	
@l_vWSReserved CB9	tinyint	3	No	0	
@l_vWSReserved CB10	tinyint	3	No	0	
@l_vWSReserved STR1	char	11	No	'	
@l_vWSReserved STR2	char	11	No	'	
@l_vDEXROWID	int	10	No	0	
@l_vUpdateIfExists	tinyint	3	Yes	0	
@l_vWennSoftTablesOnly	tinyint	3	Yes	0	
@l_vOnlyValidate	tinyint	3	Yes	0	
@l_vUSRDEFND1	char	50	No	'	
@l_vUSRDEFND2	char	50	No	'	
@l_vUSRDEFND3	char	50	No	'	

Element Name	Data Type	Length	Required	Default	Description
@I_vUSRDEFND4	varchar	8000	No	'	
@I_vUSRDEFND5	varchar	8000	No	'	
@I_vReturnErrorText	tinyint	3	No	1	
@O_iErrorState	int	10	No	0	
@oErrString	varchar	255	No	'	

Error Codes

Error Code	Description
51017	The Job does not exist in Signature.
51094	Job is inactive.
51090	The Project Number does not exist.
51234	Project Number must be for an Active project.
52279	The project number is not assigned to the job.
52265	The change order number must contain a value.
52117	The Change Order does not exist for this job.
52243	The length of the first Job Cost Code Segment is incorrect.
52244	The length of the second Job Cost Code Segment is incorrect.
52245	The length of the third Job Cost Code Segment is incorrect.
52246	The length of the fourth Job Cost Code Segment is incorrect.
51089	The Cost Element must be in the range of 1 to 9.

Error Code	Description
52293	Cost Code Alias must be empty.
52299	'The Cost Code Description cannot be blank for a Change Order Cost Code.
51164	Account Index does not exist.
52292	Cost Code Debit Posting Accounts by Division requires the use of the Account Index setup in JC40302 for the Division assigned to the Job and the Cost Element assigned to the Cost Code.
51165	Account number is inactive.
52264	Unit accounts cannot be used with job cost codes.
51118	The project manager does not exist in the payroll master table.
52248	The Job Cost Code Added By Change Order flag must be set to 0 or 1.
51205	The profit type number does not exist in the profit type setup table.
52249	The Profit Type Number for Job Cost Codes not added by Change Orders must be 2 for Jobs with Fixed Amount Contract Types.
52250	The Cost Element must be 1 for Profit Type Number 9 Service Labor Rate Group.
52251	The Profit Amount cannot be 100 for a Job Cost Code with Profit Type Number 3 Percent Margin.
52252	The Profit Amount must be zero for Job Cost Codes with Profit Type Number 1 Non-billable.
52253	The Profit Amount must be zero for Job Cost Codes with Profit Type Number 2 None.
52254	The Type of Transaction value for a Job Cost Code must be 1, 2, 3, or 4.
52255	The Track Production Quantity flag for a Job Cost Code must be set to 0 or 1.
52256	The Production Measure Code does not exist.

Error Code	Description
52257	The Estimated Measure Code does not exist.
52260	The Labor Group Name does not exist.
52261	The Vendor ID does not exist.

wsiJCChangeOrdersMSTR

- [Table Name: JC01001 \(page 52\)](#)
- [Error Codes \(page 59\)](#)

Table Name: JC01001

Other tables affected: <none>

Other stored procedures called: wsiJCChangeOrdersMSTRPre, wsiJCChangeOrdersMSTRPost

Description:

This procedure allows the insert or update of records into the JC Change Orders Master table.

Element Name	Data Type	Length	Required	Default	Description
@I_vWSJobNumber	char	17	Yes	'	I_vWSJobNumber is an existing job and is an active job
@I_vWSProjectNumber	char	17	No	'	I_vWSProjectNumber is an existing project and is an active project and is assigned to the job
@I_vChangeOrderNum	char	15	Yes	'	I_vChangeOrderNum must contain a value, I_vChangeOrderNum must not exist on a job if I_vUpdateIfExists is 0
@I_vChangeOrderStatus	smallint	5	No	0	I_vChangeOrderStatus must be in the range 1 thru 5
@I_vChangeOrderDescription	char	31	No	'	I_vChangeOrderDescription must contain a value
@I_vChangeOrderType	smallint	5	No	0	I_vChangeOrderType must be a value of 1 (Fixed Amount), 2 (Cost Plus), or 3 (Cost Plus NTE), I_vChangeOrderType must be a

Element Name	Data Type	Length	Required	Default	Description
					value of 1 (Fixed Amount) for jobs with billing type 6 (SOP Billing), If I_vChangeOrderType is 3 (Cost Plus NTE), then the job must have a contract type of 3 (Cost Plus NTE)
@I_vChangeOrderEstimatedCost	numeric	19,5	No	0	I_vChangeOrderEstimatedCost must be zero for I_vChangeOrderType values 2 (Cost Plus) and 3 (Cost Plus NTE)
@I_vConfirmedModifiedDate	datetime		No	01/01/1900'	
@I_vOriginatingChangeOrderAmount	numeric	19,5	No	0	
@I_vExchangeRate	numeric	19,7	No	0	
@I_vExchangeDate	datetime		No	01/01/1900'	
@I_vRateTypeID	char	15	No	'	
@I_vExchangeTableID	char	15	No	'	
@I_vTime	datetime		No	01/01/1900'	
@I_vConfirmedModifiedTime	datetime		No	01/01/1900'	
@I_vConfirmedModifiedUserID	char	15	No	'	
@I_vInProcessModifiedDate	datetime		No	01/01/1900'	
@I_vInProcessModifiedTime	datetime		No	01/01/1900'	
@I_vInProcessModifiedUserID	char	15	No	'	

Element Name	Data Type	Length	Required	Default	Description
@l_vCOUD1Modifie dDate	datetime		No	01/01/1900'	
@l_vCOUD1Modifie dTime	datetime		No	01/01/1900'	
@l_vCOUD1Modifie dUserID	char	15	No	'	
@l_vCOUD2Modifie dDate	datetime		No	01/01/1900'	
@l_vCOUD2Modifie dTime	datetime		No	01/01/1900'	
@l_vCOUD2Modifie dUserID	char	15	No	'	
@l_vCOUD3Modifie dDate	datetime		No	01/01/1900'	
@l_vCOUD3Modifie dTime	datetime		No	01/01/1900'	
@l_vCOUD3Modifie dUserID	char	15	No	'	
@l_vUserDefinedCO 1	char	15	No	'	
@l_vUserDefinedCO 2	char	15	No	'	
@l_vUserDefinedCO 3	char	15	No	'	
@l_vUserDefinedCO 4	char	15	No	'	
@l_vUserDefinedDa te1	datetime		No	01/01/1900'	

Element Name	Data Type	Length	Required	Default	Description
@l_vUserDefinedDate2	datetime		No	01/01/1900'	
@l_vWSUserDefinedDate3	datetime		No	01/01/1900'	
@l_vWSUserDefinedDate4	datetime		No	01/01/1900'	
@l_vEstEquipmentCost	numeric	19,5	No	0	
@l_vEstLaborCost	numeric	19,5	No	0	
@l_vEstLaborUnitsTD	numeric	19,5	No	0	
@l_vPayRate	numeric	19,5	No	0	
@l_vEstMaterialCost	numeric	19,5	No	0	
@l_vEstMiscOtherCost	numeric	19,5	No	0	
@l_vEstSubsCost	numeric	19,5	No	0	
@l_vEstCostUserDefined1	numeric	19,5	No	0	
@l_vEstCostUserDefined2	numeric	19,5	No	0	
@l_vEstCostUserDefined3	numeric	19,5	No	0	
@l_vEstCostUserDefined4	numeric	19,5	No	0	
@l_vTotalEstimatedCost	numeric	19,5	No	0	

Element Name	Data Type	Length	Required	Default	Description
@l_vProductionEstimateQty	numeric	19,5	No	0	
@l_vEstimatedMarkup	numeric	19,5	No	0	
@l_vWSMarkupPercent	int	10	No	0	
@l_vPostingStatus	smallint	5	No	0	
@l_vPostingDate	datetime		No	01/01/1900'	
@l_vChangeOrderMaximumAmount	numeric	19,5	No		I_vChangeOrderMaximumAmount must be zero for I_vChangeOrderType values of 1 (Fixed Amount) and 2 (Cost Plus)
@l_vUserID	char	15	No	'	
@l_vUserDefine1	char	31	No	'	
@l_vUserDefine2	char	31	No	'	
@l_vUserDefined1	char	21	No	'	
@l_vUserDefined2	char	21	No	'	
@l_vUserDefinedInteger1	int	10	No	0	
@l_vUserDefinedInteger2	int	10	No	0	
@l_vUserDefinedInteger3	int	10	No	0	
@l_vUserDefinedInteger4	int	10	No	0	

Element Name	Data Type	Length	Required	Default	Description
@l_vUserDefinedDo llar1	numeric	19,5	No	0	
@l_vUserDefinedDo llar2	numeric	19,5	No	0	
@l_vUserDefinedDo llar3	numeric	19,5	No	0	
@l_vUserDefinedDo llar4	numeric	19,5	No	0	
@l_vUserDefinedCB 1	tinyint	3	No	0	
@l_vUserDefinedCB 2	tinyint	3	No	0	
@l_vUserDefinedCB 3	tinyint	3	No	0	
@l_vUserDefinedCB 4	tinyint	3	No	0	
@l_vWennsoftAffilia te	char	15	No	'	
@l_vWennsoftBranc h	char	15	No	'	
@l_vWennsoftRegio n	char	15	No	'	
@l_vSVLanguageID	smallint	5	No	0	
@l_vTimeZone	char	3	No	'	
@l_vWSReservedCB 1	tinyint	3	No	0	

Element Name	Data Type	Length	Required	Default	Description
@l_vWSReservedCB2	tinyint	3	No	0	
@l_vWSReservedCB3	tinyint	3	No	0	
@l_vWSReservedCB4	tinyint	3	No	0	
@l_vWSReservedCB5	tinyint	3	No	0	
@l_vWSReservedSTR1	char	11	No	'	
@l_vWSReservedSTR2	char	11	No	'	
@l_vDEXROWID	int	10	No	0	
@l_vUpdateIfExists	tinyint	3	Yes	0	
@l_vWennSoftTablesOnly	tinyint	3	Yes	0	
@l_vOnlyValidate	tinyint	3	Yes	0	
@l_vUSRDEFND1	char	50	No	'	
@l_vUSRDEFND2	char	50	No	'	
@l_vUSRDEFND3	char	50	No	'	
@l_vUSRDEFND4	varchar	8000	No	'	
@l_vUSRDEFND5	varchar	8000	No	'	
@l_vReturnErrorText	tinyint	3	No	1	

Element Name	Data Type	Length	Required	Default	Description
@O_iErrorState	int	10	No	0	
@oErrString	varchar	255	No	'	

Error Codes

Error Code	Description
51017	The Job does not exist in Signature.
51094	Job is inactive.
51090	The Project Number does not exist.
51234	Project Number must be for an Active project.
52265	The change order number must contain a value.
52266	The change order number already exists for the job.
52267	The change order status must be a value in the range 1 thru 5.
52268	The change order type must be a value of 1 (Fixed Amount), 2 (Cost Plus), or 3 (Cost Plus NTE).
52269	The change order type must be a value of 1 (Fixed Amount) for jobs with billing type 6 (SOP Billing).
52270	Cost Plus NTE change orders, change order type 3, are only valid for jobs with a contract type of Cost Plus NTE.
52271	Change order posting status must be the value 0 (Unposted) or 2 (Posted).
52272	The change order description must contain a value.
52273	The change order estimated cost must be zero for change order types of 2 (Cost Plus) and 3 (Cost Plus NTE).

Error Code	Description
51234	The project number is not assigned to the job.
52274	The maximum change order amount must be zero for change order types 1 (Fixed Amount) and 2 (Cost Plus).

wsiJCForecastCostRevisionMSTR

- [Table Name: JC00201 \(page 60\)](#)
- [Error Codes \(page 65\)](#)

Table Name: JC00201

Other tables affected: Table JC40401 (Transaction_Doc_Number is updated for primary key Document_Number_Type "3")

Other stored procedures called: wsiJCForecastCostRevisionMSTRPre, wsiJCForecastCostRevisionMSTRPost

Description:

This procedure allows the insert or update of records into the Job Cost Forecast Cost Revision Master table.

Element Name	Data Type	Length	Required	Default	Description
@I_vWSJobNumber	char	17	Yes		I_vWSJobNumber must be an existing/active job.
@I_vProjectNumber	char	17	No	'	I_vProjectNumber, if left blank or NULL, will default in from the Job. Otherwise I_vProjectNumber must match the project number assigned to Job. The project must be active.
@I_vCUSTNMBR	char	15	No	'	I_vCUSTNMBR must be blank.
@I_vTransactionDocNumber	numeric	19,5	Yes		For new records pass in NULL as this field will be set by the main stored procedure wsiJCForecastCostRevisionMSTR. Pass in the "Transaction Document Number" when doing an update on an existing record.
@I_vCostElement	smallint	5	Yes		The combination of Cost Element and Cost Code Numbers 1, 2, 3,

Element Name	Data Type	Length	Required	Default	Description
					and 4 must exist for the Job in table JC00701.
@l_vCostCodeNumber1	char	7	Yes		The combination of Cost Element and Cost Code Numbers 1, 2, 3, and 4 must exist for the Job in table JC00701.
@l_vCostCodeNumber2	char	7	Yes		The combination of Cost Element and Cost Code Numbers 1, 2, 3, and 4 must exist for the Job in table JC00701.
@l_vCostCodeNumber3	char	7	Yes		The combination of Cost Element and Cost Code Numbers 1, 2, 3, and 4 must exist for the Job in table JC00701.
@l_vCostCodeNumber4	char	7	Yes		The combination of Cost Element and Cost Code Numbers 1, 2, 3, and 4 must exist for the Job in table JC00701.
@l_vTransactionDate	datetime		Yes		The transaction date cannot be NULL. Year cannot be 1900, historical, or closed. The transaction date must fall within an open period in JC40602.
@l_vCostCodeEstUnit	numeric	19,5	No	0	
@l_vEstimatedAmtUnits	numeric	19,5	No	0	
@l_vTransactionAmount	numeric	19,5	No	0	
@l_vWSManagerID	char	15	No	'	
@l_vUSERID	char	15	No	'	

Element Name	Data Type	Length	Required	Default	Description
@l_vShortDescription	char	31	Yes		l_vShortDescription must not be empty.
@l_vUserDefine1	char	31	No	'	
@l_vUserDefine2	char	31	No	'	
@l_vUSERDEF1	char	21	No	'	
@l_vUSERDEF2	char	21	No	'	
@l_vUserDefInteger1	int	10	No	0	
@l_vUserDefInteger2	int	10	No	0	
@l_vUserDefinedInteger3	int	10	No	0	
@l_vUserDefinedInteger4	int	10	No	0	
@l_vUserDefinedDollar1	numeric	19,5	No	0	
@l_vUserDefinedDollar2	numeric	19,5	No	0	
@l_vUserDefinedDollar3	numeric	19,5	No	0	
@l_vUserDefinedDollar4	numeric	19,5	No	0	
@l_vUSRDAT01	datetime		No	01/01/1900'	
@l_vUSRDAT02	datetime		No	01/01/1900'	

Element Name	Data Type	Length	Required	Default	Description
@l_vUserDefinedDate3	datetime		No	01/01/1900'	
@l_vUserDefinedDate4	datetime		No	01/01/1900'	
@l_vUserDefinedCB1	tinyint	3	No	0	
@l_vUserDefinedCB2	tinyint	3	No	0	
@l_vUserDefinedCB3	tinyint	3	No	0	
@l_vUserDefinedCB4	tinyint	3	No	0	
@l_vWennsoftAffiliate	char	15	No	'	
@l_vWennsoftBranch	char	15	No	'	
@l_vWennsoftRegion	char	15	No	'	
@l_vSVLanguageID	smallint	5	No	0	
@l_vTimeZone	char	3	No	'	
@l_vWSReservedCB1	tinyint	3	No	0	
@l_vWSReservedCB2	tinyint	3	No	0	
@l_vWSReservedCB3	tinyint	3	No	0	

Element Name	Data Type	Length	Required	Default	Description
@l_vWSReservedC B4	tinyint	3	No	0	
@l_vWSReservedC B5	tinyint	3	No	0	
@l_vWSReservedC B6	tinyint	3	No	0	
@l_vWSReservedC B7	tinyint	3	No	0	
@l_vWSReservedC B8	tinyint	3	No	0	
@l_vWSReservedC B9	tinyint	3	No	0	
@l_vWSReservedC B10	tinyint	3	No	0	
@l_vWSReservedS TR1	char	11	No	'	
@l_vWSReservedS TR2	char	11	No	'	
@l_vDEXROWID	int	10	No	0	
@l_vUpdateIfExists	tinyint	3	Yes	0	
@l_vWennSoftTablesOnly	tinyint	3	Yes	0	
@l_vOnlyValidate	tinyint	3	Yes	0	
@l_vUSRDEFND1	char	50	No	'	
@l_vUSRDEFND2	char	50	No	'	

Element Name	Data Type	Length	Required	Default	Description
@I_vUSRDEFND3	char	50	No	'	
@I_vUSRDEFND4	varchar	8000	No	'	
@I_vUSRDEFND5	varchar	8000	No	'	
@I_vReturnErrorText	tinyint	3	No	1	
@O_iErrorState	int	10	No	0	
@oErrString	varchar	255	No	'	

Error Codes

Error Code	Description
51017	The Job does not exist in Signature.
51094	Job is inactive.
51090	The Project Number does not exist.
51234	Project Number must be for an Active project.
52279	The project number is not assigned to the job.
52301	Customer Number must be empty.
51018	Cost Code does not exist for this Job.
51064	Procedure jcVerifyTRXDate failed on invalid date. Year cannot be 1900.
52306	The Transaction Date falls within a closed period in Job Cost.
51066	Unable to post to historical or closed year.
52111	The Transaction Date cannot be before the created date of the job.

wsiJCInventoryWork

- [Table: JC10201 \(page 66\)](#)
- [Error Codes \(page 71\)](#)

Table: JC10201

Description: Used to create Job Cost Inventory Transactions

Element Name	Data Type	Length	Required	Default	Description
@l_vAccountIndexArray2 1	int				
@l_vAccountIndexArray2 2	int				
@l_vAccountIndexArray2 3	int				
@l_vAccountIndexArray2 4	int				
@l_vAccountIndexArray2 5	int				
@l_vBatchNumber	char	15			
@l_vBatchSource	char	15			
@l_vCostCodeActualCost TTD	numeric	19,5			
@l_vCostCodeDescription	char	31			
@l_vCostElement	smallint				
@l_vDocumentAmount	numeric	19,5			
@l_vDocumentDate	datetime				

Element Name	Data Type	Length	Required	Default	Description
@l_vDocumentSource	char	3			
@l_vGLPostingDate	datetime				
@l_vItemDescription	char	101			
@l_vItemNumber	char	31			
@l_vVDocumentType	smallint				
@l_vJobTRXNumber	char	21			
@l_vJobType	char	7			
@l_vLineSEQNumber	numeric	19,5			
@l_vOnlyValidate	tinyint				
@l_vPostingStatus	smallint				
@l_vProfitAmount	numeric	19,5			
@l_vProfitTypeNumber	smallint				
@l_vReturnErrorText	tinyint				
@l_vSVLanguageID	smallint				
@l_vTaxDate	datetime				
@l_vTimeZone	char	3			
@l_vTransactionDescription	char	31			
@l_vTRXLocation	char	11			
@l_vTRXQTY	numeric	19,5			

Element Name	Data Type	Length	Required	Default	Description
@l_vUnitCost	numeric	19,5			
@l_vUOfM	char	9			
@l_vUpdateIfExists	tinyint				
@l_vUserDefine1	char	31			
@l_vUserDefine2	char	31			
@l_vUserDefined1	char	21			
@l_vUserDefined2	char	21			
@l_vUserDefinedCB1	tinyint				
@l_vUserDefinedCB2	tinyint				
@l_vUserDefinedCB3	tinyint				
@l_vUserDefinedCB4	tinyint				
@l_vUserDefinedDate1	datetime				
@l_vUserDefinedDate2	datetime				
@l_vUserDefinedDollar1	numeric	19,5			
@l_vUserDefinedDollar2	numeric	19,5			
@l_vUserDefinedDollar3	numeric	19,5			
@l_vUserDefinedDollar4	numeric	19,5			
@l_vUserDefinedInteger1	int				
@l_vUserDefinedInteger2	int				

Element Name	Data Type	Length	Required	Default	Description
@l_vUserDefinedInteger3	int				
@l_vUserDefinedInteger4	int				
@l_vUserID	char	15			
@l_vUSRDEFND1	char	50			
@l_vUSRDEFND2	char	50			
@l_vUSRDEFND3	char	50			
@l_vUSRDEFND4	varchar	8000			
@l_vUSRDEFND5	varchar	8000			
@l_vVendorID	char	15			
@l_vWennsoftAffiliate	char	15			
@l_vWennsoftBranch	char	15			
@l_vWennsoftRegion	char	15			
@l_vWennSoftTablesOnly	tinyint				
@l_vWSCostCodeNumber1	char	7			
@l_vWSCostCodeNumber2	char	7			
@l_vWSCostCodeNumber3	char	7			
@l_vWSCostCodeNumber4	char	7			
@l_vWSJobNumber	char	17			

Element Name	Data Type	Length	Required	Default	Description
@I_vWSProjectNumber	char	17			
@I_vWSReservedCB1	tinyint				
@I_vWSReservedCB10	tinyint				
@I_vWSReservedCB2	tinyint				
@I_vWSReservedCB3	tinyint				
@I_vWSReservedCB4	tinyint				
@I_vWSReservedCB5	tinyint				
@I_vWSReservedCB6	tinyint				
@I_vWSReservedCB7	tinyint				
@I_vWSReservedCB8	tinyint				
@I_vWSReservedCB9	tinyint				
@I_vWSReservedSTR1	char	11			
@I_vWSReservedSTR2	char	11			
@I_vWSUserDefinedDate 3	datetime				
@I_vWSUserDefinedDate 4	datetime				
@O_iErrorState	int				
@oErrString	varchar	255			

Error Codes

Error Code	Description
10004	Transaction date is not within an open fiscal year.
51017	The Job does not exist in Signature.
51018	Cost Code does not exist for this Job.
51050	An error occurred during an update or insert into a Signature table.
51050	An error occurred during an update or insert into a Signature table.
51089	The Cost Element must be in the range of 1 to 9.
51091	The Inventory Item does not exist.
51094	Job is inactive.
52234	Transaction Quantity is invalid.
52236	Unit of Measure is invalid.

wsiJCInvoiceSchedule

- [Table: JC10503 \(page 71\)](#)
- [Error Codes \(page 76\)](#)

Table: JC10503

Element Name	Data Type	Length	Required	Default	Description
@I_vAccountIndex	int				
@I_vBatchNumber	char	15			
@I_vBatchSource	char	15			

Element Name	Data Type	Length	Required	Default	Description
@l_vBillCodeNumber	char	27			
@l_vBilledAmount	numeric	19,5			
@l_vBillPct	smallint				
@l_vCommentID	char	15			
@l_vCostElement	smallint				
@l_vCurrentBill	numeric	19,5			
@l_vCurrentDue	numeric	19,5			
@l_vLineSEQNumber	numeric	19,5			
@l_vOnlyValidate	tinyint				
@l_vOriginatingBilledAmount	numeric	19,5			
@l_vOriginatingCurrentBill	numeric	19,5			
@l_vOriginatingCurrentDue	numeric	19,5			
@l_vOriginatingRetentionAmount	numeric	19,5			
@l_vOriginatingScheduleValue	numeric	19,5			
@l_vOriginatingWorkInPlace	numeric	19,5			
@l_vRetentionAmount	numeric	19,5			
@l_vRetentionBilled	numeric	19,5			

Element Name	Data Type	Length	Required	Default	Description
@I_vReturnErrorText	tinyint				
@I_vRMDocumentNumberWORK	char	17			
@I_vRMDocumentTypeAll	smallint				
@I_vScheduleValue	numeric	19,5			
@I_vStoredMaterials	numeric	19,5			
@I_vSVLanguageID	smallint				
@I_vTimeZone	char	3			
@I_vUnitsBillable	numeric	19,5			
@I_vUnitsBilledTTD	numeric	19,5			
@I_vUnitsBillingRate	numeric	19,5			
@I_vUpdateIfExists	tinyint				
@I_vUserDefine1	char	31			
@I_vUserDefine2	char	31			
@I_vUserDefined1	char	21			
@I_vUserDefined2	char	21			
@I_vUserDefinedCB1	tinyint				
@I_vUserDefinedCB2	tinyint				
@I_vUserDefinedCB3	tinyint				
@I_vUserDefinedCB4	tinyint				

Element Name	Data Type	Length	Required	Default	Description
@l_vUserDefinedDate1	datetime				
@l_vUserDefinedDate2	datetime				
@l_vUserDefinedDollar1	numeric	19,5			
@l_vUserDefinedDollar2	numeric	19,5			
@l_vUserDefinedDollar3	numeric	19,5			
@l_vUserDefinedDollar4	numeric	19,5			
@l_vUserDefinedInteger1	int				
@l_vUserDefinedInteger2	int				
@l_vUserDefinedInteger3	int				
@l_vUserDefinedInteger4	int				
@l_vUserID	char	15			
@l_vUSRDEFND1	char	50			
@l_vUSRDEFND2	char	50			
@l_vUSRDEFND3	char	50			
@l_vUSRDEFND4	varchar	8000			
@l_vUSRDEFND5	varchar	8000			
@l_vWennsoftAffiliate	char	15			
@l_vWennsoftBranch	char	15			
@l_vWennsoftRegion	char	15			

Element Name	Data Type	Length	Required	Default	Description
@I_vWennSoftTablesOnly	tinyint				
@I_vWorkInPlace	numeric	19,5			
@I_vWSJobNumber	char	17			
@I_vWSReservedCB1	tinyint				
@I_vWSReservedCB10	tinyint				
@I_vWSReservedCB2	tinyint				
@I_vWSReservedCB3	tinyint				
@I_vWSReservedCB4	tinyint				
@I_vWSReservedCB5	tinyint				
@I_vWSReservedCB6	tinyint				
@I_vWSReservedCB7	tinyint				
@I_vWSReservedCB8	tinyint				
@I_vWSReservedCB9	tinyint				
@I_vWSReservedSTR1	char	11			
@I_vWSReservedSTR2	char	11			
@I_vWSUserDefinedDate3	datetime				
@I_vWSUserDefinedDate4	datetime				
@O_iErrorState	int				

Element Name	Data Type	Length	Required	Default	Description
@oErrString	varchar	255			

Error Codes

Error Code	Description
51013	The Job Number parameter is missing or blank.
51112	Customer number does not exist.
52017	Job Number not found.
52482	Unable to enter bill codes for TRX Level billing type
52483	Unable to enter bill codes for Standard Billing type
52484	The Bill Code Number parameter is missing or blank.
52485	This bill code is completely billed
52486	Insert appropriate error description here
52487	Bill Code was not found for this Job Number
52488	The Document Number cannot be found
52489	The Document Type parameter does not match the Document Type.
52489	Cost element parameter does not match the Bill Code cost element.
52490	Cost element parameter does not match the Bill Code cost element.
52491	Batch number parameter does not match the Document number batch number
52492	Batch source parameter does not match the Document number batch source

Error Code	Description
52493	Originating Billed Amount parameter does not match the bill code Originating Billed Amount TTD.
52494	Originating Schedule Value does not equal the Originating Total Billable Amount of the Bill Code
52495	Schedule Value does not match the Bill Code Total Billable Amount.
52496	Billed Amount parameter does not match the bill code Billed Amount TTD.
52497	Originating Scheduled Value cannot be greater than Current Bill.
52498	Current Bill cannot be greater than Schedule Value.
52499	Please enter current due

wsiJCJobDetailMSTR

- [Table Name: JC00701 \(page 77\)](#)
- [Error Codes \(page 87\)](#)

Table Name: JC00701

Other tables affected: <none>

Other stored procedures called: wsiJCJobDetailMSTRPre, wsiJCJobDetailMSTRPost

Description:

This procedure allows the insert or update of records into the Job Detail Master table.

Element Name	Data Type	Length	Required	Default	Description
@I_vWSJobNumber	char	17	Yes		I_vWSJobNumber exists in JC00102 and is an active job
@I_vWSProjectNumber	char	17	No	'	I_vWSProjectNumber exists in JC01701 and is an active project and is assigned to the job
@I_vWSCostCodeNumber1	char	7	Yes		I_vWSCostCodeNumber1 length is equal to the value in JC40103.Cost_Code_Seg_Length_1

Element Name	Data Type	Length	Required	Default	Description
@l_vWSCostCodeNumber2	char	7	Yes		I_vWSCostCodeNumber2 length is equal to the value in JC40103.Cost_Code_Seg_Length_2
@l_vWSCostCodeNumber3	char	7	Yes		I_vWSCostCodeNumber3 length is equal to the value in JC40103.Cost_Code_Seg_Length_3
@l_vWSCostCodeNumber4	char	7	Yes		I_vWSCostCodeNumber4 length is equal to the value in JC40103.Cost_Code_Seg_Length_4
@l_vCostCodeAliases	char	27	No	'	An empty cost code alias value must be passed in. The alias will be constructed from the passed in cost code numbers and element.
@l_vCostCodeDescription	char	31	No		I_vCostCodeDescription must contain a non-empty string
@l_vCostElement	smallint	5	Yes		I_vCostElement exists in JC40209
@l_vWSManagerID	char	15	No	'	I_vWSManagerID exists in UPR00100
@l_vWSInactive	tinyint	3	No	0	I_vWSInactive is 0 or 1
@l_vProfitTypeNumber	smallint	5	No	0	A) I_vProfitTypeNumber exists in JC40208 B) I_vProfitTypeNumber must be 2 if the job is a "Fixed Amount" contract and I_vAddedByCOModule is 0 C) I_vProfitTypeNumber may be the values 1 thru 9 if I_vAddedByCOModule is 1 D) if I_vProfitTypeNumber is 9, then I_vCostElement must be 1
@l_vProfitAmount	numeric	19,5	No	0	A) If I_vProfitTypeNumber = 3, then I_vProfitAmount cannot equal 100 B) If I_vProfitTypeNumber = 1 or I_vProfitTypeNumber = 2, then I_vProfitAmount must be zero

Element Name	Data Type	Length	Required	Default	Description
@l_vTypeofTransaction	smallint	5	No	0	The type of transaction is 1, 2, 3, or 4
@l_vNextSubdivisionType	smallint	5	No	0	
@l_vWSAccountIndex1	int	10	No	0	I_vWSAccountIndex1 exists in GL00100 and is not a unit account (Account Type 2 in table GL00100). A value of zero or NULL may be passed in which will default in the account index. If JC40305.GB_CC_Acct_Setup is zero, then "Cost Code Debit Posting Accounts: Cost Codes" is used and the account index in JC40202.ACTINDX will be used if l_vWSAccountIndex1 is zero. If JC40305.GB_CC_Acct_Setup is one, then "Cost Code Debit Posting Accounts: Division" is used and the account index in JC40302.ACTINDX will be used (based on the division assigned to the job and the cost element assigned to the cost code) I_vWSAccountIndex1 is zero. Finally, the account must be active and the account cannot be a unit account. Unit accounts are identified by field GL00100.ACCTTYPE with a value of 2.
@l_vWSAccountIndex2	int	10	No	0	Not validated. Not used.
@l_vAddedByCOModule	tinyint	3	No	0	I_vAddedByCOModule is 0 or 1
@l_vTrackProductionQty	tinyint	3	No	0	I_vTrackProductionQty is 0 or 1
@l_vCostCodeActualCostTTD	numeric	19,5	No	0	
@l_vCostCodeActualCostYTD	numeric	19,5	No	0	

Element Name	Data Type	Length	Required	Default	Description
@l_vActualUnitsTD	numeric	19,5	No	0	
@l_vCostCodeEstimatedCost	numeric	19,5	No	0	
@l_vChangeOrderEstimatedCost	numeric	19,5	No	0	
@l_vCostCodeRvsdEstimatedCost	numeric	19,5	No	0	
@l_vCostCodeForecastCost	numeric	19,5	No	0	
@l_vCostCodeRvsdForecast	numeric	19,5	No	0	
@l_vForecastedUnits	numeric	19,5	No	0	
@l_vCommittedCost	numeric	19,5	No	0	
@l_vCommittedUnits	numeric	19,5	No	0	
@l_vCostCodeEstimatedUnits	numeric	19,5	No	0	
@l_vEstimatedAmtUnits	numeric	19,5	No	0	
@l_vProductionEstimateQty	numeric	19,5	No	0	
@l_vProductionActualQty	numeric	19,5	No	0	
@l_vProductionQtyUnit	numeric	19,5	No	0	

Element Name	Data Type	Length	Required	Default	Description
@l_vProductionQuantityCurrentPeriod	numeric	19,5	No	0	
@l_vProductionBest	numeric	19,5	No	0	
@l_vProductionBestDate	datetime		No	01/01/1900'	
@l_vProductionMeasureCode	char	7	No	'	I_vProductionMeasureCode exists in JC40102
@l_vOVHD1UOM	char	21	No	'	
@l_vOVHD1Type	smallint	5	No	0	
@l_vOVHD1Percent	smallint	5	No	0	
@l_vOVHD1EstimatedUnits	numeric	19,5	No	0	
@l_vOVHD1Actual Units	numeric	19,5	No	0	
@l_vOVHD1ForecastedUnits	numeric	19,5	No	0	
@l_vOVHD1AmtPerUnit	numeric	19,5	No	0	
@l_vOVHD1EstimatedAmount	numeric	19,5	No	0	
@l_vOVHD1Actual Amount	numeric	19,5	No	0	
@l_vOVHD1Profit Type	smallint	5	No	0	

Element Name	Data Type	Length	Required	Default	Description
@l_vOVHD1ProfitAmount	numeric	19,5	No	0	
@l_vOVHD2UOM	char	21	No	'	
@l_vOVHD2Type	smallint	5	No	0	
@l_vOVHD2Percent	smallint	5	No	0	
@l_vOVHD2EstimatedUnits	numeric	19,5	No	0	
@l_vOVHD2ActualUnits	numeric	19,5	No	0	
@l_vOVHD2ForecastedUnits	numeric	19,5	No	0	
@l_vOVHD2AmtPerUnit	numeric	19,5	No	0	
@l_vOVHD2EstimatedAmount	numeric	19,5	No	0	
@l_vOVHD2ActualAmount	numeric	19,5	No	0	
@l_vOVHD2ProfitType	smallint	5	No	0	
@l_vOVHD2ProfitAmount	numeric	19,5	No	0	
@l_vBillType	smallint	5	No	0	
@l_vScheduledCompletionDate	datetime		No	01/01/1900'	
@l_vActualCompletionDate	datetime		No	01/01/1900'	

Element Name	Data Type	Length	Required	Default	Description
@l_vScheduleStartDate	datetime		No	01/01/1900'	
@l_vActualStartDate	datetime		No	01/01/1900'	
@l_vBillingScheduleLine	char	9	No	'	
@l_vEstimatedMeasureCode	char	7	No	'	I_vEstimatedMeasureCode exists in JC40102
@l_vAmountPctComplete	smallint	5	No	0	
@l_vUnitsPctComplete	smallint	5	No	0	
@l_vProductionPctComplete	smallint	5	No	0	
@l_vFieldPctComplete	smallint	5	No	0	
@l_vPostedTo	tinyint	3	No	0	I_vPostedTo is 0 or 1
@l_vWorkersComp	char	7	No	'	I_vWorkersComp exists in UPR40700
@l_vChangeOrderEstimatedUnits	numeric	19,5	No	0	
@l_vLaborGroupName	char	15	No	'	I_vLaborGroupName exists in SV00123
@l_vUserID	char	15	No	'	
@l_vUserDefine1	char	31	No	'	
@l_vUserDefine2	char	31	No	'	

Element Name	Data Type	Length	Required	Default	Description
@l_vUserDefined1	char	21	No	'	
@l_vUserDefined2	char	21	No	'	
@l_vUserDefined1ninteger1	int	10	No	0	
@l_vUserDefined1ninteger2	int	10	No	0	
@l_vUserDefined1ninteger3	int	10	No	0	
@l_vUserDefined1ninteger4	int	10	No	0	
@l_vUserDefinedDollar1	numeric	19,5	No	0	
@l_vUserDefinedDollar2	numeric	19,5	No	0	
@l_vUserDefinedDollar3	numeric	19,5	No	0	
@l_vUserDefinedDollar4	numeric	19,5	No	0	
@l_vUserDefinedDate1	datetime		No	01/01/1900'	
@l_vUserDefinedDate2	datetime		No	01/01/1900'	
@l_vWSUserDefinedDate3	datetime		No	01/01/1900'	
@l_vWSUserDefinedDate4	datetime		No	01/01/1900'	

Element Name	Data Type	Length	Required	Default	Description
@l_vUserDefinedCB1	tinyint	3	No	0	
@l_vUserDefinedCB2	tinyint	3	No	0	
@l_vUserDefinedCB3	tinyint	3	No	0	
@l_vUserDefinedCB4	tinyint	3	No	0	
@l_vVendorNumber	char	25	No	'	I_vVendorNumber exists in PM00200
@l_vItemNumber	char	31	No	'	
@l_vPurchaseOrderNumber	char	21	No	'	
@l_vCostCodeRvsdForecastUnits	numeric	19,5	No	0	
@l_vRatePerUnit	numeric	19,5	No	0	
@l_vOriginalEstimateUnits	numeric	19,5	No	0	
@l_vOriginalForecastUnits	numeric	19,5	No	0	
@l_vWennsoftAffiliate	char	15	No	'	
@l_vWennsoftBranch	char	15	No	'	
@l_vWennsoftRegion	char	15	No	'	

Element Name	Data Type	Length	Required	Default	Description
@l_vSVLanguagelD	smallint	5	No	0	
@l_vTimeZone	char	3	No	'	
@l_vWSReservedCB1	tinyint	3	No	0	
@l_vWSReservedCB2	tinyint	3	No	0	
@l_vWSReservedCB3	tinyint	3	No	0	
@l_vWSReservedCB4	tinyint	3	No	0	
@l_vWSReservedCB5	tinyint	3	No	0	
@l_vWSReservedCB6	tinyint	3	No	0	
@l_vWSReservedCB7	tinyint	3	No	0	
@l_vWSReservedCB8	tinyint	3	No	0	
@l_vWSReservedCB9	tinyint	3	No	0	
@l_vWSReservedCB10	tinyint	3	No	0	
@l_vWSReservedSTR1	char	11	No	'	
@l_vWSReservedSTR2	char	11	No	'	

Element Name	Data Type	Length	Required	Default	Description
@l_vUpdateIfExists	tinyint	3	Yes	0	
@l_vWennSoftTablesOnly	tinyint	3	Yes	0	
@l_vOnlyValidate	tinyint	3	Yes	0	
@l_vUSRDEFND1	char	50	No	'	
@l_vUSRDEFND2	char	50	No	'	
@l_vUSRDEFND3	char	50	No	'	
@l_vUSRDEFND4	varchar	8000	No	'	
@l_vUSRDEFND5	varchar	8000	No	'	
@l_vReturnErrorText	tinyint	3	No	1	
@o_iErrorState	int	10	No	0	
@oErrString	varchar	255	No	'	

Error Codes

Error Code	Description
51017	The Job does not exist in Signature.
51094	Job is inactive.
51090	The Project Number does not exist.
51234	Project Number must be for an Active project.
51234	Project Number must be for an Active project.

Error Code	Description
52243	The length of the first Job Cost Code Segment is incorrect.
52244	The length of the second Job Cost Code Segment is incorrect.
52245	The length of the third Job Cost Code Segment is incorrect.
52246	The length of the fourth Job Cost Code Segment is incorrect.
51089	The Cost Element must be in the range of 1 to 9.
51118	The project manager does not exist in the payroll master table.
52247	The Job Cost Code Inactive flag must be set to 0 or 1.
52248	The Job Cost Code Added By Change Order flag must be set to 0 or 1.
51205	The profit type number does not exist in the profit type setup table.
52249	The Profit Type Number for Job Cost Codes not added by Change Orders must be 2 for Jobs with Fixed Amount Contract Types.
52250	The Cost Element must be 1 for Profit Type Number 9 Service Labor Rate Group.
52251	The Profit Amount cannot be 100 for a Job Cost Code with Profit Type Number 3 Percent Margin.
52252	The Profit Amount must be zero for Job Cost Codes with Profit Type Number 1 Non-billable.
52253	The Profit Amount must be zero for Job Cost Codes with Profit Type Number 2 None.
52254	The Type of Transaction value for a Job Cost Code must be 1, 2, 3, or 4.
51164	Account Index does not exist.
52255	The Track Production Quantity flag for a Job Cost Code must be set to 0 or 1.

Error Code	Description
52256	The Production Measure Code does not exist.
52257	The Estimated Measure Code does not exist.
52258	The Posted To flag for a Job Cost Code must be 0 or 1.
52259	The Workers Compensation Code does not exist.
52260	The Labor Group Name does not exist.
52261	The Vendor ID does not exist.
52262	The Cost Code Description cannot be blank for a Job Cost Code.
51234	The project number is not assigned to the job.
52264	Unit accounts cannot be used with job cost codes.
52293	Cost Code Alias must be empty.
52292	Cost Code Debit Posting Accounts by Division requires the use of the Account Index setup in JC40302 for the Division assigned to the Job and the Cost Element assigned to the Cost Code.

wsiJCJobEstimates

- [Table: JC00401 \(page 89\)](#)
- [Error Codes \(page 93\)](#)

Table: JC00401

Element Name	Data Type	Length	Required	Default	Description
@I_vCostCodeEstimatedUnits	numeric	19,5			
@I_vCostElement	smallint				

Element Name	Data Type	Length	Required	Default	Description
@l_vCostElementDescription	char	15			
@l_vCustomerNumber	char	15			
@l_vEstimatedAmtUnits	numeric	19,5			
@l_vOnlyValidate	tinyint				
@l_vReturnErrorText	tinyint				
@l_vScheduleDate	datetime				
@l_vShortDescription	char	31			
@l_vSVLanguageID	smallint				
@l_vTimeZone	char	3			
@l_vTransactionAmount	numeric	19,5			
@l_vTransactionDate	datetime				
@l_vTransactionDocNumber	numeric	19,5			
@l_vUpdateIfExists	tinyint				
@l_vUserDefine1	char	31			
@l_vUserDefine2	char	31			
@l_vUserDefined1	char	21			
@l_vUserDefined2	char	21			
@l_vUserDefinedCB1	tinyint				

Element Name	Data Type	Length	Required	Default	Description
@l_vUserDefinedCB2	tinyint				
@l_vUserDefinedCB3	tinyint				
@l_vUserDefinedCB4	tinyint				
@l_vUserDefinedDate1	datetime				
@l_vUserDefinedDate2	datetime				
@l_vUserDefinedDollar1	numeric	19,5			
@l_vUserDefinedDollar2	numeric	19,5			
@l_vUserDefinedDollar3	numeric	19,5			
@l_vUserDefinedDollar4	numeric	19,5			
@l_vUserDefinedInteger1	int				
@l_vUserDefinedInteger2	int				
@l_vUserDefinedInteger3	int				
@l_vUserDefinedInteger4	int				
@l_vUserID	char	15			
@l_vUSRDEFND1	char	50			
@l_vUSRDEFND2	char	50			
@l_vUSRDEFND3	char	50			
@l_vUSRDEFND4	varchar	8000			
@l_vUSRDEFND5	varchar	8000			

Element Name	Data Type	Length	Required	Default	Description
@l_vWennsoftAffiliate	char	15			
@l_vWennsoftBranch	char	15			
@l_vWennsoftRegion	char	15			
@l_vWennSoftTablesOnly	tinyint				
@l_vWSCostCodeNumber1	char	7			
@l_vWSCostCodeNumber2	char	7			
@l_vWSCostCodeNumber3	char	7			
@l_vWSCostCodeNumber4	char	7			
@l_vWSJobNumber	char	17			
@l_vWSManagerID	char	15			
@l_vWSProjectNumber	char	17			
@l_vWSReservedCB1	tinyint				
@l_vWSReservedCB10	tinyint				
@l_vWSReservedCB2	tinyint				
@l_vWSReservedCB3	tinyint				
@l_vWSReservedCB4	tinyint				
@l_vWSReservedCB5	tinyint				
@l_vWSReservedCB6	tinyint				

Element Name	Data Type	Length	Required	Default	Description
@I_vWSReservedCB7	tinyint				
@I_vWSReservedCB8	tinyint				
@I_vWSReservedCB9	tinyint				
@I_vWSReservedSTR1	char	11			
@I_vWSReservedSTR2	char	11			
@I_vWSUserDefinedDate3	datetime				
@I_vWSUserDefinedDate4	datetime				
@O_iErrorState	int				
@oErrString	varchar	255			

Error Codes

Error Code	Description
10004	Transaction date is not within an open fiscal year.
51090	The Project Number does not exist.
51118	The project manager does not exist in the payroll master table.
51200	The cost code number is blank.
51202	The job is blank.
51203	The cost element is blank.
51204	The cost element does not exist in the cost element setup table.

Error Code	Description
51300	The Transaction Date field is blank.
51301	Cannot import estimates because the cost code number does not exist.
51302	Cannot import estimates because a password is setup for Revise Estimate Cost.
51412	Database error inserting records into table JC00401.
52100	The description field is blank.
52418	Error updating record in the JC00401 table.
52481	The Transaction Amount cannot be zero.

wsiJCJobMaster

- [Error Codes \(page 107\)](#)

Element Name	Data Type	Length	Required	Default	Description
@l_vWSJobNumber	char	17	Yes		
@l_vWSProjectNumber	char	17	Yes		
@l_vWSJobName	char	31	Yes		
@l_vDivisions	char	15	Yes		
@l_vCustomerNumber	char	15	Yes		
@l_vJobAddressCode	char	15	Yes		
@l_vJobBilltoAddressCode	char	15	Yes		
@l_vEstimatorID	char	15	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vWSManagerID	char	15	No		
@l_vUserID	char	15	No		
@l_vBidDueDate	datetime		No		
@l_vScheduleStartDate	datetime		No		
@l_vScheduledCompletionDate	datetime		No		
@l_vActualCompletionDate	datetime		No		
@l_vEstLaborCost	numeric	19,5	No		
@l_vEstMaterialCost	numeric	19,5	No		
@l_vEstEquipmentCost	numeric	19,5	No		
@l_vEstSubsCost	numeric	19,5	No		
@l_vEstMiscOtherCost	numeric	19,5	No		
@l_vEstCostUserDefined1	numeric	19,5	No		
@l_vEstCostUserDefined2	numeric	19,5	No		
@l_vEstCostUserDefined3	numeric	19,5	No		
@l_vEstCostUserDefined4	numeric	19,5	No		
@l_vTotalEstimatedCost	numeric	19,5	No		
@l_vEstLaborCostMarkup	numeric	19,5	No		
@l_vEstEquipmentCostMarkup	numeric	19,5	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vEstMaterialsCostMarkup	numeric	19,5	No		
@l_vEstSubsCostMarkup	numeric	19,5	No		
@l_vEstMiscOtherCostMarkup	numeric	19,5	No		
@l_vEstUserDefined1Cost Markup	numeric	19,5	No		
@l_vEstUserDefined2Cost Markup	numeric	19,5	No		
@l_vEstUserDefined3Cost Markup	numeric	19,5	No		
@l_vEstUserDefined4Cost Markup	numeric	19,5	No		
@l_vTotalEstimatedMarkup	numeric	19,5	No		
@l_vCalculatePctCompletedtoDate	smallint	5	No		
@l_vEstPctCompletedtoDate	smallint	5	No		
@l_vJCContractNumber	char	15	No		
@l_vContractType	smallint	5	No		
@l_vWSBillingType	smallint	5	No		
@l_vProjectBilling	tinyint	3	No		
@l_vOverheadLaborPct	smallint	5	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vOverheadUserDefinedPct	smallint	5	No		
@l_vOverheadFlatAmount	numeric	19,5	No		
@l_vOriginalContractAmount	numeric	19,5	No		
@l_vOriginatingContractAmount	numeric	19,5	No		
@l_vContractMaximumBillAmount	numeric	19,5	No		
@l_vConfirmedChangeOrderAmount	numeric	19,5	No		
@l_vInProcessChangeOrderAmount	numeric	19,5	No		
@l_vCOAmountUserDefined1	numeric	19,5	No		
@l_vCOAmountUserDefined2	numeric	19,5	No		
@l_vCOAmountUserDefined3	numeric	19,5	No		
@l_vContracttoDate	numeric	19,5	No		
@l_vOriginatingContractToDate	numeric	19,5	No		
@l_vRetentionPct	numeric	19,5	No		
@l_vActLaborCostTTD	numeric	19,5	No		
@l_vActMaterialsCostTTD	numeric	19,5	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vActEquipmentCostTTD	numeric	19,5	No		
@l_vActSubsCostTTD	numeric	19,5	No		
@l_vActMiscOtherCostTTD	numeric	19,5	No		
@l_vActCostTTDUserDefined1	numeric	19,5	No		
@l_vActCostTTDUserDefined2	numeric	19,5	No		
@l_vActCostTTDUserDefined3	numeric	19,5	No		
@l_vActCostTTDUserDefined4	numeric	19,5	No		
@l_vTotalActualCost	numeric	19,5	No		
@l_vActLaborCostTTDMarup	numeric	19,5	No		
@l_vActEquipmentCostTTDMarkup	numeric	19,5	No		
@l_vActMaterialsCostTTDMarkup	numeric	19,5	No		
@l_vActSubsCostTTDMarkup	numeric	19,5	No		
@l_vActMiscOtherCostTTDMarkup	numeric	19,5	No		
@l_vActUserDefined1TTDMarkup	numeric	19,5	No		
@l_vActUserDefined2TTDMarkup	numeric	19,5	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vActUserDefined3TTD Markup	numeric	19,5	No		
@l_vActUserDefined4TTD Markup	numeric	19,5	No		
@l_vBilledLaborCostTTD Markup	numeric	19,5	No		
@l_vBilledMaterialsCostTT DMarkup	numeric	19,5	No		
@l_vBilledEquipmentCostT TDDMarkup	numeric	19,5	No		
@l_vBilledSubsCostTTDMA rkup	numeric	19,5	No		
@l_vBilledMiscOtherCostT TDMarkup	numeric	19,5	No		
@l_vBilledUserDefined1TT DMarkup	numeric	19,5	No		
@l_vBilledUserDefined2TT DMarkup	numeric	19,5	No		
@l_vBilledUserDefined3TT DMarkup	numeric	19,5	No		
@l_vBilledUserDefined4TT DMarkup	numeric	19,5	No		
@l_vBilledAmountTTD	numeric	19,5	No		
@l_vRetentionAmountTTD	numeric	19,5	No		
@l_vRetentionBilledTTD	numeric	19,5	No		
@l_vNetBilledTTD	numeric	19,5	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vCashReceivedTTD	numeric	19,5	No		
@l_vBilledYTD	numeric	19,5	No		
@l_vRetentionAmountYTD	numeric	19,5	No		
@l_vRetentionBilledYTD	numeric	19,5	No		
@l_vMiscTaxAmount	numeric	19,5	No		
@l_vTaxAmount	numeric	19,5	No		
@l_vDiscountAmount	numeric	19,5	No		
@l_vWriteOffAmount	numeric	19,5	No		
@l_vNetBilledYTD	numeric	19,5	No		
@l_vCashReceivedYTD	numeric	19,5	No		
@l_vLastBillingDate	datetime		No		
@l_vExpectedContract	numeric	19,5	No		
@l_vOriginatingExpectedContract	numeric	19,5	No		
@l_vCurrencyID	char	15	No		
@l_vCurrencyIndex	smallint	5	No		
@l_vExchangeRate	numeric	19,7	No		
@l_vExchangeDate	datetime		No		
@l_vTime	datetime		No		
@l_vRateTypeID	char	15	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vExchangeTableID	char	15	No		
@l_vActLaborCostYTD	numeric	19,5	No		
@l_vActMaterialsCostYTD	numeric	19,5	No		
@l_vActEquipmentCostYTD	numeric	19,5	No		
@l_vActSubsCostYTD	numeric	19,5	No		
@l_vActMiscOtherYTD	numeric	19,5	No		
@l_vActCostYTDUserDefined1	numeric	19,5	No		
@l_vActCostYTDUserDefined2	numeric	19,5	No		
@l_vActCostYTDUserDefined3	numeric	19,5	No		
@l_vActCostYTDUserDefined4	numeric	19,5	No		
@l_vTaxExemptNumber	char	15	No		
@l_vTaxScheduleID	char	15	Yes		
@l_vCommittedEquipmentTTD	numeric	19,5	No		
@l_vCommittedMaterialsTTD	numeric	19,5	No		
@l_vCommittedLaborTTD	numeric	19,5	No		
@l_vCommittedSubsTTD	numeric	19,5	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vCommittedMiscOtherTTD	numeric	19,5	No		
@l_vCommittedTTDUserDefined1	numeric	19,5	No		
@l_vCommittedTTDUserDefined2	numeric	19,5	No		
@l_vCommittedTTDUserDefined3	numeric	19,5	No		
@l_vCommittedTTDUserDefined4	numeric	19,5	No		
@l_vCommittedCost	numeric	19,5	No		
@l_vForecastedEquipmentTTD	numeric	19,5	No		
@l_vForecastedLaborTTD	numeric	19,5	No		
@l_vForecastedMaterialsTTD	numeric	19,5	No		
@l_vForecastedMiscOtherTTD	numeric	19,5	No		
@l_vForecastedSubsTTD	numeric	19,5	No		
@l_vForecastedUserDefined1	numeric	19,5	No		
@l_vForecastedUserDefined2	numeric	19,5	No		
@l_vForecastedUserDefined3	numeric	19,5	No		
@l_vForecastedUserDefined4	numeric	19,5	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vTotalForecastedCost	numeric	19,5	No		
@l_vRevsdEquipmentForecastedCost	numeric	19,5	No		
@l_vRevsdLaborForecastedCost	numeric	19,5	No		
@l_vRevsdMaterialsForecastedCost	numeric	19,5	No		
@l_vRevsdSubsForecastedCost	numeric	19,5	No		
@l_vRevsdMiscOtherForecastedCost	numeric	19,5	No		
@l_vRevsdForecastedUserDefined1	numeric	19,5	No		
@l_vRevsdForecastedUserDefined2	numeric	19,5	No		
@l_vRevsdForecastedUserDefined3	numeric	19,5	No		
@l_vRevsdForecastedUserDefined4	numeric	19,5	No		
@l_vTotalRevsdForecastCost	numeric	19,5	No		
@l_vEstLaborUnitsTTD	numeric	19,5	No		
@l_vActLaborUnitsTTD	numeric	19,5	No		
@l_vAnticipatedMarkup	numeric	19,5	No		
@l_vSutaState	char	3	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vLocalTax	char	7	No		
@l_vCertifiedPayroll	tinyint	3	No		
@l_vRateClass	char	15	No		
@l_vExcludefromPOCCalculation	tinyint	3	No		
@l_vWSMarkupPercent	int	10	No		
@l_vRevsdForecastLaborUnits	numeric	19,5	No		
@l_vTotalActualCostMarkup	numeric	19,5	No		
@l_vUserDefine1	char	31	No		
@l_vUserDefine2	char	31	No		
@l_vUserDefined1	char	21	No		
@l_vUserDefined2	char	21	No		
@l_vUserDefinedInteger1	int	10	No		
@l_vUserDefinedInteger2	int	10	No		
@l_vUserDefinedInteger3	int	10	No		
@l_vUserDefinedInteger4	int	10	No		
@l_vUserDefinedDollar1	numeric	19,5	No		
@l_vUserDefinedDollar2	numeric	19,5	No		
@l_vUserDefinedDollar3	numeric	19,5	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vUserDefinedDollar4	numeric	19,5	No		
@l_vUserDefinedDate1	datetime		No		
@l_vUserDefinedDate2	datetime		No		
@l_vWSUserDefinedDate3	datetime		No		
@l_vWSUserDefinedDate4	datetime		No		
@l_vUserDefinedCB1	tinyint	3	No		
@l_vUserDefinedCB2	tinyint	3	No		
@l_vUserDefinedCB3	tinyint	3	No		
@l_vUserDefinedCB4	tinyint	3	No		
@l_vWennsoftAffiliate	char	15	No		
@l_vWennsoftBranch	char	15	No		
@l_vWennsoftRegion	char	15	No		
@l_vSVLanguageID	smallint	5	No		
@l_vTimeZone	char	3	No		
@l_vTechnicianID	char	15	No		
@l_vTechnicianTeam	char	15	No		
@l_vWSInactive	tinyint	3	No		
@l_vWSReservedCB1	tinyint	3	No		
@l_vWSReservedCB2	tinyint	3	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vWSReservedCB3	tinyint	3	No		
@l_vWSReservedCB4	tinyint	3	No		
@l_vWSReservedCB5	tinyint	3	No		
@l_vWSReservedCB6	tinyint	3	No		
@l_vWSReservedCB7	tinyint	3	No		
@l_vWSReservedCB8	tinyint	3	No		
@l_vWSReservedCB9	tinyint	3	No		
@l_vWSReservedCB10	tinyint	3	No		
@l_vWSReservedSTR1	char	11	No		
@l_vWSReservedSTR2	char	11	No		
@l_vCreatedDate	datetime		No		
@l_vCreatedUserID	char	15	No		
@l_vReimbursable	tinyint	3	No		
@l_vJobCustomerID	char	15	No		
@l_vUseTaxSchedule	char	15	No		
@l_vStateCode	char	3	No		
@l_vInvoiceStyle	smallint	5	No		
@l_vUpdateIfExists	tinyint	3	Yes	0	
@l_vWennSoftTablesOnly	tinyint	3	Yes	0	

Element Name	Data Type	Length	Required	Default	Description
@l_vOnlyValidate	tinyint	3	Yes	0	
@l_vUSRDEFND1	char	50	No		
@l_vUSRDEFND2	char	50	No		
@l_vUSRDEFND3	char	50	No		
@l_vUSRDEFND4	varchar	8000	No		
@l_vUSRDEFND5	varchar	8000	No		
@l_vReturnErrorText	tinyint	3	No	1	
@O_iErrorState	int	10	No	0	
@oErrString	varchar	255	No		

Error Codes

Error Code	Description
51123	Password setup for View Job Maintenance
51125	Cannot import the job because the job is closed.
51124	Password set up for Edit Original Contract.
51234	Enter a Job Number
51231	Import updates to an existing Job with a Billing Type of Project Allocated Revenue, are not supported.
51127	You cannot change the billing type because invoices have been posted for this job.
51128	Unposted SOP documents exist for this job. Delete all SOP document for this job before changing the billing type.

Error Code	Description
51129	Unposted Job Cost invoices exist for this job. Delete all Job Cost invoices for this job before changing the billing type to SOP.
51130	There are committed costs for this job. You cannot change the billing type.
51126	Cannot change division because posted cost exists.
51132	There are invoices for this job. You cannot change the division.
51140	Unposted SOP documents exist for this job. You cannot change the division.
51131	There are committed costs for this job. You cannot change the division.
51133	No division accounts are set up for this division. You cannot change the division.
51134	No invoice accounts are set up for this division. You cannot change the division.
51135	No revenue accounts are set up for this division. You cannot change the division.
51136	No close job accounts are set up for this division. You cannot change the division.
51137	No offset accounts are set up for this division. You cannot change the division.
51138	No overhead detail accounts are setup for this division. You cannot change the division.
52166	Job Cost default Gross Pay Offset account is not setup.
52179	Cannot change field @I_vExcludefromPOCCalc with existing record(s) in the JC_Invoice_Open table for this job.
52180	Cannot change field @I_vExcludefromPOCCalc with existing Actual Total Costs for the job.

Error Code	Description
52181	Cannot change field @I_vExcludefromPOCCalc with Actual Labor Units TTD > 0 for the job.
10003	Create Date is not in a fiscal year
51234	Project Number must be for an Active project.
52100	The description field is blank.
51111	The division does not exist in the division setup table.
51112	The customer does not exist in the customer setup table.
51113	The address code does not exist in the customer master address table.
51114	The billing address does not exist in the customer master address table.
51115	The tax schedule ID does not exist in the tax schedule table.
51116	The project number does not exist in the project setup table.
51117	The estimator does not exist in the payroll master table.
51118	The project manager does not exist in the payroll master table.
51119	The SUTA State does not exist in the payroll unemployment setup table.
51120	The local tax does not exist in the payroll local tax setup table.
51121	The rate class does not exist in the rate class setup table.
51122	Verify certified payroll on the posting setup window before import the job.
51064	Procedure jcVerifyTRXDate failed on invalid date. Year cannot be 1900.
51065	Procedure jcVerifyTRXDate failed. Parameter: Series, Origin, or Date cannot be null.

wsiJCVendorMaster

- [Table Name: JC01501 \(page 110\)](#)
- [Error Codes \(page 115\)](#)

Table Name: JC01501

Description:

Describe what the WSI procedure does in regards to a business goal.

Element Name	Data Type	Length	Required	Default	Description
@l_vWSJobNumber	char	17	Yes		Required
@l_vWSProjectNumber	char	17	No		
@l_vVendorID	char	15	Yes		Required
@l_vVendorName	char	65	No		
@l_vLineSEQNumber	numeric	19,5	No		
@l_vAddressCode	char	15	No		Required
@l_vRetentionPct	numeric	19,5	No		
@l_vModRate	smallint	5	No		
@l_vPostingStatus	smallint	5	No		
@l_vPurchaseOrderNumber	char	21	No		
@l_vContractDate	datetime		No		
@l_vVendorContractType	smallint	5	No		
@l_vInsuranceCertificateOnFile	tinyint	3	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vInsuranceExpirationDate	datetime		No		
@l_vBonded	tinyint	3	No		
@l_vRetentionWithheldTTD	numeric	19,5	No		
@l_vApplyDocPaidTTD	numeric	19,5	No		
@l_vOriginalContractAmount	numeric	19,5	No		
@l_vChangeOrdersTTD	numeric	19,5	No		
@l_vContracttoDate	numeric	19,5	No		
@l_vLienWaiveronFile	tinyint	3	No		
@l_vSubmittals	tinyint	3	No		
@l_vVendorInvoicesTTD	numeric	19,5	No		
@l_vActualUnitsTTD	numeric	19,5	No		
@l_vSubmitDate	datetime		No		
@l_vResubmitDate	datetime		No		
@l_vApprovedDate	datetime		No		
@l_vDisapprovedDate	datetime		No		
@l_vHold	tinyint	3	No		
@l_vWorkersComp	char	7	No		
@l_vMaximumRetentionPercent	numeric	19,5	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vMaximumRetentionToWithhold	numeric	19,5	No		
@l_vMaximumRetentionType	smallint	5	No		
@l_vJCCISVerificationNumber	char	15	No		
@l_vJCCheckBox1	tinyint	3	No		
@l_vJCCheckBox2	tinyint	3	No		
@l_vJCCheckBox3	tinyint	3	No		
@l_vJCCheckBox4	tinyint	3	No		
@l_vJCCheckBox5	tinyint	3	No		
@l_vJCCheckBox6	tinyint	3	No		
@l_vJCCheckBox7	tinyint	3	No		
@l_vJCCheckBox8	tinyint	3	No		
@l_vJCCheckBox9	tinyint	3	No		
@l_vJCCheckBox10	tinyint	3	No		
@l_vUserID	char	15	No		
@l_vUserDefine1	char	31	No		
@l_vUserDefine2	char	31	No		
@l_vUserDefine3	char	31	No		
@l_vUserDefine4	char	31	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vUserDefine5	char	31	No		
@l_vUserDefine6	char	31	No		
@l_vUserDefined1	char	21	No		
@l_vUserDefined2	char	21	No		
@l_vUserDefinedCB1	tinyint	3	No		
@l_vUserDefinedCB2	tinyint	3	No		
@l_vUserDefinedCB3	tinyint	3	No		
@l_vUserDefinedCB4	tinyint	3	No		
@l_vUserDefinedDate1	datetime		No		
@l_vUserDefinedDate2	datetime		No		
@l_vWSUserDefinedDate3	datetime		No		
@l_vWSUserDefinedDate4	datetime		No		
@l_vUserDefinedDollar1	numeric	19,5	No		
@l_vUserDefinedDollar2	numeric	19,5	No		
@l_vUserDefinedDollar3	numeric	19,5	No		
@l_vUserDefinedDollar4	numeric	19,5	No		
@l_vUserDefinedInteger1	int	10	No		
@l_vUserDefinedInteger2	int	10	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vUserDefinedInteger3	int	10	No		
@l_vUserDefinedInteger4	int	10	No		
@l_vWennsoftAffiliate	char	15	No		
@l_vWennsoftBranch	char	15	No		
@l_vWennsoftRegion	char	15	No		
@l_vWSReservedCB1	tinyint	3	No		
@l_vWSReservedCB2	tinyint	3	No		
@l_vWSReservedCB3	tinyint	3	No		
@l_vWSReservedCB4	tinyint	3	No		
@l_vWSReservedCB5	tinyint	3	No		
@l_vWSReservedSTR1	char	11	No		
@l_vWSReservedSTR2	char	11	No		
@l_vDEXROWID	int	10	No		
@l_vUpdateIfExists	tinyint	3	Yes	0	
@l_vWennSoftTablesOnly	tinyint	3	Yes	0	
@l_vOnlyValidate	tinyint	3	Yes	0	
@l_vUSRDEFND1	char	50	No		
@l_vUSRDEFND2	char	50	No		
@l_vUSRDEFND3	char	50	No		

Element Name	Data Type	Length	Required	Default	Description
@I_vUSRDEFND4	varchar	8000	No		
@I_vUSRDEFND5	varchar	8000	No		
@I_vReturnErrorText	tinyint	3	No	1	
@O_iErrorState	int	10	No	0	
@oErrString	varchar	255	No		

Error Codes

Error Code	Description
51202	The job is blank.
52173	The Vendor ID is invalid.
52189	Address Code field is empty.
52289	The Vendor ID is blank.
52290	Address Code is invalid.
52291	Vendor contract type is invalid.

wsiJobCostInvoiceOPEN

- [Table: JC20501 \(page 115\)](#)
- [Error Codes \(page 124\)](#)

Table: JC20501

Description: Creates a record in JC20501. Performs validations on input parameters and defaults in values as necessary when the user provided value is null. Stored procedures in "PROCEDURES CALLED" are used to create Dynamics GP records and update Job Cost records as necessary.

Element Name	Data Type	Length	Required	Default	Description
@l_vAccountAmount	numeric	19,5			
@l_vActEquipmentCostTTD Markup	numeric	19,5			
@l_vActLaborCostTTD Markup	numeric	19,5			
@l_vActMaterialsCostTTD Markup	numeric	19,5			
@l_vActMiscOtherCostTTD Markup	numeric	19,5			
@l_vActSubsCostTTD Markup	numeric	19,5			
@l_vActUserDefined1TTD Markup	numeric	19,5			
@l_vActUserDefined2TTD Markup	numeric	19,5			
@l_vActUserDefined3TTD Markup	numeric	19,5			
@l_vActUserDefined4TTD Markup	numeric	19,5			
@l_vAddressCode	char	15			
@l_vAmountReceived	numeric	19,5			
@l_vBatchNumber	char	15			
@l_vBatchSource	char	15			
@l_vBill	tinyint				
@l_vBilledAmountTTD	numeric	19,5			

Element Name	Data Type	Length	Required	Default	Description
@l_vBilledEquipmentCostTTDMarkup	numeric	19,5			
@l_vBilledLaborCostTTDMarkup	numeric	19,5			
@l_vBilledMaterialsCostTTDMarkup	numeric	19,5			
@l_vBilledMisc1TTD	numeric	19,5			
@l_vBilledMisc2TTD	numeric	19,5			
@l_vBilledMisc3TTD	numeric	19,5			
@l_vBilledMisc4TTD	numeric	19,5			
@l_vBilledMisc5TTD	numeric	19,5			
@l_vBilledMiscOtherCostTTDMarkup	numeric	19,5			
@l_vBilledSubsCostTTDMarkup	numeric	19,5			
@l_vBilledUserDefined1TTDMarkup	numeric	19,5			
@l_vBilledUserDefined2TTDMarkup	numeric	19,5			
@l_vBilledUserDefined3TTDMarkup	numeric	19,5			
@l_vBilledUserDefined4TTDMarkup	numeric	19,5			
@l_vCashAmount	numeric	19,5			

Element Name	Data Type	Length	Required	Default	Description
@l_vCashRemainingAmount	numeric	19,5			
@l_vChangedSincePrintingFlag	tinyint				
@l_vCommentID	char	15			
@l_vCommissionEarnings	numeric	19,5			
@l_vCommissionPercent	smallint				
@l_vCurrencyID	char	15			
@l_vCurrentBillEquipment	numeric	19,5			
@l_vCurrentBillLabor	numeric	19,5			
@l_vCurrentBillMaterials	numeric	19,5			
@l_vCurrentBillMiscOther	numeric	19,5			
@l_vCurrentBillSubs	numeric	19,5			
@l_vCurrentBillUserDefined1	numeric	19,5			
@l_vCurrentBillUserDefined2	numeric	19,5			
@l_vCurrentBillUserDefined3	numeric	19,5			
@l_vCurrentBillUserDefined4	numeric	19,5			
@l_vCurrentDueEquipment	numeric	19,5			
@l_vCurrentDueLabor	numeric	19,5			

Element Name	Data Type	Length	Required	Default	Description
@l_vCurrentDueMaterials	numeric	19,5			
@l_vCurrentDueMiscOther	numeric	19,5			
@l_vCurrentDueSubs	numeric	19,5			
@l_vCurrentDueUserDefined1	numeric	19,5			
@l_vCurrentDueUserDefined2	numeric	19,5			
@l_vCurrentDueUserDefined3	numeric	19,5			
@l_vCurrentDueUserDefined4	numeric	19,5			
@l_vCustomerNumber	char	15			
@l_vCustomerPONumber	char	21			
@l_vDatePaid	datetime				
@l_vDiscountDate	datetime				
@l_vDocumentAmount	numeric	19,5			
@l_vDocumentDate	datetime				
@l_vDocumentNumber	char	21			
@l_vDocumentType	smallint				
@l_vDueDate	datetime				
@l_vDynamicsStatus	char	5			
@l_vFreightTaxAmount	numeric	19,5			

Element Name	Data Type	Length	Required	Default	Description
@l_vGLPostingDate	datetime				
@l_vInvoiceDescription	text				
@l_vInvoiceStyle	smallint				
@l_vMiscTaxAmount	numeric	19,5			
@l_vNoTimesPrinted	smallint				
@l_vOnlyValidate	tinyint				
@l_vOriginatingBilledAmountTTD	numeric	19,5			
@l_vOriginatingDocumentAmount	numeric	19,5			
@l_vOriginatingMiscTaxAmount	numeric	19,5			
@l_vOriginatingRetentionAmountTTD	numeric	19,5			
@l_vOriginatingRetentionBilledTTD	numeric	19,5			
@l_vOriginatingSubtotal	numeric	19,5			
@l_vOriginatingTaxAmount	numeric	19,5			
@l_vOriginatingTradeDiscountAmount	numeric	19,5			
@l_vPaymentTermsID	char	21			
@l_vPostDate	datetime				
@l_vPostingStatus	smallint				

Element Name	Data Type	Length	Required	Default	Description
@l_vPostUserID	char	15			
@l_vPrintedDate	datetime				
@l_vReimbursable	tinyint				
@l_vRetentionAmountTTD	numeric	19,5			
@l_vRetentionBilledTTD	numeric	19,5			
@l_vReturnErrorText	tinyint				
@l_vRMDocumentNumber WORK	char	17			
@l_vRMDocumentTypeAll	smallint				
@l_vSalespersonID	char	15			
@l_vSalesTerritory	char	15			
@l_vSubtotal	numeric	19,5			
@l_vSVLanguageID	smallint				
@l_vTaxAmount	numeric	19,5			
@l_vTaxAmount1	numeric	19,5			
@l_vTaxAmount2	numeric	19,5			
@l_vTaxAmount3	numeric	19,5			
@l_vTaxAmount4	numeric	19,5			
@l_vTaxDate	datetime				
@l_vTaxDetailID	char	15			

Element Name	Data Type	Length	Required	Default	Description
@l_vTaxDetailID1	char	15			
@l_vTaxDetailID2	char	15			
@l_vTaxDetailID3	char	15			
@l_vTaxDetailID4	char	15			
@l_vTaxScheduleID	char	15			
@l_vTimeZone	char	3			
@l_vTradeDiscountAmount	numeric	19,5			
@l_vTRXSource	char	13			
@l_vUpdateIfExists	tinyint				
@l_vUserDefine1	char	31			
@l_vUserDefine2	char	31			
@l_vUserDefined1	char	21			
@l_vUserDefined2	char	21			
@l_vUserDefinedCB1	tinyint				
@l_vUserDefinedCB2	tinyint				
@l_vUserDefinedCB3	tinyint				
@l_vUserDefinedCB4	tinyint				
@l_vUserDefinedDate1	datetime				
@l_vUserDefinedDate2	datetime				

Element Name	Data Type	Length	Required	Default	Description
@l_vUserDefinedDollar1	numeric	19,5			
@l_vUserDefinedDollar2	numeric	19,5			
@l_vUserDefinedDollar3	numeric	19,5			
@l_vUserDefinedDollar4	numeric	19,5			
@l_vUserDefinedInteger1	int				
@l_vUserDefinedInteger2	int				
@l_vUserDefinedInteger3	int				
@l_vUserDefinedInteger4	int				
@l_vUserID	char	15			
@l_vUSRDEFND1	char	50			
@l_vUSRDEFND2	char	50			
@l_vUSRDEFND3	char	50			
@l_vUSRDEFND4	varchar	8000			
@l_vUSRDEFND5	varchar	8000			
@l_vWennsoftAffiliate	char	15			
@l_vWennsoftBranch	char	15			
@l_vWennsoftRegion	char	15			
@l_vWennSoftTablesOnly	tinyint				
@l_vWSApplicationNumber	char	5			

Element Name	Data Type	Length	Required	Default	Description
@I_vWSJobNumber	char	17			
@I_vWSProjectNumber	char	17			
@I_vWSReservedCB1	tinyint				
@I_vWSReservedCB2	tinyint				
@I_vWSReservedCB3	tinyint				
@I_vWSReservedCB4	tinyint				
@I_vWSReservedCB5	tinyint				
@I_vWSReservedSTR1	char	11			
@I_vWSReservedSTR2	char	11			
@I_vWSUserDefinedDate3	datetime				
@I_vWSUserDefinedDate4	datetime				
@O_iErrorState	int				
@oErrString	varchar	255			

Error Codes

Error Code	Description
1	The document number exists in table RM_Sales_WORK (RM10301).
51017	The Job does not exist in Signature.
51094	Job is inactive.
52279	The project number is not assigned to the job.

Error Code	Description
52322	The batch source must be RM_Sales.
52338	The customer number does not exist.
52339	The customer address does not exist.
52343	The sales person does not exist.
52345	Tax detail id 1 does not exist.
52346	Tax detail id 2 does not exist.
52347	Tax detail id 3 does not exist.
52348	Tax detail id 4 does not exist.
52432	'Tax Schedule ID does not exists in TX00101 (TX_Schedule_MSTR_HDR).'
52434	Payment Terms ID does not exists in SY03300 (SY_Payment_Terms_MSTR).
52435	Sales Territory does not exists in RM00303 (RM_Sales_Territory_MSTR).
52445	The project standard billing type cannot be used for job invoices.
52446	The sop billing type cannot be used for job invoices.
52447	The project bill code billing type cannot be used for job invoices.
52448	The project transaction level billing type cannot be used for job invoices.
52449	The project allocated revenue billing type cannot be used for job invoices.
52450	The project type of project standard billing can only be used on project invoices.
52451	The project type of project bill code can only be used on project invoices.
52452	The project type of cost plus billing can only be used on project invoices.

Error Code	Description
52453	The project type of project allocated revenue can only be used on project invoices.
52454	The parameter @I_vRMDocumentNumberWORK exists in table JC_Invoice_WORK (JC10501).
52455	The parameter @I_vRMDocumentNumberWORK exists in table JC_Invoice_OPEN (JC20501).
52456	The parameter @I_vRMDocumentNumberWORK exists in table JC_Invoice_HIST (JC30501).
52457	The parameter @I_vWSApplicationNumber (WS Application Number) exists for the job in table JC_Invoice_WORK (JC10501).
52458	The parameter @I_vWSApplicationNumber (WS Application Number) exists for the job in table JC_Invoice_OPEN (JC20501).
52459	The parameter @I_vWSApplicationNumber (WS Application Number) exists for the job in table JC_Invoice_HIST (JC30501).
52460	Parameter @I_vBilledAmountTTD is not equal to the sum of the current bill amounts.
52461	Parameter @I_vBilledAmountTTD is not equal to the @I_vSubtotal minus @I_vRetentionBilledTTD plus @I_vRetentionAmountTTD.
52464	The @I_vBilledAmountTTD is not equal to the sum of the current bill amounts.
52465	@I_vCurrentBillLabor exceeds @I_vCurrentDueLabor.
52466	@I_vCurrentBillMaterials exceeds @I_vCurrentDueMaterials.
52467	@I_vCurrentBillEquipment exceeds @I_vCurrentDueEquipment.
52468	@I_vCurrentBillSubs exceeds @I_vCurrentDueSubs.
52469	@I_vCurrentBillMiscOther exceeds @I_vCurrentDueMiscOther.

Error Code	Description
52470	@I_vCurrentBillUserDefined1 exceeds @I_vCurrentDueUserDefined1.
52471	@I_vCurrentBillUserDefined2 exceeds @I_vCurrentDueUserDefined2.
52472	@I_vCurrentBillUserDefined3 exceeds @I_vCurrentDueUserDefined3.
52473	@I_vCurrentBillUserDefined4 exceeds @I_vCurrentDueUserDefined4.
52474	Error updating record in table JC_Invoice_OPEN (JC20501).
52475	Error inserting record in table JC_Invoice_OPEN (JC20501).
52476	Parameter @I_vRetentionBilledTTD (Retention Due) exceeds the retention withheld on the job.
52477	The net billing plus the current document amount exceeds the expected contract on the job.
52559	'Parameter @I_vDocumentNumber must equal parameter @I_vRMDocumentNumberWORK.'
52561	Parameter @I_vRMDocumentTypeAll must be 1 (Invoice) or 7 (Credit Memo).
52562	Parameter @I_vDocumentType must be 1 (invoice) or 2 (credit memo).
52563	Parameter @I_vAccountAmount does not equal parameter @I_vDocumentAmount.
52564	(@I_vFreightTaxAmount + @I_vMiscTaxAmount + @I_vTaxAmount) <> (@I_vDocumentAmount - @I_vSubtotal)
52565	Currency ID does not exist in table DYNAMICS..MC40200 (MC_Currency_Setup).
52566	Parameter @I_vOriginatingTaxAmount is not equal to parameter @I_vTaxAmount.
52567	Parameter @I_vOriginatingDocumentAmount does not equal parameter @I_vDocumentAmount.

Error Code	Description
52572	Parameter @I_vRMDocumentNumberWORK is empty and must contain a value.
52573	'Parameter @I_vTRXSource must contain a non-empty string value.'
52574	'Parameter @I_vDynamicsStatus must contain the string value P.'
52575	Parameter @I_vBatchNumber must contain a non-empty string value.
52576	Parameter @I_vTRXSource does not equal the transaction source assigned to the invoice in receivables management.
52577	Parameter @I_vBatchNumber does not equal the batch number assigned to the invoice in receivables management.
52578	Parameter @I_vBatchSource does not equal the batch source assigned to the invoice in receivables management.
52579	Parameter @I_vAccountAmount does not equal the current transaction amount assigned to the invoice in receivables management.
52580	Parameter @I_vPaymentTermsID does not equal the current payment terms id assigned to the invoice in receivables management.
52581	Parameter @I_vPaymentTermsID must be a non-empty string value.
52582	Parameter @I_vTaxScheduleID does not equal the current tax schedule id assigned to the invoice in receivables management.
52583	Parameter @I_vCashAmount does not equal the current cash amount assigned to the invoice in receivables management.
52584	Parameter @I_vDocumentDate does not equal the current document date assigned to the invoice in receivables management.
52585	Parameter @I_vDocumentDate must contain a non-empty date value.
52587	Parameter @I_vPostUserID does not equal the current post user id assigned to the invoice in receivables management.

Error Code	Description
52588	Parameter @I_vGLPostingDate does not equal the current GL posting date assigned to the invoice in receivables management.
52589	Parameter @I_vCustomerNumber does not equal the current customer number assigned to the invoice in receivables management.
52590	Parameter @I_vCustomerNumber must contain a non-empty string value.
52591	The @I_vAddressCode must contain a non-empty string value.
52592	Parameter @I_vAddressCode does not equal the current address code assigned to the invoice in receivables management.
52593	Parameter @I_vSalespersonID does not equal the current sales person assigned to the invoice in receivables management.
52594	Parameter @I_vSalesTerritory does not equal the current sales territory assigned to the invoice in receivables management.
52595	Parameter @I_vSalesTerritory contains a value but @I_vSalesPersonID is empty.
52596	Parameter @I_vCustomerPONumber does not equal the current customer purchase order number assigned to the invoice in receivables management.
52597	Parameter @I_vTradeDiscountAmount does not equal the current trade discount amount assigned to the invoice in receivables management.
52598	Parameter @I_vDiscountDate does not equal the current trade discount date assigned to the invoice in receivables management.
52599	Parameter @I_vDueDate does not equal the current due date assigned to the invoice in receivables management.
52600	Parameter @I_vFreightTaxAmount does not equal the current freight tax amount assigned to the invoice in receivables management.
52601	Parameter @I_vMiscTaxAmount does not equal the current miscellaneous tax amount assigned to the invoice in receivables management.

Error Code	Description
52602	Parameter @I_vTaxAmount does not equal the current tax amount assigned to the invoice in receivables management.
52603	Parameter @I_vTaxAmount1 does not equal the current tax amount assigned to the invoice in RM10301 or RM30601.
52604	Parameter @I_vTaxAmount2 does not equal the current tax amount assigned to the invoice in RM10301 or RM30601.
52605	Parameter @I_vTaxAmount3 does not equal the current tax amount assigned to the invoice in RM10301 or RM30601.
52606	Parameter @I_vTaxAmount4 does not equal the current tax amount assigned to the invoice in RM10301 or RM30601.
52607	Parameter @I_vTaxDetailID1 does not equal the current tax amount assigned to the invoice in RM10301 or RM30601.
52608	Parameter @I_vTaxDetailID2 does not equal the current tax amount assigned to the invoice in RM10301 or RM30601.
52609	Parameter @I_vTaxDetailID3 does not equal the current tax amount assigned to the invoice in RM10301 or RM30601.
52610	Parameter @I_vTaxDetailID4 does not equal the current tax amount assigned to the invoice in RM10301 or RM30601.
52611	Parameter @I_vDocumentAmount does not equal the current transaction amount assigned to the invoice in receivables management.
52612	Parameter @I_vSubtotal does not equal the current sales amount assigned to the invoice in receivables management.
52613	Parameter @I_vCurrencyID does not equal the current currency id assigned to the invoice in receivables management.
52614	Parameter @I_vPostDate does not equal the current post date assigned to the invoice in receivables management.

wsiJobCostInvoiceScheduleOPEN

- [Table: JC20503 \(page 131\)](#)
- [Error Codes \(page 135\)](#)

Table: JC20503

Element Name	Data Type	Length	Required	Default	Description
@l_vAccountIndex	int				
@l_vBatchNumber	char	15			
@l_vBatchSource	char	15			
@l_vBillCodeNumber	char	27			
@l_vBilledAmount	numeric	19,5			
@l_vBillPct	smallint				
@l_vCommentID	char	15			
@l_vCostElement	smallint				
@l_vCurrentBill	numeric	19,5			
@l_vCurrentDue	numeric	19,5			
@l_vLineSEQNumber	numeric	19,5			
@l_vOnlyValidate	tinyint				
@l_vOriginatingBilledAmount	numeric	19,5			
@l_vOriginatingCurrentBill	numeric	19,5			
@l_vOriginatingCurrentDue	numeric	19,5			

Element Name	Data Type	Length	Required	Default	Description
@l_vOriginatingRetentionAmount	numeric	19,5			
@l_vOriginatingScheduleValue	numeric	19,5			
@l_vOriginatingWorkInPlace	numeric	19,5			
@l_vRetentionAmount	numeric	19,5			
@l_vRetentionBilled	numeric	19,5			
@l_vReturnErrorText	tinyint				
@l_vRMDocumentNumberWORK	char	17			
@l_vRMDocumentTypeAll	smallint				
@l_vScheduleValue	numeric	19,5			
@l_vStoredMaterials	numeric	19,5			
@l_vSVLanguageID	smallint				
@l_vTimeZone	char	3			
@l_vUnitsBillable	numeric	19,5			
@l_vUnitsBilledTTD	numeric	19,5			
@l_vUnitsBillingRate	numeric	19,5			
@l_vUpdateIfExists	tinyint				
@l_vUserDefine1	char	31			
@l_vUserDefine2	char	31			

Element Name	Data Type	Length	Required	Default	Description
@l_vUserDefined1	char	21			
@l_vUserDefined2	char	21			
@l_vUserDefinedCB1	tinyint				
@l_vUserDefinedCB2	tinyint				
@l_vUserDefinedCB3	tinyint				
@l_vUserDefinedCB4	tinyint				
@l_vUserDefinedDate1	datetime				
@l_vUserDefinedDate2	datetime				
@l_vUserDefinedDollar1	numeric	19,5			
@l_vUserDefinedDollar2	numeric	19,5			
@l_vUserDefinedDollar3	numeric	19,5			
@l_vUserDefinedDollar4	numeric	19,5			
@l_vUserDefinedInteger1	int				
@l_vUserDefinedInteger2	int				
@l_vUserDefinedInteger3	int				
@l_vUserDefinedInteger4	int				
@l_vUserID	char	15			
@l_vUSRDEFND1	char	50			
@l_vUSRDEFND2	char	50			

Element Name	Data Type	Length	Required	Default	Description
@I_vUSRDEFND3	char	50			
@I_vUSRDEFND4	varchar	8000			
@I_vUSRDEFND5	varchar	8000			
@I_vWennsoftAffiliate	char	15			
@I_vWennsoftBranch	char	15			
@I_vWennsoftRegion	char	15			
@I_vWennSoftTablesOnly	tinyint				
@I_vWorkInPlace	numeric	19,5			
@I_vWSJobNumber	char	17			
@I_vWSReservedCB1	tinyint				
@I_vWSReservedCB10	tinyint				
@I_vWSReservedCB2	tinyint				
@I_vWSReservedCB3	tinyint				
@I_vWSReservedCB4	tinyint				
@I_vWSReservedCB5	tinyint				
@I_vWSReservedCB6	tinyint				
@I_vWSReservedCB7	tinyint				
@I_vWSReservedCB8	tinyint				
@I_vWSReservedCB9	tinyint				

Element Name	Data Type	Length	Required	Default	Description
@I_vWSReservedSTR1	char	11			
@I_vWSReservedSTR2	char	11			
@I_vWSUserDefinedDate 3	datetime				
@I_vWSUserDefinedDate 4	datetime				
@O_iErrorState	int				
@oErrString	varchar	255			

Error Codes

Error Code	Description
51013	The Job Number parameter is missing or blank.
51017	The Job does not exist in Signature.
51089	The Cost Element must be in the range of 1 to 9.
51094	Job is inactive.
52322	The batch source must be RM_Sales.
52484	The bill code number parameter is missing or blank.
52561	Parameter @I_vRMDocumentTypeAll must be 1 (Invoice) or 7 (Credit Memo).
52572	Parameter @I_vRMDocumentNumberWORK is empty and must contain a value.
52575	Parameter @I_vBatchNumber must contain a non-empty string value.
52615	An invoice does not exist in table JC_Invoice_OPEN (JC20501).

Error Code	Description
52615	An invoice does not exist in table JC_Invoice_OPEN (JC20501).
52616	A credit memo does not exist in table JC_Invoice_OPEN (JC20501).
52617	The job billing type must be 2 (User Defined) or 3 (Cost Code) to import into table JC_Invoice_Schedule_OPEN (JC20503).
52618	The bill code number does not exist in table JC_Billing_Codes_MSTR (JC00601).
52619	The line sequence number must be a multiple of 16384.
52620	The line sequence number is already used in table JC_Invoice_Schedule_OPEN (JC20503) for the job and document number.
52621	Parameter @I_vScheduleValue does not equal the total billable amount in table JC_Billing_Codes_MSTR (JC00601).
52622	Parameter @I_vBilledAmount does not equal the bill amount in table JC_Billing_Codes_MSTR (JC00601).
52623	Parameter @I_vCurrentDue does not equal the total billable amount minus the billed amount total to date in table JC_Billing_Codes_MSTR (JC00601).
52624	Document does not exist in table JC_Invoice_OPEN (JC20501).
52625	Parameter @I_vCurrentBill plus current billing in table JC_Invoice_Schedule_OPEN (JC20503) exceeds the current billable labor amount in table JC_Invoice_OPEN (JC20501).
52626	Parameter @I_vCurrentBill plus current billing in table JC_Invoice_Schedule_OPEN (JC20503) exceeds the current billable materials amount in table JC_Invoice_OPEN (JC20501).
52627	Parameter @I_vCurrentBill plus current billing in table JC_Invoice_Schedule_OPEN (JC20503) exceeds the current billable equipment amount in table JC_Invoice_OPEN (JC20501).
52628	Parameter @I_vCurrentBill plus current billing in table JC_Invoice_Schedule_OPEN (JC20503) exceeds the current billable subcontractor amount in table JC_Invoice_OPEN (JC20501).

Error Code	Description
52629	Parameter @I_vCurrentBill plus current billing in table JC_Invoice_Schedule_OPEN (JC20503) exceeds the current billable miscellaneous amount in table JC_Invoice_OPEN (JC20501).
52630	Parameter @I_vCurrentBill plus current billing in table JC_Invoice_Schedule_OPEN (JC20503) exceeds the current billable user defined 1 amount in table JC_Invoice_OPEN (JC20501).
52631	Parameter @I_vCurrentBill plus current billing in table JC_Invoice_Schedule_OPEN (JC20503) exceeds the current billable user defined 2 amount in table JC_Invoice_OPEN (JC20501).
52632	Parameter @I_vCurrentBill plus current billing in table JC_Invoice_Schedule_OPEN (JC20503) exceeds the current billable user defined 3 amount in table JC_Invoice_OPEN (JC20501).
52633	Parameter @I_vCurrentBill plus current billing in table JC_Invoice_Schedule_OPEN (JC20503) exceeds the current billable user defined 4 amount in table JC_Invoice_OPEN (JC20501).
52634	Parameters @I_vWorkInPlace plus @I_vStoredMaterials must equal @I_vCurrentBill.
52635	Parameter @I_vRetentionAmount plus the sum of retention withheld in table JC_Invoice_Schedule_OPEN (JC20503) exceeds the retention amount total to date in table JC_Invoice_OPEN (JC20501).
52636	'Error updating record in table JC_Invoice_Schedule_OPEN (JC20503).'
52637	'Error inserting record in table JC_Invoice_Schedule_OPEN (JC20503).'

wsiJobInvoiceUpdateJCJobMSTRRecord

Element Name	Data Type	Length	Required	Default	Description
@I_vAccountAmount	numeric	19,5			
@I_vActEquipmentCostTT DMarkup	numeric	19,5			

Element Name	Data Type	Length	Required	Default	Description
@l_vActLaborCostTTDMarkup	numeric	19,5			
@l_vActMaterialsCostTTD Markup	numeric	19,5			
@l_vActMiscOtherCostTTD Markup	numeric	19,5			
@l_vActSubsCostTTDMarkup	numeric	19,5			
@l_vActUserDefined1TTD Markup	numeric	19,5			
@l_vActUserDefined2TTD Markup	numeric	19,5			
@l_vActUserDefined3TTD Markup	numeric	19,5			
@l_vActUserDefined4TTD Markup	numeric	19,5			
@l_vAddressCode	char	15			
@l_vAmountReceived	numeric	19,5			
@l_vBatchNumber	char	15			
@l_vBatchSource	char	15			
@l_vBill	tinyint				
@l_vBilledAmountTTD	numeric	19,5			
@l_vBilledEquipmentCost TTDMarkup	numeric	19,5			

Element Name	Data Type	Length	Required	Default	Description
@l_vBilledLaborCostTTD Markup	numeric	19,5			
@l_vBilledMaterialsCostTT DMarkup	numeric	19,5			
@l_vBilledMisc1TTD	numeric	19,5			
@l_vBilledMisc2TTD	numeric	19,5			
@l_vBilledMisc3TTD	numeric	19,5			
@l_vBilledMisc4TTD	numeric	19,5			
@l_vBilledMisc5TTD	numeric	19,5			
@l_vBilledMiscOtherCostT TDMarkup	numeric	19,5			
@l_vBilledSubsCostTTDMa rkup	numeric	19,5			
@l_vBilledUserDefined1TT DMarkup	numeric	19,5			
@l_vBilledUserDefined2TT DMarkup	numeric	19,5			
@l_vBilledUserDefined3TT DMarkup	numeric	19,5			
@l_vBilledUserDefined4TT DMarkup	numeric	19,5			
@l_vCashAmount	numeric	19,5			
@l_vCashRemainingAmou nt	numeric	19,5			

Element Name	Data Type	Length	Required	Default	Description
@l_vChangedSincePrintin gFlag	tinyint				
@l_vCommentID	char	15			
@l_vCommissionEarnings	numeric	19,5			
@l_vCommissionPercent	smallint				
@l_vCurrencyID	char	15			
@l_vCurrentBillEquipment	numeric	19,5			
@l_vCurrentBillLabor	numeric	19,5			
@l_vCurrentBillMaterials	numeric	19,5			
@l_vCurrentBillMiscOther	numeric	19,5			
@l_vCurrentBillSubs	numeric	19,5			
@l_vCurrentBillUserDefine d1	numeric	19,5			
@l_vCurrentBillUserDefine d2	numeric	19,5			
@l_vCurrentBillUserDefine d3	numeric	19,5			
@l_vCurrentBillUserDefine d4	numeric	19,5			
@l_vCurrentDueEquipmen t	numeric	19,5			
@l_vCurrentDueLabor	numeric	19,5			
@l_vCurrentDueMaterials	numeric	19,5			

Element Name	Data Type	Length	Required	Default	Description
@l_vCurrentDueMiscOther	numeric	19,5			
@l_vCurrentDueSubs	numeric	19,5			
@l_vCurrentDueUserDefined1	numeric	19,5			
@l_vCurrentDueUserDefined2	numeric	19,5			
@l_vCurrentDueUserDefined3	numeric	19,5			
@l_vCurrentDueUserDefined4	numeric	19,5			
@l_vCustomerNumber	char	15			
@l_vCustomerPONumber	char	21			
@l_vDatePaid	datetime				
@l_vDiscountDate	datetime				
@l_vDocumentAmount	numeric	19,5			
@l_vDocumentDate	datetime				
@l_vDocumentNumber	char	21			
@l_vDocumentType	smallint				
@l_vDueDate	datetime				
@l_vDynamicsStatus	char	5			
@l_vFreightTaxAmount	numeric	19,5			
@l_vGLPostingDate	datetime				

Element Name	Data Type	Length	Required	Default	Description
@l_vInvoiceDescription	text				
@l_vInvoiceStyle	smallint				
@l_vMiscTaxAmount	numeric	19,5			
@l_vNoTimesPrinted	smallint				
@l_vOnlyValidate	tinyint				
@l_vOriginatingBilledAmountTTD	numeric	19,5			
@l_vOriginatingDocumentAmount	numeric	19,5			
@l_vOriginatingMiscTaxAmount	numeric	19,5			
@l_vOriginatingRetentionAmountTTD	numeric	19,5			
@l_vOriginatingRetentionBilledTTD	numeric	19,5			
@l_vOriginatingSubtotal	numeric	19,5			
@l_vOriginatingTaxAmount	numeric	19,5			
@l_vOriginatingTradeDiscountAmount	numeric	19,5			
@l_vPaymentTermsID	char	21			
@l_vPostDate	datetime				
@l_vPostingStatus	smallint				
@l_vPostUserID	char	15			

Element Name	Data Type	Length	Required	Default	Description
@l_vPrintedDate	datetime				
@l_vReimbursable	tinyint				
@l_vRetentionAmountTTD	numeric	19,5			
@l_vRetentionBilledTTD	numeric	19,5			
@l_vReturnErrorText	tinyint				
@l_vRMDocumentNumber WORK	char	17			
@l_vRMDocumentTypeAll	smallint				
@l_vSalespersonID	char	15			
@l_vSalesTerritory	char	15			
@l_vSubtotal	numeric	19,5			
@l_vSVLanguageID	smallint				
@l_vTaxAmount	numeric	19,5			
@l_vTaxAmount1	numeric	19,5			
@l_vTaxAmount2	numeric	19,5			
@l_vTaxAmount3	numeric	19,5			
@l_vTaxAmount4	numeric	19,5			
@l_vTaxDate	datetime				
@l_vTaxDetailID	char	15			
@l_vTaxDetailID1	char	15			

Element Name	Data Type	Length	Required	Default	Description
@l_vTaxDetailID2	char	15			
@l_vTaxDetailID3	char	15			
@l_vTaxDetailID4	char	15			
@l_vTaxScheduleID	char	15			
@l_vTimeZone	char	3			
@l_vTradeDiscountAmount	numeric	19,5			
@l_vTRXSource	char	13			
@l_vUpdateIfExists	tinyint				
@l_vUserDefine1	char	31			
@l_vUserDefine2	char	31			
@l_vUserDefined1	char	21			
@l_vUserDefined2	char	21			
@l_vUserDefinedCB1	tinyint				
@l_vUserDefinedCB2	tinyint				
@l_vUserDefinedCB3	tinyint				
@l_vUserDefinedCB4	tinyint				
@l_vUserDefinedDate1	datetime				
@l_vUserDefinedDate2	datetime				
@l_vUserDefinedDollar1	numeric	19,5			

Element Name	Data Type	Length	Required	Default	Description
@l_vUserDefinedDollar2	numeric	19,5			
@l_vUserDefinedDollar3	numeric	19,5			
@l_vUserDefinedDollar4	numeric	19,5			
@l_vUserDefinedInteger1	int				
@l_vUserDefinedInteger2	int				
@l_vUserDefinedInteger3	int				
@l_vUserDefinedInteger4	int				
@l_vUserID	char	15			
@l_vUSRDEFND1	char	50			
@l_vUSRDEFND2	char	50			
@l_vUSRDEFND3	char	50			
@l_vUSRDEFND4	varchar	8000			
@l_vUSRDEFND5	varchar	8000			
@l_vWennsoftAffiliate	char	15			
@l_vWennsoftBranch	char	15			
@l_vWennsoftRegion	char	15			
@l_vWennSoftTablesOnly	tinyint				
@l_vWSApplicationNumber	char	5			
@l_vWSJobNumber	char	17			

Element Name	Data Type	Length	Required	Default	Description
@I_vWSProjectNumber	char	17			
@I_vWSReservedCB1	tinyint				
@I_vWSReservedCB2	tinyint				
@I_vWSReservedCB3	tinyint				
@I_vWSReservedCB4	tinyint				
@I_vWSReservedCB5	tinyint				
@I_vWSReservedSTR1	char	11			
@I_vWSReservedSTR2	char	11			
@I_vWSUserDefinedDate3	datetime				
@I_vWSUserDefinedDate4	datetime				
@O_iErrorState	int				
@oErrString	varchar	255			

wsiMobileInventoryWork

Table Name: WS20002

Description:

Describe what the WSI procedure does in regards to a business goal.

Element Name	Data Type	Length	Required	Default	Description
@I_vServiceCallID	char	17	No		
@I_vWSTransactionDate	datetime		No		

Element Name	Data Type	Length	Required	Default	Description
@l_vEquipmentID	char	31	No		
@l_vWSCostCode	int	10	No		
@l_vWSOtherCostSubCode	int	10	No		
@l_vItemNumber	char	31	No		
@l_vItemDescription	char	101	No		
@l_vTRXQTY	numeric	19,5	No		
@l_vCostPerUnit	numeric	19,5	No		
@l_vBillableAmount	numeric	19,5	No		
@l_vInvoiced	tinyint	3	No		
@l_vUOfM	char	9	No		
@l_vLocationCode	char	11	No		
@l_veConnectErrorCode	int	10	No		
@l_vSerialNumber	char	21	No		
@l_vDEXROWID	int	10	Yes		
@l_vUpdateIfExists	tinyint	3	Yes	0	
@l_vWennSoftTablesOnly	tinyint	3	Yes	0	
@l_vOnlyValidate	tinyint	3	Yes	0	
@l_vUSRDEFND1	char	50	No		

Element Name	Data Type	Length	Required	Default	Description
@I_vUSRDEFND2	char	50	No		
@I_vUSRDEFND3	char	50	No		
@I_vUSRDEFND4	varchar	8000	No		
@I_vUSRDEFND5	varchar	8000	No		
@I_vReturnErrorText	tinyint	3	No	1	
@O_iErrorState	int	10	No	0	
@oErrString	varchar	255	No		

wsiMobilePurchaseOrderWork

Table Name: WS20003

Description:

Describe what the WSI procedure does in regards to a business goal.

Element Name	Data Type	Length	Required	Default	Description
@I_vServiceCallID	char	17	Yes		
@I_vTechnician	char	11	Yes		
@I_vPONumber	char	17	Yes		
@I_vOrd	int	10	Yes		
@I_vWSTransactionDate	datetime		No		
@I_vVendorID	char	15	No		
@I_vVendorName	char	65	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vItemNumber	char	31	No		
@l_vItemDescription	char	101	No		
@l_vUOfM	char	9	No		
@l_vQTYOrdered	numeric	19,5	No		
@l_vUnitCost	numeric	19,5	No		
@l_vBillableAmount	numeric	19,5	No		
@l_vInvoiced	tinyint	3	No		
@l_vLocationCode	char	11	No		
@l_vWSCostCode	int	10	No		
@l_vProductIndicator	smallint	5	No		
@l_veConnectErrorCode	int	10	No		
@l_vDEXROWID	int	10	No		
@l_vUpdateIfExists	tinyint	3	Yes	0	
@l_vWennSoftTablesOnly	tinyint	3	Yes	0	
@l_vOnlyValidate	tinyint	3	Yes	0	
@l_vUSRDEFND1	char	50	No		
@l_vUSRDEFND2	char	50	No		
@l_vUSRDEFND3	char	50	No		

Element Name	Data Type	Length	Required	Default	Description
@I_vUSRDEFND4	varchar	8000	No		
@I_vUSRDEFND5	varchar	8000	No		
@I_vReturnErrorText	tinyint	3	No	1	
@O_iErrorState	int	10	No	0	
@oErrString	varchar	255	No		

wsiPMTransactionLine

Table Name: WS10001

Description:

Describe what the WSI procedure does in regards to a business goal.

Element Name	Data Type	Length	Required	Default	Description
@I_vWSJobNumber	char	17	No		
@I_vJobTRXNumber	char	21	Yes		
@I_vLineSEQNumber"	numeric	19,5	Yes		
@I_vControlType	smallint	5	Yes		
@I_vApplyToVoucherNumber	char	21	Yes		
@I_vProductIndicator	smallint	5	No		
@I_vWennsoftAffiliate	char	15	No		
@I_vWennsoftRegion	char	15	No		
@I_vWennsoftBranch	char	15	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vWSProjectNumber	char	17	No		
@l_vWSCostCodeNumber1	char	7	No		
@l_vWSCostCodeNumber2	char	7	No		
@l_vWSCostCodeNumber3	char	7	No		
@l_vWSCostCodeNumber4	char	7	No		
@l_vCostElement	smallint	5	No		
@l_vWSCostCode	int	10	No		
@l_vWSOtherCostSubCode	int	10	No		
@l_vCostCodeDescription	char	31	No		
@l_vCustomerNumber	char	15	No		
@l_vAddressCode	char	15	No		
@l_vAccountIndex	int	10	No		
@l_vDistributionType	smallint	5	No		
@l_vDocumentNumber	char	21	No		
@l_vTransactionDescription	char	31	No		
@l_vWSCreditAmount	numeric	19,5	No		
@l_vWSDebitAmount	numeric	19,5	No		

Element Name	Data Type	Length	Required	Default	Description
@I_vWSOriginatingCredit	numeric	19,5	No		
@I_vWSOriginatingDebit	numeric	19,5	No		
@I_vCurrencyID	char	15	No		
@I_vCurrencyIndex	smallint	5	No		
@I_vProfitTypeNumber	smallint	5	No		
@I_vProfitAmount	numeric	19,5	No		
@I_vTRXQTY	numeric	19,5	No		
@I_vDocumentDate	datetime		No		
@I_vDocumentType	smallint	5	No		
@I_vDocumentSource	char	3	No		
@I_vGLPostingDate	datetime		No		
@I_vDocumentAmount	numeric	19,5	No		
@I_vJobType	char	7	No		
@I_vVendorID	char	15	No		
@I_vBatchNumber	char	15	No		
@I_vBatchSource	char	15	No		
@I_vPostingStatus	smallint	5	No		
@I_vSpecializedDistribution	smallint	5	Yes		

Element Name	Data Type	Length	Required	Default	Description
@l_vPurchaseOrderNumber	char	21	No		
@l_vVoucherNumberWRK	char	17	No		
@l_vBillingAmount	numeric	19,5	No		
@l_vEquipmentID	char	31	No		
@l_vItemNumber	char	31	No		
@l_vItemDescription	char	101	No		
@l_vCallInvoiceNumber	char	17	No		
@l_vRateCalculationMethod	smallint	5	No		
@l_vExchangeRate	numeric	19,7	No		
@l_vDenominationExchangeRate	numeric	19,7	No		
@l_vDecimalPlaces	smallint	5	No		
@l_vIntercompanyID	char	5	No		
@l_vRateTypeID	char	15	No		
@l_vExchangeTableID	char	15	No		
@l_vExchangeDate	datetime		No		
@l_vTime	datetime		No		
@l_vExpirationDate	datetime		No		
@l_vMCTransactionState	smallint	5	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vUOfM	char	9	No		
@l_vICCurrencyID	char	15	No		
@l_vICCurrencyIndex	smallint	5	No		
@l_vTaxDate	datetime		No		
@l_vUserID	char	15	No		
@l_vUserDefine1	char	31	No		
@l_vUserDefine2	char	31	No		
@l_vUserDefined1	char	21	No		
@l_vUserDefined2	char	21	No		
@l_vUserDefinedInteger1	int	10	No		
@l_vUserDefinedInteger2	int	10	No		
@l_vUserDefinedInteger3	int	10	No		
@l_vUserDefinedInteger4	int	10	No		
@l_vUserDefinedDollar1	numeric	19,5	No		
@l_vUserDefinedDollar2	numeric	19,5	No		
@l_vUserDefinedDollar3	numeric	19,5	No		
@l_vUserDefinedDollar4	numeric	19,5	No		
@l_vUserDefinedDate1	datetime		No		
@l_vUserDefinedDate2	datetime		No		

Element Name	Data Type	Length	Required	Default	Description
@l_vWSUserDefinedDate3	datetime		No		
@l_vWSUserDefinedDate4	datetime		No		
@l_vUserDefinedCB1	tinyint	3	No		
@l_vUserDefinedCB2	tinyint	3	No		
@l_vUserDefinedCB3	tinyint	3	No		
@l_vUserDefinedCB4	tinyint	3	No		
@l_vSVLanguageID	smallint	5	No		
@l_vTimeZone	char	3	No		
@l_vWSReservedCB1	tinyint	3	No		
@l_vWSReservedCB2	tinyint	3	No		
@l_vWSReservedCB3	tinyint	3	No		
@l_vWSReservedCB4	tinyint	3	No		
@l_vWSReservedCB5	tinyint	3	No		
@l_vWSReservedCB6	tinyint	3	No		
@l_vWSReservedCB7	tinyint	3	No		
@l_vWSReservedCB8	tinyint	3	No		
@l_vWSReservedCB9	tinyint	3	No		
@l_vWSReservedSTR1	char	11	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vWSReservedSTR2	char	11	No		
@l_vDEXROWID	int	10	No		
@l_vUpdateIfExists	tinyint	3	Yes	0	
@l_vWennSoftTablesOnly	tinyint	3	Yes	0	
@l_vOnlyValidate	tinyint	3	Yes	0	
@l_vUSRDEFND1	char	50	No		
@l_vUSRDEFND2	char	50	No		
@l_vUSRDEFND3	char	50	No		
@l_vUSRDEFND4	varchar	8000	No		
@l_vUSRDEFND5	varchar	8000	No		
@l_vReturnErrorText	tinyint	3	No	1	
@O_iErrorState	int	10	No	0	
@oErrString	varchar	255	No		

wSiSMSAppointment

- [Table: SV00301 \(page 156\)](#)
- [Error Codes \(page 160\)](#)

Table: SV00301

Element Name	Data Type	Length	Required	Default	Description
@l_vActualHours	int				

Element Name	Data Type	Length	Required	Default	Description
@l_vAppointment	char	25			
@l_vAppointmentDescription	char	51			
@l_vAppointmentGroupID	char	25			
@l_vAppointmentPriority	char	3			
@l_vAppointmentStatus	char	11			
@l_vAppointmentType	smallint				
@l_vCancelledReason	char	25			
@l_vCostCodeAlias	char	27			
@l_vCreatedDate	datetime				
@l_vCreatedUserID	char	15			
@l_vEstimateHours	int				
@l_vLaborOverride	tinyint				
@l_vOnlyValidate	tinyint				
@l_vOriginalTechnician	char	11			
@l_vReturnErrorText		tinyint			
@l_vServiceCallID	char	17			
@l_vServiceUserDefine1	char	21			
@l_vServiceUserDefine10	datetime				

Element Name	Data Type	Length	Required	Default	Description
@l_vServiceUserDefine11	datetime				
@l_vServiceUserDefine12	datetime				
@l_vServiceUserDefine18	tinyint				
@l_vServiceUserDefine19	tinyint				
@l_vServiceUserDefine2	char	21			
@l_vServiceUserDefine20	tinyint				
@l_vServiceUserDefine21	tinyint				
@l_vServiceUserDefine3	char	31			
@l_vServiceUserDefine4	char	31			
@l_vServiceUserDefine5	int				
@l_vServiceUserDefine6	int				
@l_vServiceUserDefine7	int				
@l_vServiceUserDefine8	int				
@l_vServiceUserDefine9	datetime				
@l_vSkillLevel	char	15			
@l_vSkipDoubleBookCheck	tinyint				
@l_vSkipShiftCheck	tinyint				
@l_vStartTime	datetime				
@l_vSVCompletionDate	datetime				

Element Name	Data Type	Length	Required	Default	Description
@l_vSVToolID	int				
@l_vTaskDate	datetime				
@l_vTechnician	char	11			
@l_vTechnicianStatus	char	17			
@l_vTimeEnteredCB	tinyint				
@l_vUpdateIfExists	tinyint				
@l_vUPRTRXCode	char	7			
@l_vUserDefined1	char	21			
@l_vUserDefined2	char	21			
@l_vUserDefinedCB11	tinyint				
@l_vUserDefinedCB21	tinyint				
@l_vUserDefinedDate1	datetime				
@l_vUserDefinedDate2	datetime				
@l_vUserDefinedDollar11	numeric	19,5			
@l_vUserDefinedDollar21	numeric	19,5			
@l_vUSRDEFND1	char	50			
@l_vUSRDEFND2	char	50			
@l_vUSRDEFND3	char	50			
@l_vUSRDEFND4	varchar	8000			

Element Name	Data Type	Length	Required	Default	Description
@I_vUSRDEFND5	varchar	8000			
@I_vWennSoftTablesOnly	tinyint				
@I_vWSCostCode	int				
@I_vWSJobNumber	char	17			
@O_iErrorState	int				
@oErrString	varchar	255			

Error Codes

Error Code	Description
52018	The Cost Code does not exist for the Job.
52143	The Technician does not exist.
52386	You have entered an invalid Appointment Type.
52387	The service call does not exist.
52388	The Technician Status does not exist.
52389	The Job Number does not exist.
52391	The Skill Level does not exist.
52392	The Appointment Status does not exist.
52393	The Tool ID does not exist.
52394	A shift conflict exists.
52395	A double booking conflict exists.

Error Code	Description
52396	The Appointment Master update has failed.
52396	The Appointment Master update has failed.
52398	Enter a valid Task Date.

wsiSMSContract

Table Name: SV00500

Other tables affected: SV00564, SV00509, sv00510, SV00053

Other stored procedures called: wsiSMSContractPre.sql, wsiSMSContractPost.sql, SMS_Build_Contract_Billing_Schedule.sql, SMS_Build_Contract_Billing_SchedulePre.sql, SMS_Build_Contract_Billing_SchedulePost.sql, SMS_Build_Contract_Revenue_Schedule.sql, SMS_Build_Contract_Revenue_SchedulePre.sql, SMS_Build_Contract_Revenue_SchedulePost.sql

Description:

This procedure allows the insert of records into the contract master table. This procedure will call out to other procedures to generate the contract billing schedule and the revenue schedule. This procedure will also accommodate contracts with some defined starting balance amount and date and will create one posted record in the billing, revenue and invoice table to reflect this starting balance.

Element Name	Data Type	Length	Required	Default	Description
CustomerNumber	char	15	Yes		Validated
AddressCode	char	15	Yes		Validated
WSContractNumber	char	11	Yes		Validated
WSContractNumber Sequence	int	10	No	1	Validated
UserID	char	15	No		Not validated or used by core product
*TechnicianID	char	15	No		*Not validated or used by core product
TechnicianTeam	char	15	No		Not validated or used by core product

Element Name	Data Type	Length	Required	Default	Description
Technician	char	11	No		Validated
CorporateContractNumber	char	21	No		Validated
CorporateInvoiceNumber	char	17	No		
ContractAmount	numeric	19,5	No	0	
BillFreq	smallint	5	No	1	Validated - 1 monthly, 2 quarterly, 3 annual, 4 semi-annual, 6 every other month
StartingBalanceYTD	numeric	19,5	No	0	Validated
StartingBalanceTTD	numeric	19,5	No	0	Validated
StartingBalanceDate	datetime		No	1/1/1900'	Validated
AmountBilled0	numeric	19,5	No	0	
SalespersonID	char	15	No		Validated
AnnualContractValue	numeric	19,5	No	0	
RevenueRecognitionMethodID	smallint	5	No	0	
InvoiceStyle	smallint	5	No	0	
WSContractStartDate	datetime		Yes		Validated
ContractExperationDate	datetime		Yes		Validated
ForecastOriginalEquipment	numeric	19,5	No	0	

Element Name	Data Type	Length	Required	Default	Description
ForecastOriginalLabor	numeric	19,5	No	0	
ForecastOriginalMaterial	numeric	19,5	No	0	
ForecastOriginalOther	numeric	19,5	No	0	
ForecastOriginalSubs	numeric	19,5	No	0	
ForecastOrigLabor1	numeric	19,5	No	0	
ForecastOrigLabor1 Hours	int	10	No	0	
ForecastOrigLabor2	numeric	19,5	No	0	
ForecastOrigLabor2 Hours	int	10	No	0	
ForecastOrigLabor3	numeric	19,5	No	0	
ForecastOrigLabor3 Hours	int	10	No	0	
ForecastOrigLabor4	numeric	19,5	No	0	
ForecastOrigLabor4 Hours	int	10	No	0	
ForecastOrigLabor5	numeric	19,5	No	0	
ForecastOrigLabor5 Hours	int	10	No	0	
ForecastOrigTotalLabor	numeric	19,5	No	0	

Element Name	Data Type	Length	Required	Default	Description
ForecastOrigTotalLaborHrs	int	10	No	0	
EstimateEquipment	numeric	19,5	No	0	
EstimateLabor	numeric	19,5	No	0	
EstimateMaterial	numeric	19,5	No	0	
EstimateSubs	numeric	19,5	No	0	
EstimateOther	numeric	19,5	No	0	
EstimateTotalCost	numeric	19,5	No	0	
EstimateHours	int	10	No	0	
EstimateLabor1	numeric	19,5	No	0	
EstimateLabor1Hours	int	10	No	0	
EstimateLabor2	numeric	19,5	No	0	
EstimateLabor2Hours	int	10	No	0	
EstimateLabor3	numeric	19,5	No	0	
EstimateLabor3Hours	int	10	No	0	
EstimateLabor4	numeric	19,5	No	0	
EstimateLabor4Hours	int	10	No	0	
EstimateLabor5	numeric	19,5	No	0	

Element Name	Data Type	Length	Required	Default	Description
EstimateLabor5Hours	int	10	No	0	
EstimateTotalLabor	numeric	19,5	No	0	
EstimateTotalLaborHrs	int	10	No	0	
ForecastLabor	numeric	19,5	No	0	
ForecastEquipment	numeric	19,5	No	0	
ForecastMaterial	numeric	19,5	No	0	
ForecastSubs	numeric	19,5	No	0	
ForecastOther	numeric	19,5	No	0	
ForecastTotalCost	numeric	19,5	No	0	
ForecastHours	int	10	No	0	
ForecastLabor1	numeric	19,5	No	0	
ForecastLabor1Hours	int	10	No	0	
ForecastLabor2	numeric	19,5	No	0	
ForecastLabor2Hours	int	10	No	0	
ForecastLabor3	numeric	19,5	No	0	
ForecastLabor3Hours	int	10	No	0	
ForecastLabor4	numeric	19,5	No	0	

Element Name	Data Type	Length	Required	Default	Description
ForecastLabor4Hours	int	10	No	0	
ForecastLabor5	numeric	19,5	No	0	
ForecastLabor5Hours	int	10	No	0	
ForecastTotalLabor	numeric	19,5	No	0	
ForecastTotalLaborHrs	int	10	No	0	
TaskEstimateRollupGroup	smallint	5	No	0	
UserDefine1a	char	31	No		
UserDefine2a	char	31	No		
UserDefine3a	char	31	No		
UserDefine4a	char	31	No		
ServiceUserDefine3	char	31	No		
ServiceUserDefine5	int	10	No	0	
ServiceUserDefine6	int	10	No	0	
ServiceUserDefine9	datetime		No	'1/1/1900'	
ServiceUserDefine10	datetime		No	'1/1/1900'	
ServiceUserDefine18	tinyint	3	No	0	
ServiceUserDefine19	tinyint	3	No	0	
ServiceUserDefine22	numeric	19,5	No	0	

Element Name	Data Type	Length	Required	Default	Description
ServiceUserDefine23	numeric	19,5	No	0	
ServiceUserDefine24	numeric	19,5	No	0	
ContractBillingDate	smallint	5	No	1	
ContractServiceDate	smallint	5	No	1	
AutoBill	tinyint	3	No	1	
PurchaseOrder	char	15	No		
Divisions	char	15	Yes		Validated
PYLabor	numeric	19,5	No	0	
PYMaterial	numeric	19,5	No	0	
PYEquipment	numeric	19,5	No	0	
PYSubcontractor	numeric	19,5	No	0	
PYOther	numeric	19,5	No	0	
PYTotalCost	numeric	19,5	No	0	
PYBilled	numeric	19,5	No	0	
PYContractEarned	numeric	19,5	No	0	
PYGrossProfit	numeric	19,5	No	0	
PYRevenueRecognized	numeric	19,5	No	0	
PYHours	int	10	No	0	
PYLabor1	numeric	19,5	No	0	

Element Name	Data Type	Length	Required	Default	Description
PYLabor1Hours	int	10	No	0	
PYLabor2	numeric	19,5	No	0	
PYLabor2Hours	int	10	No	0	
PYLabor3	numeric	19,5	No	0	
PYLabor3Hours	int	10	No	0	
PYLabor4	numeric	19,5	No	0	
PYLabor4Hours	int	10	No	0	
PYLabor5	numeric	19,5	No	0	
PYLabor5Hours	int	10	No	0	
PYTotalLabor	numeric	19,5	No	0	
PYTotalLaborHrs	int	10	No	0	
YTDDhours	int	10	No	0	
YTDLabor1	numeric	19,5	No	0	
YTDLabor1Hours	int	10	No	0	
YTDLabor2	numeric	19,5	No	0	
YTDLabor2Hours	int	10	No	0	
YTDLabor3	numeric	19,5	No	0	
YTDLabor3Hours	int	10	No	0	
YTDLabor4	numeric	19,5	No	0	

Element Name	Data Type	Length	Required	Default	Description
YTDLabor4Hours	int	10	No	0	
YTDLabor5	numeric	19,5	No	0	
YTDLabor5Hours	int	10	No	0	
YTDTotalLabor	numeric	19,5	No	0	
YTDTotalLaborHrs	int	10	No	0	
TTDHours	int	10	No	0	
TTDLabor1	numeric	19,5	No	0	
TTDLabor1Hours	int	10	No	0	
TTDLabor2	numeric	19,5	No	0	
TTDLabor2Hours	int	10	No	0	
TTDLabor3	numeric	19,5	No	0	
TTDLabor3Hours	int	10	No	0	
TTDLabor4	numeric	19,5	No	0	
TTDLabor4Hours	int	10	No	0	
TTDLabor5	numeric	19,5	No	0	
TTDLabor5Hours	int	10	No	0	
TTDTotalLabor	numeric	19,5	No	0	
TTDTotalLaborHrs	int	10	No	0	
AutoDate	datetime		No	1/1/1900'	

Element Name	Data Type	Length	Required	Default	Description
CancelBox	tinyint	3	No	0	
Hold	tinyint	3	No	0	
ExcessCost	numeric	19,5	No	0	
UnbilledReceivable	numeric	19,5	No	0	
ContractNTEUnits	int	10	No	0	
ContractActualUnits	int	10	No	0	
EquipmentID	char	31	No		Not validated or used by core product
WarrantyCheckbox	tinyint	3	No	0	
TimeZone	char	3	No		
SVLanguageID	smallint	5	No	0	
BillingCurrencyID	char	15	No		Not validated or used by core product
LocalCurrencyID	char	15	No		Not validated or used by core product
HoldReasonID	smallint	5	No		Not validated or used by core product
BillingEquipment	numeric	19,5	No	0	
BillingMaterial	numeric	19,5	No	0	
BillingLabor	numeric	19,5	No	0	
BillingSubs	numeric	19,5	No	0	
BillingOther	numeric	19,5	No	0	

Element Name	Data Type	Length	Required	Default	Description
BillingPercentageEquip	numeric	19,5	No	0	
BillingPercentageMaterial	numeric	19,5	No	0	
BillingPercentageLabor	numeric	19,5	No	0	
BillingPercentageSubs	numeric	19,5	No	0	
BillingPercentageOther	numeric	19,5	No	0	
CurrentBillingAmount	numeric	19,5	No	0	
EscalationFrequency	char	15	No	NONE'	Validated - 'AT ANNIVERSARY' or 'NONE'
EscalationNotificationDays	smallint	5	No	0	
NextEscalationDate	datetime		No	1/1/1900'	
AnniversaryDate	datetime		No		Validated - cannot be greater than expiration, if > 365 days will be set to start date + 365, if <= 365 days will be set to expire date
EvergreenContractFlag	tinyint	3	No	0	
ContractUnitsMeasure	char	15	No		
LastReviewDate	datetime		No	1/1/1900'	

Element Name	Data Type	Length	Required	Default	Description
MasterTaxScheduleID	char	15	No		Validated - SV000789
ContractInternalName	char	15	No		Validated - this is contract type SV00515
AutomaticEscalationFlag	tinyint	3	No	0	
BillCustomerNumber	char	15	No		Validated
BillAddressCode	char	15	No		Validated
LeaveOpenFlag	tinyint	3	No	0	Fills field WSReservedCB1 and represents a contract that will be left open when renewed.
WennsoftTablesOnly	tinyint	3	No	0	NA
OnlyValidate	tinyint	3	No	0	NA
USRDEFND1	char	50	No		
USRDEFND2	char	50	No		
USRDEFND3	char	50	No		
USRDEFND4	varchar	8000	No		
USRDEFND5	varchar	8000	No		
ReturnErrorText	tinyint	3	No	0	Option to return error text along with error code
iErrorState	tinyint	3	No	0	Returned error code - output
ErrString	varchar	255	No		Returned error string - output

wsiSMSContractQuote

- [Table: SV00502 \(page 173\)](#)
- [Error Codes \(page 182\)](#)

Table: SV00502

Element Name	Data Type	Length	Required	Default	Description
@l_vAddressCode	char	15			
@l_vAnnualContractValue	numeric	19,5			
@l_vAutoBill	tinyint				
@l_vBaseCurrencyID	char	15			
@l_vBillFreq	smallint				
@l_vBillingCurrencyID	char	15			
@l_vBillingEquipment	numeric	19,5			
@l_vBillingLabor	numeric	19,5			
@l_vBillingLabor1	numeric	19,5			
@l_vBillingLabor1Hours	int				
@l_vBillingLabor2	numeric	19,5			
@l_vBillingLabor2Hours	int				
@l_vBillingLabor3	numeric	19,5			
@l_vBillingLabor3Hours	int				
@l_vBillingLabor4	numeric	19,5			

Element Name	Data Type	Length	Required	Default	Description
@l_vBillingLabor4Hours	int				
@l_vBillingLabor5	numeric	19,5			
@l_vBillingLabor5Hours	int				
@l_vBillingLaborHours	int				
@l_vBillingMaterial	numeric	19,5			
@l_vBillingOther	numeric	19,5			
@l_vBillingPercentageEq uip	numeric	19,5			
@l_vBillingPercentageLa bor	numeric	19,5			
@l_vBillingPercentageMa terial	numeric	19,5			
@l_vBillingPercentageOt her	numeric	19,5			
@l_vBillingPercentageSu bs	numeric	19,5			
@l_vBillingPercentageTo tal	numeric	19,5			
@l_vBillingSubs	numeric	19,5			
@l_vBillingTotal	numeric	19,5			
@l_vCancelBox	tinyint				
@l_vContractActualUnits	int				
@l_vContractAmount	numeric	19,5			

Element Name	Data Type	Length	Required	Default	Description
@l_vContractBillingDate	smallint				
@l_vContractExpirationDate	datetime				
@l_vContractInternalName	char	15			
@l_vContractNTEUnits	int				
@l_vContractUnitsMeasure	char	15			
@l_vCustomerNumber	char	15			
@l_vEstimateEquipment	numeric	19,5			
@l_vEstimateHours	int				
@l_vEstimateLabor	numeric	19,5			
@l_vEstimateLabor1	numeric	19,5			
@l_vEstimateLabor1Hours	int				
@l_vEstimateLabor2	numeric	19,5			
@l_vEstimateLabor2Hours	int				
@l_vEstimateLabor3	numeric	19,5			
@l_vEstimateLabor3Hours	int				
@l_vEstimateLabor4	numeric	19,5			
@l_vEstimateLabor4Hours	int				

Element Name	Data Type	Length	Required	Default	Description
@l_vEstimateLabor5	numeric	19,5			
@l_vEstimateLabor5Hours	int				
@l_vEstimateMaterial	numeric	19,5			
@l_vEstimateOther	numeric	19,5			
@l_vEstimateSubs	numeric	19,5			
@l_vEstimateTotalCost	numeric	19,5			
@l_vEstimateTotalLabor	numeric	19,5			
@l_vEstimateTotalLaborHrs	int				
@l_vEvergreenContractFlag	tinyint				
@l_vExcessCost	numeric	19,5			
@l_vForecastEquipment	numeric	19,5			
@l_vForecastLabor	numeric	19,5			
@l_vForecastLabor1	numeric	19,5			
@l_vForecastLabor1Hours	int				
@l_vForecastLabor2	numeric	19,5			
@l_vForecastLabor2Hours	int				
@l_vForecastLabor3	numeric	19,5			

Element Name	Data Type	Length	Required	Default	Description
@l_vForecastLabor3Hours	int				
@l_vForecastLabor4	numeric	19,5			
@l_vForecastLabor4Hours	int				
@l_vForecastLabor5	numeric	19,5			
@l_vForecastLabor5Hours	int				
@l_vForecastMaterial	numeric	19,5			
@l_vForecastOriginalEquipment	numeric	19,5			
@l_vForecastOriginalLabor	numeric	19,5			
@l_vForecastOriginalMaterial	numeric	19,5			
@l_vForecastOriginalOther	numeric	19,5			
@l_vForecastOriginalSubs	numeric	19,5			
@l_vForecastOrigLabor1	numeric	19,5			
@l_vForecastOrigLabor1Hours	int				
@l_vForecastOrigLabor2	numeric	19,5			
@l_vForecastOrigLabor2Hours	int				

Element Name	Data Type	Length	Required	Default	Description
@l_vForecastOrigLabor3	numeric	19,5			
@l_vForecastOrigLabor3 Hours	int				
@l_vForecastOrigLabor4	numeric	19,5			
@l_vForecastOrigLabor4 Hours	int				
@l_vForecastOrigLabor5	numeric	19,5			
@l_vForecastOrigLabor5 Hours	int				
@l_vForecastOrigTotalLabor	numeric	19,5			
@l_vForecastOrigTotalLaborHrs	int				
@l_vForecastOther	numeric	19,5			
@l_vForecastSubs	numeric	19,5			
@l_vForecastTotalCost	numeric	19,5			
@l_vForecastTotalLabor	numeric	19,5			
@l_vForecastTotalLabor Hrs	int				
@l_vHold	tinyint				
@l_vHoldReasonID	smallint				
@l_vInvoiceStyle	smallint				
@l_vLastReviewDate	datetime				

Element Name	Data Type	Length	Required	Default	Description
@l_vLastReviewUserID	char	15			
@l_vLocalCurrencyID	char	15			
@l_vMultiyearContractFlag	tinyint				
@l_vOnlyValidate	tinyint				
@l_vPricingMatrixName	char	15			
@l_vQuoteDate	datetime				
@l_vQuoteExpirationDate	datetime				
@l_vQuoteNumber	char	11			
@l_vQuoteType	smallint				
@l_vReturnErrorText	tinyint				
@l_vRevenueRecognitionMethodID	smallint				
@l_vSalespersonID	char	15			
@l_vServiceDay	tinyint				
@l_vServiceUserDefine10	datetime				
@l_vServiceUserDefine18	tinyint				
@l_vServiceUserDefine19	tinyint				
@l_vServiceUserDefine22	numeric	19,5			
@l_vServiceUserDefine23	numeric	19,5			

Element Name	Data Type	Length	Required	Default	Description
@l_vServiceUserDefine24	numeric	19,5			
@l_vServiceUserDefine3	char	31			
@l_vServiceUserDefine5	int				
@l_vServiceUserDefine6	int				
@l_vServiceUserDefine9	datetime				
@l_vSVServiceLevelID	char	11			
@l_vTimeZone	char	3			
@l_vUpdateIfExists	tinyint				
@l_vUserDefine1a	char	31			
@l_vUserDefine2a	char	31			
@l_vUserDefine3a	char	31			
@l_vUserDefine4a	char	31			
@l_vUserID	char	15			
@l_vUSRDEFND1	char	50			
@l_vUSRDEFND2	char	50			
@l_vUSRDEFND3	char	50			
@l_vUSRDEFND4	varchar	8000			
@l_vUSRDEFND5	varchar	8000			
@l_vWarrantyCheckbox	tinyint				

Element Name	Data Type	Length	Required	Default	Description
@I_vWennsoftAffiliate	char	15			
@I_vWennsoftBranch	char	15			
@I_vWennsoftRegion	char	15			
@I_vWennSoftTablesOnly	tinyint				
@I_vWSContractNumber	char	11			
@I_vWSContractStartDate	datetime				
@I_vWSReservedCB1	tinyint				
@I_vWSReservedCB10	tinyint				
@I_vWSReservedCB2	tinyint				
@I_vWSReservedCB3	tinyint				
@I_vWSReservedCB5	tinyint				
@I_vWSReservedCB6	tinyint				
@I_vWSReservedCB7	tinyint				
@I_vWSReservedCB8	tinyint				
@I_vWSReservedCB9	tinyint				
@I_vWSReservedSTR1	char	11			
@O_iErrorState	int				
@oErrString	varchar	255			

Error Codes

Error Code	Description
51112	The Customer Number does not exist.
52022	The Salesperson ID is invalid.
52027	The Address Code does not exist.
52144	The Bill Frequency is invalid.
52147	The Expiration Date is before the Start Date.
52148	Fiscal periods for contract dates must be set up.
52162	The Contract Type does not exist.
52310	Error inserting/updating the quote master table (SV00502).
52416	The Billing Day cannot exceed 28.
52417	The Service Day cannot exceed 28.

wsiSMSContractTask

Table Name: SV00582

Other tables affected: SV00585, SV00583, SV00586, SV00581

Other stored procedures called: SMS_Build_Contract_Task_SchedulePre, SMS_Build_Contract_Task_Schedule, SMS_Build_Contract_Task_SchedulePost, SMS_Calculate_First_Call, SMS_Calculate_Next_Call, SMS_Calculate_Week_ofMonth

Description:

This procedure allows the import of a task code to an existing contract with an existing attached piece of equipment. The import will also handle the creation of the sub task records, the tasking schedule, and any task code materials that may exist. When this procedure is used to update a task code on a contract the contract task schedule, subtasks and materials are deleted and will be created again.

Element Name	Data Type	Length	Required	Default	Description
@l_vCustomerNumber	char	15	Yes		Validated - RM00101
@l_vAddressCode	char	15	Yes		Validated - RM00102
@l_vCustomerContractNumber	char	15	No		
@l_vUserID	char	15	No		
@l_vWSContractNumber	char	11	Yes		Validated - SV00500
@l_vWSContractNumberSequence	int	10	Yes		Validated - SV00500
@l_vEquipmentID	char	31	Yes		Validated - SV00400
@l_vTaskCode	char	11	Yes		Validated - SV00560
@l_vContractTaskListID	char	11	No	'	Added to SV00581 if not exists
@l_vInactive	tinyint	3	No		
@l_vEstimateHours	int	10	No	!Leave empty.! Defaults from task code if sum is 0 - as will the other estimate fields.	Sum of estLabor1-5 hours
@l_vEstimateLabor	numeric	19,5	No		
@l_vEstimateLabor1	numeric	19,5	No		
@l_vEstimateLabor1Hours	int	10	No		1 Hour = 100
@l_vEstimateLabor2	numeric	19,5	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vEstimateLabor2Hours	int	10	No		1 Hour = 100
@l_vEstimateLabor3	numeric	19,5	No		
@l_vEstimateLabor3Hours	int	10	No		1 Hour = 100
@l_vEstimateLabor4	numeric	19,5	No		
@l_vEstimateLabor4Hours	int	10	No		1 Hour = 100
@l_vEstimateLabor5	numeric	19,5	No		
@l_vEstimateLabor5Hours	int	10	No		1 Hour = 100
@l_vEstimateEquipment	numeric	19,5	No		
@l_vEstimateMaterial	numeric	19,5	No		
@l_vEstimateSubs	numeric	19,5	No		
@l_vEstimateOther	numeric	19,5	No		
@l_vEstimateTotalCost	numeric	19,5	No		
@l_vBillableEquipment	numeric	19,5	No		
@l_vBillableMaterial	numeric	19,5	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vBillableSubs	numeric	19,5	No		
@l_vBillableOther	numeric	19,5	No		
@l_vBillableLabor 1	numeric	19,5	No		
@l_vBillableLabor 2	numeric	19,5	No		
@l_vBillableLabor 3	numeric	19,5	No		
@l_vBillableLabor 4	numeric	19,5	No		
@l_vBillableLabor 5	numeric	19,5	No		
@l_vRunUnits	numeric	19,5	No		
@l_vCurrentRunU nits	numeric	19,5	No		
@l_vLastRunUnits	numeric	19,5	No		
@l_vWSFrequency	char	15	No		Validated - SV00541 against frequency schedule pair if provided
@l_vSchedule	smallint	5	No	Defaults from task code if not provided	Validated - SV00541 against frequency schedule pair if provided
@l_vOptional	tinyint	3	No		
@l_vSkillLevel	char	15	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vMaterialKitRequired	char	31	No		
@l_vMaterialKitQuantity	int	10	No		
@l_vToolKitRequired	char	15	No		
@l_vCoverageCode	smallint	5	No		
@l_vTaskUserDefi ne1	char	21	No		
@l_vTaskUserDefi ne2	char	21	No		
@l_vTaskUserDefi ne3	char	31	No		
@l_vTaskUserDefi ne4	char	31	No		
@l_vTaskUserDefi ne5	int	10	No		
@l_vTaskUserDefi ne6	int	10	No		
@l_vTaskUserDefi ne7	int	10	No		
@l_vTaskUserDefi ne8	int	10	No		
@l_vTaskUserDefi ne9	datetime		No		
@l_vTaskUserDefi ne10	datetime		No		

Element Name	Data Type	Length	Required	Default	Description
@l_vTaskUserDefi ne11	datetime		No		
@l_vTaskUserDefi ne12	datetime		No		
@l_vTaskUserDefi ne13	numeric	19,5	No		
@l_vTaskUserDefi ne14	numeric	19,5	No		
@l_vTaskUserDefi ne15	numeric	19,5	No		
@l_vTaskUserDefi ne16	numeric	19,5	No		
@l_vTaskUserDefi ne17	numeric	19,5	No		
@l_vTaskUserDefi ne18	tinyint	3	No		
@l_vTaskUserDefi ne19	tinyint	3	No		
@l_vTaskUserDefi ne20	tinyint	3	No		
@l_vTaskUserDefi ne21	tinyint	3	No		
@l_vTaskHours	int	10	No		
@l_vWeek1	tinyint	3	No		
@l_vWeek2	tinyint	3	No		
@l_vWeek3	tinyint	3	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vWeek4	tinyint	3	No		
@l_vWeek5	tinyint	3	No		
@l_vTimeZone	char	3	No		
@l_vSVLanguageID	smallint	5	No		
@l_vBaseCurrencyID	char	15	No		
@l_vBillingCurrencyID	char	15	No		
@l_vLocalCurrencyID	char	15	No		
@l_vWSReservedCB1	tinyint	3	No		
@l_vWSReservedCB2	tinyint	3	No		
@l_vWSReservedCB3	tinyint	3	No		
@l_vWSReservedCB4	tinyint	3	No		
@l_vWSReservedCB5	tinyint	3	No		
@l_vWSReservedCB6	tinyint	3	No		
@l_vWSReservedCB7	tinyint	3	No		
@l_vWSReservedCB8	tinyint	3	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vWSReservedC B9	tinyint	3	No		
@l_vWSReservedC B10	tinyint	3	No		
@l_vWSReservedS TR1	char	11	No		
@l_vWSReservedS TR2	char	11	No		
@l_vPMGroup	char	3	No		
@l_vID1	char	11	No		
@l_vID2	char	11	No		
@l_vYRMOD	smallint	5	No		
@l_vYRREM	smallint	5	No		
@l_vUpdateIfExists	tinyint	3	Yes	0	
@l_vWennSoftTablesOnly	tinyint	3	Yes	0	
@l_vOnlyValidate	tinyint	3	Yes	0	
@l_vUSRDEFND1	char	50	No		
@l_vUSRDEFND2	char	50	No		
@l_vUSRDEFND3	char	50	No		
@l_vUSRDEFND4	varchar	8000	No		
@l_vUSRDEFND5	varchar	8000	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vReturnErrorText	tinyint	3	No	1	
@O_iErrorState	int	10	No	0	
@oErrString	varchar	255	No		

wsiSMSEquipment

Table Name: SV00400

Other tables affected: SV00403, SV00055

Other stored procedures called: wsiSMSEquipmentPre, wsiSMSEquipmentPost, wsiSMSEquipmentContract

Description:

This procedure allows the insert/update of records into the equipment master table. The corresponding record in the equipment quick search table (SV00055) will also be created/updated. A contract number can be specified and the wsiSMSEquipmentContract procedure will be called to populate the equipment contract coverage table (SV00403) - if the equipment needs to be attached to multiple contracts then the wsiSMSEquipmentContract procedure can be called as a separate import.

Element Name	Data Type	Length	Required	Default	Description
@l_vAddressCode	char	15			Validated - RM00102
@l_vCustomerNumber	char	15			Validated - RM00101
@l_vEquipmentID	char	31			Validated as not empty
@l_vUserID	char	15			
@l_vWennsoftMasterEquipID	char	31			
@l_vComponentFlag	tinyint	1			
@l_vComponentQty	smallint	2			
@l_vCorporateCustomerNumber	char	15			

Element Name	Data Type	Length	Required	Default	Description
@l_vManufacturerID	char	15			Validated - SV00410
@l_vEquipmentType	char	31			Validated - SV00405
@l_vWennsoftModelNumber	char	21			Validated - SV00411
@l_vWennsoftSerialNumber	char	41			
@l_vInstalledByLongDescription	char	41			
@l_vExtendedWarrantyType	char	31			
@l_vExtendedWarrantyExpiration	datetime	8			
@l_vWarrantyExpiration	datetime	8			
@l_vInstallDate	datetime	8			
@l_vLocationEquipment	char	51			
@l_vWSContractNumber	char	11			Validated - SV00500 When provided wsiSMSEquipmentContract procedure will be called
@l_vWSBarcodeID	char	51			
@l_vUserDefine1a	char	31			
@l_vUserDefine2a	char	31			
@l_vUserDefine3a	char	31			

Element Name	Data Type	Length	Required	Default	Description
@l_vUserDefine4a	char	31			
@l_vUserDefine5a	char	31			
@l_vUserDefine9a	datetime	8			
@l_vStartUpDate	datetime	8			
@l_vShutdownMonth	smallint	2			
@l_vStartupMonth	smallint	2			
@l_vOperatingHoursPerMonth	smallint	2			
@l_vTotalControlsPerUnit	smallint	2			
@l_vTotalControlsQty	smallint	2			
@l_vShutdownJan	smallint	2			
@l_vShutdownFeb	smallint	2			
@l_vShutdownMar	smallint	2			
@l_vShutdownApr	smallint	2			
@l_vShutdownMay	smallint	2			
@l_vShutdownJun	smallint	2			
@l_vShutdownJul	smallint	2			
@l_vShutdownAug	smallint	2			
@l_vShutdownSep	smallint	2			

Element Name	Data Type	Length	Required	Default	Description
@I_vShutdownOct	smallint	2			
@I_vShutdownNov	smallint	2			
@I_vShutdownDec	smallint	2			
@I_vAutoDate	datetime	8			
@I_vPMGroup	char	3			
@I_vID1	char	11			
@I_vID2	char	11			
@I_vStartupBy	char	51			
@I_vStartupJobNumber	char	17			
@I_vShippedDate	datetime	8			
@I_vVibrationDate	datetime	8			
@I_vOverhaulDate	datetime	8			
@I_vECTDate	datetime	8			
@I_vConversionDate	datetime	8			
@I_vBlanketPOCheckBox	tinyint	1			
@I_vBlanketPONumber	char	17			
@I_vOriginalBlanketPOAmount	numeric	9			

Element Name	Data Type	Length	Required	Default	Description
@l_vBlanketPOAmountSpent	numeric	9			
@l_vBlanketPOAmountRemaining	numeric	9			
@l_vBlanketPOExpirationDate	datetime	8			
@l_vServiceUserDefin e1	char	21			
@l_vServiceUserDefin e2	char	21			
@l_vServiceUserDefin e3	char	31			
@l_vServiceUserDefin e4	char	31			
@l_vServiceUserDefin e5	int	4			
@l_vServiceUserDefin e6	int	4			
@l_vServiceUserDefin e7	int	4			
@l_vServiceUserDefin e8	int	4			
@l_vServiceUserDefin e9	datetime	8			
@l_vServiceUserDefin e10	datetime	8			
@l_vServiceUserDefin e11	datetime	8			

Element Name	Data Type	Length	Required	Default	Description
@l_vServiceUserDefin e12	datetime	8			
@l_vServiceUserDefin e18	tinyint	1			
@l_vServiceUserDefin e19	tinyint	1			
@l_vServiceUserDefin e20	tinyint	1			
@l_vServiceUserDefin e21	tinyint	1			
@l_vServiceUserDefin e22	numeric	9			
@l_vServiceUserDefin e23	numeric	9			
@l_vServiceUserDefin e24	numeric	9			
@l_vServiceUserDefin e25	numeric	9			
@l_vTimeZone	char	3			
@l_vWSReservedCB1	tinyint	1			
@l_vWSReservedCB2	tinyint	1			
@l_vWSReservedCB3	tinyint	1			
@l_vWSReservedCB4	tinyint	1			
@l_vWSReservedCB5	tinyint	1			
@l_vWSReservedCB6	tinyint	1			

Element Name	Data Type	Length	Required	Default	Description
@l_vWSReservedCB7	tinyint	1			
@l_vWSReservedCB8	tinyint	1			
@l_vWSReservedCB9	tinyint	1			
@l_vWSReservedCB10	tinyint	1			
@l_vWSReservedSTR1	char	11			
@l_vWSReservedSTR2	char	11			
@l_vOutofServiceFlag	tinyint	1			
@l_vOutofServiceDate	datetime	8			
@l_vOutofServiceTime	datetime	8			
@l_vOutofServiceBy	char	15			
@l_vOutofServiceReason	char	31			
@l_vInactiveRetiredFlag	tinyint	1			Validated - Cannot be 1 when open contract is specified
@l_vEquipmentDescription2	char	51			
@l_vItemNumber	char	31			
@l_vSerialNumber	char	21			
@l_vUpdateIfExists	tinyint	1			

Element Name	Data Type	Length	Required	Default	Description
@l_vWennSoftTables Only	tinyint	1			
@l_vOnlyValidate	tinyint	1			
@l_vUSRDEFND1	char	50			
@l_vUSRDEFND2	char	50			
@l_vUSRDEFND3	char	50			
@l_vUSRDEFND4	varchar	8000			
@l_vUSRDEFND5	varchar	8000			
@l_vReturnErrorText	tinyint	1			
@o_iErrorState	int	4			
@oErrString	varchar	255			
@l_vEquip_Description_Long	char	255			
@l_vOptimalCharge	numeric	9			
@l_vRefrigerantTypeID	int	4			
@l_vRefrigerantEquipmentType	smallint	2		0	Must match record in SV40181 table
@l_vLatitude	numeric	9			
@l_vLongitude	numeric	9			
@l_vBuildingID	char	30			
@l_vBuildingRoom	char	30			

wsiSMSEquipmentContract

Table Name: SV00403

Other stored procedures called: wsiSMSEquipmentContractPre, wsiSMSEquipmentContractPost

Description:

This procedure will allow you to insert/update records into the SV00403 equipment contract coverage table. This table establishes the relationship between contracts and the equipment that is assigned to them.

Element Name	Data Type	Length	Required	Default	Description
@l_vCustomerNumber	char	15	Yes		Validated - RM00101
@l_vAddressCode	char	15	Yes		Validated - RM00102
@l_vWSContractNumber	char	11	Yes		Validated - SV00500
@l_vWSContractNumberSequence	int	10	Yes		Validated - SV00500
@l_vEquipmentID	char	31	Yes		Validated - SV00400
@l_vServiceUserDefine1	char	21	No	'	
@l_vServiceUserDefine2	char	21	No	'	
@l_vServiceUserDefine3	char	31	No	'	
@l_vServiceUserDefine4	char	31	No	'	
@l_vServiceUserDefine5	int	10	No	0	
@l_vServiceUserDefine6	int	10	No	0	

Element Name	Data Type	Length	Required	Default	Description
@l_vServiceUserDefine 7	int	10	No	0	
@l_vServiceUserDefine 8	int	10	No	0	
@l_vServiceUserDefine 9	datetime		No	1/1/1900'	
@l_vServiceUserDefine 10	datetime		No	1/1/1900'	
@l_vServiceUserDefine 11	datetime		No	1/1/1900'	
@l_vServiceUserDefine 12	datetime		No	1/1/1900'	
@l_vServiceUserDefine 18	tinyint	3	No	0	
@l_vServiceUserDefine 19	tinyint	3	No	0	
@l_vServiceUserDefine 20	tinyint	3	No	0	
@l_vServiceUserDefine 21	tinyint	3	No	0	
@l_vServiceUserDefine 22	numeric	19,5	No	0	
@l_vServiceUserDefine 23	numeric	19,5	No	0	
@l_vServiceUserDefine 24	numeric	19,5	No	0	
@l_vServiceUserDefine 25	numeric	19,5	No	0	

Element Name	Data Type	Length	Required	Default	Description
@l_vWSReservedCB1	tinyint	3	No	0	
@l_vWSReservedCB2	tinyint	3	No	0	
@l_vWSReservedCB3	tinyint	3	No	0	
@l_vWSReservedCB4	tinyint	3	No	0	
@l_vWSReservedCB5	tinyint	3	No	0	
@l_vWSReservedCB6	tinyint	3	No	0	
@l_vWSReservedCB7	tinyint	3	No	0	
@l_vWSReservedCB8	tinyint	3	No	0	
@l_vWSReservedCB9	tinyint	3	No	0	
@l_vWSReservedCB10	tinyint	3	No	0	
@l_vWSReservedSTR1	char	11	No	'	
@l_vWSReservedSTR2	char	11	No	'	
@l_vUpdateIfExists	tinyint	3	Yes	0	
@l_vWennSoftTablesOnly	tinyint	3	Yes	0	
@l_vOnlyValidate	tinyint	3	Yes	0	
@l_vUSRDEFND1	char	50	No	'	
@l_vUSRDEFND2	char	50	No	'	
@l_vUSRDEFND3	char	50	No	'	
@l_vUSRDEFND4	varchar	8000	No	'	

Element Name	Data Type	Length	Required	Default	Description
@I_vUSRDEFND5	varchar	8000	No	'	
@I_vReturnErrorText	tinyint	3	No	1	
@O_iErrorState	int	10	No	0	
@oErrString	varchar	255	No		

wSiSMSInvoice

Table Name: SV00700

Description:

Describe what the WSI procedure does in regards to a business goal.

Element Name	Data Type	Length	Required	Default	Description
@I_vServiceCallID	char	17	Yes		
@I_vCustomerNumber	char	15	No		
@I_vCallInvoiceNumber	char	17	Yes		
@I_vAddressCode	char	15	No		
@I_vInvoiceType	smallint	5	No		
@I_vWennsoftAffiliate	char	15	No		
@I_vWennsoftRegion	char	15	No		
@I_vWennsoftBranch	char	15	No		
@I_vUserID	char	15	No		
@I_vTechnicianID	char	15	No		
@I_vTechnicianTeam	char	15	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vTechnicianID2	char	15	No		
@l_vCorporateInvoiceNumber	char	17	No		
@l_vCorporateCustomerNumber	char	15	No		
@l_vBatchNumber	char	15	No		
@l_vBatchSource	char	15	No		
@l_vLaborCostCatagory1	numeric	19,5	No		
@l_vLaborCostCatagory2	numeric	19,5	No		
@l_vLaborCostCatagory3	numeric	19,5	No		
@l_vLaborCostCatagory4	numeric	19,5	No		
@l_vLaborCostCatagory5	numeric	19,5	No		
@l_vCostEquipment	numeric	19,5	No		
@l_vCostMaterial	numeric	19,5	No		
@l_vCostLabor	numeric	19,5	No		
@l_vCostSubs	numeric	19,5	No		
@l_vCostOther	numeric	19,5	No		
@l_vCostTax	numeric	19,5	No		
@l_vCostAll	numeric	19,5	No		
@l_vLaborBillingCatagory1	numeric	19,5	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vLaborBillingCatagory2	numeric	19,5	No		
@l_vLaborBillingCatagory3	numeric	19,5	No		
@l_vLaborBillingCatagory4	numeric	19,5	No		
@l_vLaborBillingCatagory5	numeric	19,5	No		
@l_vBillableEquipment	numeric	19,5	No		
@l_vBillableMaterial	numeric	19,5	No		
@l_vBillableLabor	numeric	19,5	No		
@l_vBillableSubs	numeric	19,5	No		
@l_vBillableOther	numeric	19,5	No		
@l_vTaxDetailID1	char	15	No		
@l_vTaxAmount1	numeric	19,5	No		
@l_vTaxDetailID2	char	15	No		
@l_vTaxAmount2	numeric	19,5	No		
@l_vTaxDetailID3	char	15	No		
@l_vTaxAmount3	numeric	19,5	No		
@l_vTaxDetailID4	char	15	No		
@l_vTaxAmount4	numeric	19,5	No		
@l_vBillableTax	numeric	19,5	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vBillableAll	numeric	19,5	No		
@l_vBillingAmountFixed	numeric	19,5	No		
@l_vBillingAmountNTE	numeric	19,5	No		
@l_vTotalAmount1	numeric	19,5	No		
@l_vTotalAmount2	numeric	19,5	No		
@l_vTotalAmount3	numeric	19,5	No		
@l_vTotalAmount4	numeric	19,5	No		
@l_vTotalAmount5	numeric	19,5	No		
@l_vTotalAmount6	numeric	19,5	No		
@l_vTotalAmount7	numeric	19,5	No		
@l_vTotalAmount8	numeric	19,5	No		
@l_vTotalAmount9	numeric	19,5	No		
@l_vTotalAmount10	numeric	19,5	No		
@l_vTotalAmount11	numeric	19,5	No		
@l_vTotalAmount12	numeric	19,5	No		
@l_vTotalAmount13	numeric	19,5	No		
@l_vTotalAmount14	numeric	19,5	No		
@l_vTotalAmount15	numeric	19,5	No		
@l_vTotalAmount16	numeric	19,5	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vTotalAmount17	numeric	19,5	No		
@l_vTotalAmount18	numeric	19,5	No		
@l_vTotalAmount19	numeric	19,5	No		
@l_vTotalAmount20	numeric	19,5	No		
@l_vTotalAmount21	numeric	19,5	No		
@l_vTotalAmount22	numeric	19,5	No		
@l_vTotalAmount23	numeric	19,5	No		
@l_vTotalAmount24	numeric	19,5	No		
@l_vTotalAmount25	numeric	19,5	No		
@l_vTotalAmount26	numeric	19,5	No		
@l_vTotalAmount27	numeric	19,5	No		
@l_vTotalAmount28	numeric	19,5	No		
@l_vTotalAmount29	numeric	19,5	No		
@l_vTotalAmount30	numeric	19,5	No		
@l_vTotalAmount31	numeric	19,5	No		
@l_vTotalAmount32	numeric	19,5	No		
@l_vTotalAmount33	numeric	19,5	No		
@l_vTotalAmount34	numeric	19,5	No		
@l_vTotalAmount35	numeric	19,5	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vTotalAmount36	numeric	19,5	No		
@l_vTotalAmount37	numeric	19,5	No		
@l_vTotalAmount38	numeric	19,5	No		
@l_vTotalAmount39	numeric	19,5	No		
@l_vTotalAmount40	numeric	19,5	No		
@l_vAccountAmount	numeric	19,5	No		
@l_vPaymentTermsID	char	21	No		
@l_vTaxScheduleID	char	15	No		
@l_vInvoiceCommentID1	smallint	5	No		
@l_vInvoiceCommentID2	smallint	5	No		
@l_vCashAmount	numeric	19,5	No		
@l_vDocumentDate	datetime		No		
@l_vSalespersonID	char	15	No		
@l_vCommissionPercent	smallint	5	No		
@l_vCommissionPercentofSale	smallint	5	No		
@l_vCommissionEarnings	numeric	19,5	No		
@l_vSalesTerritory	char	15	No		
@l_vSalespersonID2	char	15	No		
@l_vCommissionPercent2	smallint	5	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vCommissionPercentofSale2	smallint	5	No		
@l_vCommissionEarnings2	numeric	19,5	No		
@l_vSalesTerritory2	char	15	No		
@l_vPurchaseOrderNumber	char	21	No		
@l_vTradeDiscountAmount	numeric	19,5	No		
@l_vCheckbookIDCheck	char	15	No		
@l_vCashDate	datetime		No		
@l_vDocumentNumberCash	char	21	No		
@l_vCheckAmount	numeric	19,5	No		
@l_vCheckbookIDCreditCard	char	15	No		
@l_vCheckNumber	char	21	No		
@l_vCheckDate	datetime		No		
@l_vDocumentNumberCheck	char	21	No		
@l_vDocumentNumberCreditCard	char	21	No		
@l_vCreditCardAmount	numeric	19,5	No		
@l_vCreditCardName	char	15	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vReceiptNumberCreditCard	char	21	No		
@l_vCreditCardDate	datetime		No		
@l_vDiscountTakenAmount	numeric	19,5	No		
@l_vCheckbookIDCash	char	15	No		
@l_vWennsoftPostingStatus	char	1	No		
@l_vPostedDate	datetime		No		
@l_vInvoiceStyle	smallint	5	No		
@l_vNoTimesPrinted	smallint	5	No		
@l_vPrintedDate	datetime		No		
@l_vChangedSincePrintingFlag	tinyint	3	No		
@l_vDocumentAmount	numeric	19,5	No		
@l_vDiscountPercentAmount	smallint	5	No		
@l_vDiscountDollarAmount	numeric	19,5	No		
@l_vDiscountAvailableAmount	numeric	19,5	No		
@l_vDiscountDate	datetime		No		
@l_vDueDate	datetime		No		

Element Name	Data Type	Length	Required	Default	Description
@I_vRMDocumentNumber WORK	char	17	No		
@I_vRMDocumentTypeAll	smallint	5	No		
@I_vDatePaid	datetime		No		
@I_vAmountRecieved	numeric	19,5	No		
@I_vCorporateContractNu mber	char	21	No		
@I_vWSMasterContractSe qNumber	int	10	No		
@I_vWSContractNumber	char	11	No		
@I_vWSContractNumberS equence	int	10	No		
@I_vTaxDate	datetime		No		
@I_vLaborGroupName	char	15	No		
@I_vPricingMatrixName	char	15	No		
@I_vTravelRateName	char	15	No		
@I_vBillCustomerNumber	char	15	No		
@I_vBillAddressCode	char	15	No		
@I_vServiceUserDefine1	char	21	No		
@I_vServiceUserDefine2	char	21	No		
@I_vServiceUserDefine3	char	31	No		
@I_vServiceUserDefine4	char	31	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vServiceUserDefine5	int	10	No		
@l_vServiceUserDefine6	int	10	No		
@l_vServiceUserDefine7	int	10	No		
@l_vServiceUserDefine8	int	10	No		
@l_vServiceUserDefine9	datetime		No		
@l_vServiceUserDefine10	datetime		No		
@l_vServiceUserDefine11	datetime		No		
@l_vServiceUserDefine12	datetime		No		
@l_vServiceUserDefine18	tinyint	3	No		
@l_vServiceUserDefine19	tinyint	3	No		
@l_vServiceUserDefine20	tinyint	3	No		
@l_vServiceUserDefine21	tinyint	3	No		
@l_vServiceUserDefine22	numeric	19,5	No		
@l_vServiceUserDefine23	numeric	19,5	No		
@l_vServiceUserDefine24	numeric	19,5	No		
@l_vServiceUserDefine25	numeric	19,5	No		
@l_vTimeZone	char	3	No		
@l_vSVLanguageID	smallint	5	No		
@l_vWSReservedCB1	tinyint	3	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vWSReservedCB2	tinyint	3	No		
@l_vWSReservedCB3	tinyint	3	No		
@l_vWSReservedCB4	tinyint	3	No		
@l_vWSReservedCB5	tinyint	3	No		
@l_vWSReservedCB6	tinyint	3	No		
@l_vWSReservedCB7	tinyint	3	No		
@l_vWSReservedCB8	tinyint	3	No		
@l_vWSReservedCB9	tinyint	3	No		
@l_vWSReservedCB10	tinyint	3	No		
@l_vWSReservedSTR1	char	11	No		
@l_vWSReservedSTR2	char	11	No		
@l_vInvoiceShortDescription	char	31	No		
@l_vManualSalesDistribution	tinyint	3	No		
@l_vManualCommissionDistribution	tinyint	3	No		
@l_vDEXROWID	int	10	No		
@l_vInvoiceDescription	text	2.1E+09	No		
@l_vUpdateIfExists	tinyint	3	Yes	0	
@l_vWennSoftTablesOnly	tinyint	3	Yes	0	

Element Name	Data Type	Length	Required	Default	Description
@l_vOnlyValidate	tinyint	3	Yes	0	
@l_vUSRDEFND1	char	50	No		
@l_vUSRDEFND2	char	50	No		
@l_vUSRDEFND3	char	50	No		
@l_vUSRDEFND4	varchar	8000	No		
@l_vUSRDEFND5	varchar	8000	No		
@l_vReturnErrorText	tinyint	3	No	1	
@O_iErrorState	int	10	No	0	
@oErrString	varchar	255	No		

wSiSMSJobCostsHistory

- [Table: SV000815 \(page 212\)](#)
- [Error Codes \(page 220\)](#)

Table: SV000815

Element Name	Data Type	Length	Required	Default	Description
@l_vAccountIndexCredit	int				
@l_vAccountIndexDebit	int				
@l_vAddedRate	tinyint				
@l_vAddNewEquipmentRecord	tinyint				
@l_vAddressCode	char	15			

Element Name	Data Type	Length	Required	Default	Description
@l_vAppointment	char	25			
@l_vBaseCurrConversionFactor	numeric	19,7			
@l_vBaseCurrencyID	char	15			
@l_vBatchNumber	char	15			
@l_vBatchSource	char	15			
@l_vBillableCheckBox	tinyint				
@l_vBilledToJob	numeric	19,5			
@l_vBillingAmount	numeric	19,5			
@l_vBillingCurrConversionFactor	numeric	19,7			
@l_vBillingCurrencyID	char	15			
@l_vBillingRate	numeric	19,5			
@l_vCallInvoiceNumber	char	17			
@l_vCostCodeDescription	char	31			
@l_vCustomerNumber	char	15			
@l_vDivisions	char	15			
@l_vDocumentAmount	numeric	19,5			
@l_vDocumentDate	datetime				
@l_vDocumentType	smallint				

Element Name	Data Type	Length	Required	Default	Description
@I_vDynamicsStatus	char	5			
@I_vEmployeeID	char	15			
@I_vEmployeeName	char	41			
@I_vEquipmentID	char	31			
@I_vEquipmentType	char	31			
@I_vExtendedCost	numeric	19,5			
@I_vGLPostingDate	datetime				
@I_vInvoiceAccountIndex Credit	int				
@I_vInvoiceAccountIndex Debit	int				
@I_vItemDescription	char	101			
@I_vItemNumber	char	31			
@I_vJobTitle	char	7			
@I_vJobType	char	7			
@I_vJournalEntry	int				
@I_vLaborGroupName	char	15			
@I_vLocalCurrencyID	char	15			
@I_vManufacturerID	char	15			
@I_vNewEquipmentID	char	11			

Element Name	Data Type	Length	Required	Default	Description
@l_vNoteCheckbox	tinyint				
@l_vOHAccountIndexCR	int				
@l_vOHAccountIndexDR	int				
@l_vOHAmount	numeric	19,5			
@l_vOnlyValidate	tinyint				
@l_vOverheadWIPAccountIndexCredit	int				
@l_vPayRate	numeric	19,5			
@l_vPayRecord	char	7			
@l_vPricingMatrixName	char	15			
@l_vPYADNMBR	int				
@l_vReferenceTRXNumber	char	17			
@l_vReturnErrorText	tinyint				
@l_vREVSETRX	tinyint				
@l_vSequenceNumber	int				
@l_vServiceCallID	char	17			
@l_vServiceUserDefine1	char	21			
@l_vServiceUserDefine10	datetime				
@l_vServiceUserDefine11	datetime				
@l_vServiceUserDefine12	datetime				

Element Name	Data Type	Length	Required	Default	Description
@l_vServiceUserDefine18	tinyint				
@l_vServiceUserDefine19	tinyint				
@l_vServiceUserDefine2	char	21			
@l_vServiceUserDefine20	tinyint				
@l_vServiceUserDefine21	tinyint				
@l_vServiceUserDefine22	numeric	19,5			
@l_vServiceUserDefine23	numeric	19,5			
@l_vServiceUserDefine24	numeric	19,5			
@l_vServiceUserDefine25	numeric	19,5			
@l_vServiceUserDefine5	int				
@l_vServiceUserDefine6	int				
@l_vServiceUserDefine7	int				
@l_vServiceUserDefine8	int				
@l_vServiceUserDefine9	datetime				
@l_vShiftCode	char	7			
@l_vShiftPremium	numeric	19,5			
@l_vSub_Task_Code	char	11			
@l_vSVLanguageID	smallint				
@l_vTaskCode	char	11			

Element Name	Data Type	Length	Required	Default	Description
@l_vTaxable	tinyint				
@l_vTechnicianID	char	15			
@l_vTechnicianTeam	char	15			
@l_vTimeZone	char	3			
@l_vTransactionDescription	char	31			
@l_vTransactionSource	char	25			
@l_vTravelRateName	char	15			
@l_vTravelTransaction	tinyint				
@l_vTRXHoursUnits	int				
@l_vTRXHoursUnitsBill	int				
@l_vTRXQTY	numeric	19,5			
@l_vTRXQTYBILL	numeric	19,5			
@l_vUnitCost	numeric	19,5			
@l_vUnitPrice	numeric	19,5			
@l_vUOfM	char	9			
@l_vUpdateIfExists	tinyint				
@l_vUserID	char	15			
@l_vUSRDEFND1	char	50			
@l_vUSRDEFND2	char	50			

Element Name	Data Type	Length	Required	Default	Description
@l_vUSRDEFND3	char	50			
@l_vUSRDEFND4	varchar	8000			
@l_vUSRDEFND5	varchar	8000			
@l_vVendorID	char	15			
@l_vVendorName	char	65			
@l_vOIDPYADNMBR	int				
@l_vVoucherNumberWOR K	char	17			
@l_vWennsoftAffiliate	char	15			
@l_vWennsoftBranch	char	15			
@l_vWennsoftModelNumb er	char	21			
@l_vWennsoftRegion	char	15			
@l_vWennsoftSerialNumb er	char	41			
@l_vWennsoftStatus	char	5			
@l_vWennSoftTablesOnly	tinyint				
@l_vWIPAccountIndexCre dit	int				
@l_vWS_Grouped	tinyint				
@l_vWSCommittedCost	numeric	19,5			
@l_vWSCostCode	int				

Element Name	Data Type	Length	Required	Default	Description
@I_vWSCreatedDate	datetime				
@I_vWSCreatedTime	datetime				
@I_vWSExtendedCost	numeric	19,5			
@I_vWSJobName	char	31			
@I_vWSOtherCostSubCode	int				
@I_vWSReservedCB1	tinyint				
@I_vWSReservedCB10	tinyint				
@I_vWSReservedCB2	tinyint				
@I_vWSReservedCB3	tinyint				
@I_vWSReservedCB4	tinyint				
@I_vWSReservedCB5	tinyint				
@I_vWSReservedCB6	tinyint				
@I_vWSReservedCB7	tinyint				
@I_vWSReservedCB8	tinyint				
@I_vWSReservedCB9	tinyint				
@I_vWSReservedSTR1	char	11			
@I_vWSReservedSTR2	char	11			
@I_vWSTransactionNote	varchar	8000			
@O_iErrorState	int				

Element Name	Data Type	Length	Required	Default	Description
@oErrString	varchar	255			

Error Codes

Error Code	Description
51000	Customer Number does not exist in Service.
51001	Customer Number does not exist in Microsoft Business Solutions.
51016	The Service Call does not exist in Signature.
51050	An error occurred during an update or insert into a Signature table.
52026	The Location does not exist in Signature.
52027	The Location does not exist in Microsoft Business Solutions.
52028	The Primary Bill To Location is not set for this Customer in Microsoft Business Solutions.
52032	Employee doesn't exist
52034	Employee is inactive
52036	The Pay Code is empty or missing.
52037	Pay code can't be all.
52038	The Pay Code is inactive.
52039	This is not a valid pay code for this labor group and position.
52040	The Pay Code does not exist for this employee.
52041	The Labor Group does not exist.
52042	The Pricing Matrix does not exist.

wsiSMSJobCostsWork

- [Table: SV000810 \(page 221\)](#)
- [Error Codes \(page 228\)](#)

Table: SV000810

Element Name	Data Type	Length	Required	Default	Description
@l_vAccountIndexCredit	int				
@l_vAccountIndexDebit	int				
@l_vAddedRate	tinyint				
@l_vAddNewEquipmentRecord	tinyint				
@l_vAddressCode	char	15			
@l_vBaseCurrConversionFactor	numeric	19,7			
@l_vBaseCurrencyID	char	15			
@l_vBatchNumber	char	15			
@l_vBatchSource	char	15			
@l_vBillableCheckBox	tinyint				
@l_vBilledToJob	numeric	19,5			
@l_vBillingAmount	numeric	19,5			
@l_vBillingCurrConversionFactor	numeric	19,7			
@l_vBillingCurrencyID	char	15			

Element Name	Data Type	Length	Required	Default	Description
@l_vBillingRate	numeric	19,5			
@l_vCallInvoiceNumber	char	17			
@l_vCostCodeDescription	char	31			
@l_vCustomerNumber	char	15			
@l_vDivisions	char	15			
@l_vDocumentAmount	numeric	19,5			
@l_vDocumentDate	datetime				
@l_vDocumentType	smallint				
@l_vDynamicsStatus	char	5			
@l_vEmployeeID	char	15			
@l_vEmployeeName	char	41			
@l_vEquipmentID	char	31			
@l_vEquipmentType	char	31			
@l_vExtendedCost	numeric	19,5			
@l_vGLPostingDate	datetime				
@l_vInvoiceAccountIndex Credit	int				
@l_vInvoiceAccountIndex Debit	int				
@l_vItemDescription	char	101			

Element Name	Data Type	Length	Required	Default	Description
@l_vItemNumber	char	31			
@l_vJobTitle	char	7			
@l_vJobType	char	7			
@l_vJournalEntry	int				
@l_vLaborGroupName	char	15			
@l_vLocalCurrencyID	char	15			
@l_vManufacturerID	char	15			
@l_vNewEquipmentID	char	11			
@l_vNonBillable	tinyint				
@l_vNoteCheckbox	tinyint				
@l_vOHAccountIndexCR	int				
@l_vOHAccountIndexDR	int				
@l_vOHAmount	numeric	19,5			
@l_vOnlyValidate	tinyint				
@l_vOverheadWIPAccountIndexCredit	int				
@l_vPayRate	numeric	19,5			
@l_vPayRecord	char	7			
@l_vPricingMatrixName	char	15			
@l_vPYADNMBR	int				

Element Name	Data Type	Length	Required	Default	Description
@l_vReferenceTRXNumber	char	17			
@l_vReturnErrorText	tinyint				
@l_vREVSETRX	tinyint				
@l_vSequenceNumber	int				
@l_vServiceCallID	char	17			
@l_vServiceUserDefine1	char	21			
@l_vServiceUserDefine10	datetime				
@l_vServiceUserDefine11	datetime				
@l_vServiceUserDefine12	datetime				
@l_vServiceUserDefine18	tinyint				
@l_vServiceUserDefine19	tinyint				
@l_vServiceUserDefine2	char	21			
@l_vServiceUserDefine20	tinyint				
@l_vServiceUserDefine21	tinyint				
@l_vServiceUserDefine22	numeric	19,5			
@l_vServiceUserDefine23	numeric	19,5			
@l_vServiceUserDefine24	numeric	19,5			
@l_vServiceUserDefine25	numeric	19,5			
@l_vServiceUserDefine5	int				

Element Name	Data Type	Length	Required	Default	Description
@l_vServiceUserDefine6	int				
@l_vServiceUserDefine7	int				
@l_vServiceUserDefine8	int				
@l_vServiceUserDefine9	datetime				
@l_vShiftCode	char	7			
@l_vShiftPremium	numeric	19,5			
@l_vSVLanguageID	smallint				
@l_vTask_Account	int				
@l_vTaskCode	char	11			
@l_vTaxable	tinyint				
@l_vTechnicianID	char	15			
@l_vTechnicianTeam	char	15			
@l_vTimeZone	char	3			
@l_vTransactionDescription	char	31			
@l_vTransactionSource	char	25			
@l_vTravelRateName	char	15			
@l_vTravelTransaction	tinyint				
@l_vTRXHoursUnits	int				
@l_vTRXHoursUnitsBill	int				

Element Name	Data Type	Length	Required	Default	Description
@l_vTRXQTY	numeric	19,5			
@l_vTRXQTYBILL	numeric	19,5			
@l_vUnitCost	numeric	19,5			
@l_vUnitPrice	numeric	19,5			
@l_vUOfM	char	9			
@l_vUpdateIfExists	tinyint				
@l_vUserID	char	15			
@l_vUSRDEFND1	char	50			
@l_vUSRDEFND2	char	50			
@l_vUSRDEFND3	char	50			
@l_vUSRDEFND4	varchar	8000			
@l_vUSRDEFND5	varchar	8000			
@l_vVendorID	char	15			
@l_vVendorName	char	65			
@l_vVOIDPYADNMBR	int				
@l_vVoucherNumberWOR K	char	17			
@l_vWennsoftAffiliate	char	15			
@l_vWennsoftBranch	char	15			

Element Name	Data Type	Length	Required	Default	Description
@l_vWennsoftModelNumber	char	21			
@l_vWennsoftRegion	char	15			
@l_vWennsoftSerialNumber	char	41			
@l_vWennsoftStatus	char	5			
@l_vWennSoftTablesOnly	tinyint				
@l_vWIPAccountIndexCredit	int				
@l_vWS_Grouped	tinyint				
@l_vWSCommittedCost	numeric	19,5			
@l_vWSCostCode	int				
@l_vWSCreatedDate	datetime				
@l_vWSCreatedTime	datetime				
@l_vWSExtendedCost	numeric	19,5			
@l_vWSJobName	char	31			
@l_vWSOtherCostSubCode	int				
@l_vWSReservedCB1	tinyint				
@l_vWSReservedCB10	tinyint				
@l_vWSReservedCB2	tinyint				
@l_vWSReservedCB3	tinyint				

Element Name	Data Type	Length	Required	Default	Description
@I_vWSReservedCB4	tinyint				
@I_vWSReservedCB5	tinyint				
@I_vWSReservedCB6	tinyint				
@I_vWSReservedCB7	tinyint				
@I_vWSReservedCB8	tinyint				
@I_vWSReservedCB9	tinyint				
@I_vWSReservedSTR1	char	11			
@I_vWSReservedSTR2	char	11			
@I_vWSTransactionNote	varchar	8000			
@O_iErrorState	int				
@oErrString	varchar	255			

Error Codes

Error Code	Description
51000	Customer Number does not exist in Service.
51001	Customer Number does not exist in Microsoft Business Solutions.
51016	The Service Call does not exist in Signature.
51050	An error occurred during an update or insert into a Signature table.
52026	The Location does not exist in Signature.
52027	The Location does not exist in Microsoft Business Solutions.

Error Code	Description
52028	The Primary Bill To Location is not set for this Customer in Microsoft Business Solutions.
52029	The Reference Transaction Number is missing or blank.
52030	The Service Cost Code does not exist.
52031	The Document Date is missing or blank.
52032	Employee doesn't exist
52033	The Equipment ID does not exist.
52034	Employee is inactive
52035	The Position or Job Title does not exist.
52036	The Pay Code is empty or missing.
52037	Pay code can't be all.
52038	The Pay Code is inactive.
52039	This is not a valid pay code for this labor group and position.
52040	The Pay Code does not exist for this employee.
52041	The Labor Group does not exist.
52042	The Pricing Matrix does not exist.
52643	Invalid Transaction Source.
52644	Pay codes are only valid for payroll transactions.

wsiSMSLocation

- Table Name: SV00200 (page 230)

- [Error Codes \(page 240\)](#)

Table Name: SV00200

Other tables affected: RM00102

Other stored procedures called: taCreateCustomerAddress

Description:

This procedure allows the insert/update of records into the Service Location table. A customer number and address code can be specified and the taCreateCustomerAddress procedure will be called to populate the RM Address Code Table (RM00102)

Element Name	Data Type	Length	Required	Default	Description
@l_vCustomerNumber	char	15	Yes		Validated in SV00100 and RM00101, convert to upper case
@l_vAddressCode	char	15	Yes		Converted to upper case., Not required if update., Created or updated in RM00102
@l_vLocationName	char	31	Yes		Not required on updates.
@l_vWennsoftAffiliate	char	15	Yes		Existing Affiliate in sv00015. Only required if 'Use Global Record Identification Records' is marked on in Service. Not Required on Updates
@l_vWennsoftRegion	char	15	Yes		Existing Region in sv00015. Only required if 'Use Global Record Identification Records' is marked on in Service. Not Required on Updates
@l_vWennsoftBranch	char	15	Yes		Existing Branch in sv00015. Only required if 'Use Global Record Identification Records' is marked on in Service. Not Required on Updates

Element Name	Data Type	Length	Required	Default	Description
@l_vLaborGroupName	char	15	Yes		Existing Labor Rate Group in SV000122 or SV000123 (if "Use Overhead Amounts From Job Cost" Service_Option_Box_35 is marked in sv00196 SV_Setup2_MSTR).
Convert to uppercase					
Not required on update	if sv00196.Record = 1 and sv00196.Service_Option_Box_35 = 0 then check SV000122.Labor_Group_Name if sv00196.Record = 1 and sv00196.Service_Option_Box_35 = 1 then check SV000123.Labor_Group_Name				
@l_vPricingMatrixName	char	15	Yes		Existing PriceMatrix in SV00143, Convert to upper case, Not required on update SV00143.Pricing_Matrix_Name
@l_vUserID	char	15	No		If empty or null a truncated SQL Server login is used
@l_vTechnicianID	char	15	No		Technician ID in SV_Lookup_Technician_MSTR
@l_vTechnicianTeam	char	15	No		
@l_vCustomerName	char	65	No		
@l_vPhone1	char	21	No	########	Defaults to zero.

Element Name	Data Type	Length	Required	Default	Description
Is right padded to fill with zeros					
Not formatted (i.e. 262-821-4100 Ext: 3619 would be 26282141003619) Length can't be greater than 14					
@l_vMapGrid	char	15	No		
@l_vFax	char	21	No	##### ###	Defaults to zero.
Is right padded to fill with zeros					
Not formatted (i.e. 262-821-4100 Ext: 3619 would be 26282141003619) Length can't be greater than 14					
@l_vServiceArea	char	15	No		
@l_vState	char	29	No		
@l_vZip	char	11	No		
@l_vCountry	char	61	No		
@l_vPhone2	char	21	No	##### ###	Defaults to zero.
Is right padded to fill with zeros					

Element Name	Data Type	Length	Required	Default	Description
Not formatted (i.e. 262-821-4100 Ext: 3619 would be 26282141003619) Length can't be greater than 14					
@l_vPhone3	char	21	No	##### ###	Defaults to zero.
Is right padded to fill with zeros					
Not formatted (i.e. 262-821-4100 Ext: 3619 would be 26282141003619) Length can't be greater than 14					
@l_vAddress1	char	61	No		
@l_vAddress2	char	61	No		
@l_vAddress3	char	61	No		
@l_vCity	char	35	No		
@l_vSalespersonID	char	15	No		Existing SalespersonID in RM00301
@l_vTechnician	char	11	No		
@l_vTechnician2	char	11	No		
@l_vTechnicianID2	char	15	No		
@l_vContactPerson	char	61	No		
@l_vContactName	char	15	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vHoldTransactionID	int	0	No		
@l_vSafetyFlag	tinyint	0	No		
@l_vBlanketPOCheck box	tinyint	0	No		Bool. Defaults to zero.
@l_vBlanketPONumber	char	17	No		Not validated.
@l_vOriginalBlanketPOAmount	numeric	19;5	No		>= 0. Not available on updates. Typically zero.
@l_vBlanketPOAmountSpent	numeric	19;5	No		>= 0. Not available on updates. Typically zero.
@l_vBlanketPOAmountRemaining	numeric	19;5	No		>= 0. Not available on updates. Typically zero.
@l_vBlanketPOExpirationDate	datetime	0	No	1/1/1900'	valid dex date
@l_vUserDefine1a	char	31	No		
@l_vUserDefine2a	char	31	No		
@l_vUserDefine3a	char	31	No		
@l_vUserDefine4a	char	31	No		
@l_vUserDefine5a	char	31	No		
@l_vUserDefine6a	char	31	No		
@l_vPORequired	tinyint	0	No		Bool. Defaults to zero.
@l_vOutofServiceFlag	tinyint	0	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vAlarmFlag	tinyint	0	No		
@l_vSupervisorsID	char	15	No		
@l_vSupervisorsHoldFlag	tinyint	0	No		
@l_vCorporateCustomerNumber	char	15	No		Only available if 'Use Corporate Customer ID' option is marked in Service Setup - Service Options.
Converted to upper case.					
@l_vDivisions	char	15	No		A valid Division in SV_Division_MSTR
@l_vTravelRateName	char	15	No		
@l_vSVServiceLevelID	char	11	No		A valid SV Service Level ID in SV_Service_Level_MSTR
@l_vBillCustomerNumber	char	15	No		A valid customer in the RM00101
@l_vBillAddressCode	char	15	No		A valid bill to customer and bill to address code in SV00200
@l_vLongitude	numeric	19;5	No		
@l_vLatitude	numeric	19;5	No		
@l_vPriorityofCall	char	1	No		
@l_vServiceUserDefin e1	char	21	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vServiceUserDefin e2	char	21	No		
@l_vServiceUserDefin e3	char	31	No		
@l_vServiceUserDefin e4	char	31	No		
@l_vServiceUserDefin e5	int	0	No		
@l_vServiceUserDefin e6	int	0	No		
@l_vServiceUserDefin e7	int	0	No		
@l_vServiceUserDefin e8	int	0	No		
@l_vServiceUserDefin e9	datetime	0	No	1/1/1900'	valid dex date
@l_vServiceUserDefin e10	datetime	0	No	1/1/1900'	valid dex date
@l_vServiceUserDefin e11	datetime	0	No	1/1/1900'	valid dex date
@l_vServiceUserDefin e12	datetime	0	No	1/1/1900'	valid dex date
@l_vServiceUserDefin e18	tinyint	0	No		bool
@l_vServiceUserDefin e19	tinyint	0	No		bool

Element Name	Data Type	Length	Required	Default	Description
@l_vServiceUserDefin e20	tinyint	0	No		bool
@l_vServiceUserDefin e21	tinyint	0	No		bool
@l_vServiceUserDefin e22	numeric	19;5	No		
@l_vServiceUserDefin e23	numeric	19;5	No		
@l_vServiceUserDefin e24	numeric	19;5	No		
@l_vServiceUserDefin e25	numeric	19;5	No		
@l_vTimeZone	char	3	No		
@l_vTimeZoneTag	char	5	No		Existing time zone tag in SV00045
@l_vSVLanguageID	smallint	0	No		Defaults to zero.
@l_vBaseCurrencyID	char	15	No		
@l_vBillingCurrencyID	char	15	No		
@l_vLocalCurrencyID	char	15	No		
@l_vCivic1Alpha	char	5	No		
@l_vCivic1Num	smallint	0	No		
@l_vCivic1Dir	char	5	No		
@l_vCivic2Alpha	char	5	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vCivic2Num	smallint	0	No		
@l_vCivic2Dir	char	5	No		
@l_vStreetName	char	31	No		
@l_vStreetType	char	7	No		
@l_vPostDir	char	5	No		
@l_vSecAddType1	char	13	No		
@l_vSecAddNum1	smallint	0	No		
@l_vSecAddAlpha1	char	5	No		
@l_vSecAddType2	char	13	No		
@l_vSecAddNum2	smallint	0	No		
@l_vSecAddAlpha2	char	5	No		
@l_vUseTaxSchedule	char	15	No		
@l_vRateClass	char	15	No		
@l_vStateCode	char	3	No		
@l_vSutaState	char	3	No		
@l_vLocalTax	char	7	No		
@l_vWSReservedCB1	tinyint	0	No		Bool. Defaults to zero.
@l_vWSReservedCB2	tinyint	0	No		Bool. Defaults to zero.
@l_vWSReservedCB3	tinyint	0	No		Bool. Defaults to zero.

Element Name	Data Type	Length	Required	Default	Description
@l_vWSReservedCB4	tinyint	0	No		Bool. Defaults to zero.
@l_vWSReservedCB5	tinyint	0	No		Bool. Defaults to zero.
@l_vWSReservedCB6	tinyint	0	No		Bool. Defaults to zero.
@l_vWSReservedCB7	tinyint	0	No		Bool. Defaults to zero.
@l_vWSReservedCB8	tinyint	0	No		Bool. Defaults to zero.
@l_vWSReservedCB9	tinyint	0	No		Bool. Defaults to zero.
@l_vWSReservedCB10	tinyint	0	No		Bool. Defaults to zero.
@l_vWSReservedSTR1	char	11	No		
@l_vWSReservedSTR2	char	11	No		
@l_vDEXROWID	int	0	No		
@l_vUpdateIfExists	tinyint	3	Yes	1	It can only be 0 for don't update or 1 update if exists
@l_vWennSoftTables Only	tinyint	3	Yes	0	Defaults to false.
@l_vOnlyValidate	tinyint	3	Yes	0	Defaults to false
@l_vUSRDEFND1	char	50	No		
@l_vUSRDEFND2	char	50	No		
@l_vUSRDEFND3	char	50	No		
@l_vUSRDEFND4	varchar	8000	No		
@l_vUSRDEFND5	varchar	8000	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vReturnErrorText	tinyint	3	No	1	Defaults to false
@O_iErrorState	int	10	No	0	
@oErrString	varchar	255	No		

Error Codes

Error Code	Description
51102	The customer is empty
51000	Customer Number does not exist in Service
51001	Customer Number does not exist in Microsoft Business Solutions
52189	Address Code field is empty
52177	Affiliate, region and branch are not valid
52190	Location Name field is empty
52242	Labor Rate Group field is empty
52198	Labor Rate Group is invalid.
52263	Price Matrix field is empty.
52199	Price Matrix is invalid
52191	Phone 1 field contains an invalid value (length > 14).
52192	Phone 2 field contains an invalid value (length > 14).
52193	Phone 3 field contains an invalid value (length > 14).
52280	Fax field contains an invalid value (length > 14).

Error Code	Description
52194	Technician ID is invalid
52195	Corporate Customer Number field contains data, but the Use Corporate Customer ID option is not marked in setup.
52197	Salesperson ID is invalid
52102	Division does not exist
52060	Service Level ID does not exist
52157	Bill to customer number does not exist
52296	The Bill To Address does not exists for the Bill To Customer in RM00102 (RM_Customer_MSTR_ADDR).
52200	Blanket PO Check box is invalid.
52241	Original Blanket PO Amount is invalid.
52201	Blanket PO Amount Spent is invalid.
52202	Blanket PO Amount Remaining is invalid.
52204	Time Zone Tag is invalid.

wsiSMSQuote

Table Name: SV00502

Description:

Used to create a Fixed or NTE Quote in Service Management

Element Name	Data Type	Length	Required	Default	Description
@l_vCustomerNumber	char	15	Yes		
@l_vAddressCode	char	15	Yes		

Element Name	Data Type	Length	Required	Default	Description
@l_vQuoteNumber	char	11	Yes		
@l_vQuoteType	smallint	5	Yes		
@l_vQuoteDate	datetime		No		
@l_vQuoteExpirationDate	datetime		No		
@l_vWSContractNumber	char	11	No		
@l_vWSContractNumber Sequence	int	10	No		
@l_vWennsoftAffiliate	char	15	No		
@l_vWennsoftRegion	char	15	No		
@l_vWennsoftBranch	char	15	No		
@l_vContractDescription	char	31	No		
@l_vContractInternalName	char	15	No		
@l_vUserID	char	15	No		
@l_vContractAmount	numeric	19,5	No		
@l_vBillFreq	smallint	5	No		
@l_vContractBillingDate	smallint	5	No		
@l_vSalespersonID	char	15	No		
@l_vSVServiceLevelID	char	11	No		
@l_vUserDefine1a	char	31	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vUserDefine2a	char	31	No		
@l_vUserDefine3a	char	31	No		
@l_vUserDefine4a	char	31	No		
@l_vForecastOriginalEquipment	numeric	19,5	No		
@l_vForecastOriginalMaterial	numeric	19,5	No		
@l_vForecastOrigLabor1	numeric	19,5	No		
@l_vForecastOrigLabor1Hours	int	10	No		
@l_vForecastOrigLabor2	numeric	19,5	No		
@l_vForecastOrigLabor2Hours	int	10	No		
@l_vForecastOrigLabor3	numeric	19,5	No		
@l_vForecastOrigLabor3Hours	int	10	No		
@l_vForecastOrigLabor4	numeric	19,5	No		
@l_vForecastOrigLabor4Hours	int	10	No		
@l_vForecastOrigLabor5	numeric	19,5	No		
@l_vForecastOrigLabor5Hours	int	10	No		
@l_vForecastOriginalLabor	numeric	19,5	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vForecastOriginalSubs	numeric	19,5	No		
@l_vForecastOriginalOther	numeric	19,5	No		
@l_vForecastOrigTotalLabor	numeric	19,5	No		
@l_vForecastOrigTotalLaborHrs	int	10	No		
@l_vForecastEquipment	numeric	19,5	No		
@l_vForecastMaterial	numeric	19,5	No		
@l_vForecastLabor1	numeric	19,5	No		
@l_vForecastLabor1Hours	int	10	No		
@l_vForecastLabor2	numeric	19,5	No		
@l_vForecastLabor2Hours	int	10	No		
@l_vForecastLabor3	numeric	19,5	No		
@l_vForecastLabor3Hours	int	10	No		
@l_vForecastLabor4	numeric	19,5	No		
@l_vForecastLabor4Hours	int	10	No		
@l_vForecastLabor5	numeric	19,5	No		
@l_vForecastLabor5Hours	int	10	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vForecastLabor	numeric	19,5	No		
@l_vForecastSubs	numeric	19,5	No		
@l_vForecastOther	numeric	19,5	No		
@l_vForecastTotalCost	numeric	19,5	No		
@l_vForecastTotalLabor	numeric	19,5	No		
@l_vForecastTotalLaborHrs	int	10	No		
@l_vBillingEquipment	numeric	19,5	No		
@l_vBillingMaterial	numeric	19,5	No		
@l_vBillingLabor1	numeric	19,5	No		
@l_vBillingLabor1Hours	int	10	No		
@l_vBillingLabor2	numeric	19,5	No		
@l_vBillingLabor2Hours	int	10	No		
@l_vBillingLabor3	numeric	19,5	No		
@l_vBillingLabor3Hours	int	10	No		
@l_vBillingLabor4	numeric	19,5	No		
@l_vBillingLabor4Hours	int	10	No		
@l_vBillingLabor5	numeric	19,5	No		
@l_vBillingLabor5Hours	int	10	No		
@l_vBillingLabor	numeric	19,5	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vBillingLaborHours	int	10	No		
@l_vBillingSubs	numeric	19,5	No		
@l_vBillingOther	numeric	19,5	No		
@l_vBillingTotal	numeric	19,5	No		
@l_vBillingPercentageEq uip	numeric	19,5	No		
@l_vBillingPercentageMa terial	numeric	19,5	No		
@l_vBillingPercentageLa bor	numeric	19,5	No		
@l_vBillingPercentageSu bs	numeric	19,5	No		
@l_vBillingPercentageOt her	numeric	19,5	No		
@l_vBillingPercentageTo tal	numeric	19,5	No		
@l_vEstimateEquipment	numeric	19,5	No		
@l_vEstimateMaterial	numeric	19,5	No		
@l_vEstimateLabor1	numeric	19,5	No		
@l_vEstimateLabor1Hour s	int	10	No		
@l_vEstimateLabor2	numeric	19,5	No		
@l_vEstimateLabor2Hour s	int	10	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vEstimateLabor3	numeric	19,5	No		
@l_vEstimateLabor3Hours	int	10	No		
@l_vEstimateLabor4	numeric	19,5	No		
@l_vEstimateLabor4Hours	int	10	No		
@l_vEstimateLabor5	numeric	19,5	No		
@l_vEstimateLabor5Hours	int	10	No		
@l_vEstimateLabor	numeric	19,5	No		
@l_vEstimateHours	int	10	No		
@l_vEstimateSubs	numeric	19,5	No		
@l_vEstimateOther	numeric	19,5	No		
@l_vEstimateTotalCost	numeric	19,5	No		
@l_vEstimateTotalLabor	numeric	19,5	No		
@l_vEstimateTotalLaborHrs	int	10	No		
@l_vAnnualContractValue	numeric	19,5	No		
@l_vRevenueRecognitionMethodID	smallint	5	No		
@l_vInvoiceStyle	smallint	5	No		
@l_vMultiyearContractFlag	tinyint	3	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vWSContractStartDate	datetime		No		
@l_vContractExperation Date	datetime		No		
@l_vServiceUserDefine3	char	31	No		
@l_vServiceUserDefine5	int	10	No		
@l_vServiceUserDefine6	int	10	No		
@l_vServiceUserDefine9	datetime		No		
@l_vServiceUserDefine10	datetime		No		
@l_vServiceUserDefine18	tinyint	3	No		
@l_vServiceUserDefine19	tinyint	3	No		
@l_vServiceUserDefine22	numeric	19,5	No		
@l_vServiceUserDefine23	numeric	19,5	No		
@l_vServiceUserDefine24	numeric	19,5	No		
@l_vAutoBill	tinyint	3	No		
@l_vCancelBox	tinyint	3	No		
@l_vHold	tinyint	3	No		
@l_vExcessCost	numeric	19,5	No		
@l_vContractNTEUnits	int	10	No		
@l_vContractActualUnits	int	10	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vWarrantyCheckbox	tinyint	3	No		
@l_vTimeZone	char	3	No		
@l_vBaseCurrencyID	char	15	No		
@l_vBillingCurrencyID	char	15	No		
@l_vLocalCurrencyID	char	15	No		
@l_vHoldReasonID	smallint	5	No		
@l_vLastReviewDate	datetime		No		
@l_vLastReviewUserID	char	15	No		
@l_vEvergreenContractFlag	tinyint	3	No		
@l_vContractUnitsMeasure	char	15	No		
@l_vPricingMatrixName	char	15	No		
@l_vWSReservedCB1	tinyint	3	No		
@l_vWSReservedCB2	tinyint	3	No		
@l_vWSReservedCB3	tinyint	3	No		
@l_vWSReservedCB5	tinyint	3	No		
@l_vWSReservedCB6	tinyint	3	No		
@l_vWSReservedCB7	tinyint	3	No		
@l_vWSReservedCB8	tinyint	3	No		

Element Name	Data Type	Length	Required	Default	Description
@l_vWSReservedCB9	tinyint	3	No		
@l_vWSReservedCB10	tinyint	3	No		
@l_vWSReservedSTR1	char	11	No		
@l_vWSReservedSTR2	char	11	No		
@l_vDEXROWID	int	10	No		
@l_vUpdateIfExists	tinyint	3	Yes	0	
@l_vWennSoftTablesOnly	tinyint	3	Yes	0	
@l_vOnlyValidate	tinyint	3	Yes	0	
@l_vUSRDEFND1	char	50	No		
@l_vUSRDEFND2	char	50	No		
@l_vUSRDEFND3	char	50	No		
@l_vUSRDEFND4	varchar	8000	No		
@l_vUSRDEFND5	varchar	8000	No		
@l_vReturnErrorText	tinyint	3	No	1	
@o_iErrorState	int	10	No	0	
@oErrString	varchar	255	No		

wsiSMSQuoteTask

- [Table: SV00545 \(page 251\)](#)
- [Error Codes \(page 257\)](#)

Table: SV00545

Element Name	Data Type	Length	Required	Default	Description
@l_vAddressCode	char	15			
@l_vBaseCurrencyID	char	15			
@l_vBillableEquipment	numeric	19,5			
@l_vBillableLabor1	numeric	19,5			
@l_vBillableLabor2	numeric	19,5			
@l_vBillableLabor3	numeric	19,5			
@l_vBillableLabor4	numeric	19,5			
@l_vBillableLabor5	numeric	19,5			
@l_vBillableMaterial	numeric	19,5			
@l_vBillableOther	numeric	19,5			
@l_vBillableSubs	numeric	19,5			
@l_vBillingCurrencyID	char	15			
@l_vCoverageCode	smallint				
@l_vCurrentRunUnits	numeric	19,5			
@l_vCustomerContractNumber	char	15			
@l_vCustomerNumber	char	15			
@l_vEndDate	datetime				
@l_vEquipmentID	char	31			

Element Name	Data Type	Length	Required	Default	Description
@l_vEquipmentType	char	31			
@l_vEstimateEquipment	numeric	19,5			
@l_vEstimateHours	int				
@l_vEstimateLabor	numeric	19,5			
@l_vEstimateLabor1	numeric	19,5			
@l_vEstimateLabor1Hours	int				
@l_vEstimateLabor2	numeric	19,5			
@l_vEstimateLabor2Hours	int				
@l_vEstimateLabor3	numeric	19,5			
@l_vEstimateLabor3Hours	int				
@l_vEstimateLabor4	numeric	19,5			
@l_vEstimateLabor4Hours	int				
@l_vEstimateLabor5	numeric	19,5			
@l_vEstimateLabor5Hours	int				
@l_vEstimateMaterial	numeric	19,5			
@l_vEstimateOther	numeric	19,5			
@l_vEstimateSubs	numeric	19,5			

Element Name	Data Type	Length	Required	Default	Description
@l_vEstimateTotalCost	numeric	19,5			
@l_vID1	char	11			
@l_vID2	char	11			
@l_vInactive	tinyint				
@l_vLastRunUnits	numeric	19,5			
@l_vLocalCurrencyID	char	15			
@l_vMaterialKitQuantity	int				
@l_vMaterialKitRequired	char	31			
@l_vOnlyValidate	tinyint				
@l_vOptional	tinyint				
@l_vPMGroup	char	3			
@l_vQuoteNumber	char	11			
@l_vQuoteTaskListID	char	11			
@l_vReturnErrorText	tinyint				
@l_vRunUnits	numeric	19,5			
@l_vSchedule	smallint				
@l_vSkillLevel	char	15			
@l_vStartDate	datetime				
@l_vSub1	char	15			

Element Name	Data Type	Length	Required	Default	Description
@l_vSub2	char	15			
@l_vSub3	char	15			
@l_vSub4	char	15			
@l_vSubcontractorID	char	15			
@l_vSVLanguageID	smallint				
@l_vTask_Description_Lo ng	char	255			
@l_vTask_Hierarchy	char	41			
@l_vTaskCode	char	11			
@l_vTaskDescription	char	61			
@l_vTaskHours	int				
@l_vTaskUserDefine1	char	21			
@l_vTaskUserDefine10	datetime				
@l_vTaskUserDefine11	datetime				
@l_vTaskUserDefine12	datetime				
@l_vTaskUserDefine13	numeric	19,5			
@l_vTaskUserDefine14	numeric	19,5			
@l_vTaskUserDefine15	numeric	19,5			
@l_vTaskUserDefine16	numeric	19,5			
@l_vTaskUserDefine17	numeric	19,5			

Element Name	Data Type	Length	Required	Default	Description
@l_vTaskUserDefine18	tinyint				
@l_vTaskUserDefine19	tinyint				
@l_vTaskUserDefine2	char	21			
@l_vTaskUserDefine20	tinyint				
@l_vTaskUserDefine21	tinyint				
@l_vTaskUserDefine3	char	31			
@l_vTaskUserDefine4	char	31			
@l_vTaskUserDefine5	int				
@l_vTaskUserDefine6	int				
@l_vTaskUserDefine7	int				
@l_vTaskUserDefine8	int				
@l_vTaskUserDefine9	datetime				
@l_vTechnicianID	char	15			
@l_vTechnicianTeam	char	15			
@l_vTimeZone	char	3			
@l_vToolKitRequired	char	15			
@l_vUpdateIfExists	tinyint				
@l_vUserID	char	15			
@l_vUSRDEFND1	char	50			

Element Name	Data Type	Length	Required	Default	Description
@I_vUSRDEFND2	char	50			
@I_vUSRDEFND3	char	50			
@I_vUSRDEFND4	varchar	8000			
@I_vUSRDEFND5	varchar	8000			
@I_vWeek1	tinyint				
@I_vWeek2	tinyint				
@I_vWeek3	tinyint				
@I_vWeek4	tinyint				
@I_vWeek5	tinyint				
@I_vWennsoftAffiliate	char	15			
@I_vWennsoftBranch	char	15			
@I_vWennsoftCloseDate	datetime				
@I_vWennsoftRegion	char	15			
@I_vWennSoftTablesOnly	tinyint				
@I_vWSFrequency	char	15			
@I_vWSMajor	char	15			
@I_vWSReservedCB1	tinyint				
@I_vWSReservedCB10	tinyint				
@I_vWSReservedCB2	tinyint				

Element Name	Data Type	Length	Required	Default	Description
@I_vWSReservedCB3	tinyint				
@I_vWSReservedCB4	tinyint				
@I_vWSReservedCB5	tinyint				
@I_vWSReservedCB6	tinyint				
@I_vWSReservedCB7	tinyint				
@I_vWSReservedCB8	tinyint				
@I_vWSReservedCB9	tinyint				
@I_vWSReservedSTR1	char	11			
@I_vWSReservedSTR2	char	11			
@I_vWSSystem	char	15			
@I_vYRMOD	smallint				
@I_vYRREM	smallint				
@O_iErrorState	int				
@oErrString	varchar	255			

Error Codes

Error Code	Description
51112	The Customer Number does not exist.
52027	The Address Code does not exist.
52213	The Equipment record does not exist.

Error Code	Description
52231	The Task Code does not exist.
52232	The frequency/schedule combination does not exist in the SV00541 table.
52307	Error inserting record into the quote sub task table (SV00546).
52308	Error inserting record into the quote task materials table (SV00549).
52311	Error inserting/updating the quote task table (SV00545).
52312	Error inserting into the quote task list master table (SV00544).
52313	Error inserting into the quote equipment master table (SV00402).
52314	The given quote does not exist in the quote master table (SV00502).

wsiSMSServiceCall

- [Table: SV00300 \(page 258\)](#)
- [Error Codes \(page 268\)](#)

Table: SV00300

Element Name	Data Type	Length	Required	Default	Description
@l_vServiceCallID	char	17			
@l_vServiceDescription	varchar	MAX			Changed size to save any description longer than 30 characters as a note
@l_vAddressCode	char	15			
@l_vCustomerNumber	char	15			
@l_vCorporateCustomerNumber	char	15			

Element Name	Data Type	Length	Required	Default	Description
@l_vUserID	char	15			
@l_vTechnicianID	char	15			
@l_vTechnicianTeam	char	15			
@l_vRoute	char	15			
@l_vTechnician	char	11			
@l_vTechnicianID2	char	15			
@l_vTypeofProblemID	char	3			
@l_vTypeofProblem	char	31			
@l_vResolutionID	char	3			
@l_vResolutionDescription	varchar	255			
@l_vEquipmentID	char	31			
@l_vEquipmentType	char	31			
@l_vTypeCallShort	char	3			
@l_vUserDefine1a	char	31			
@l_vUserDefine2a	char	31			
@l_vUserDefine3a	char	31			
@l_vUserDefine4a	char	31			
@l_vPurchaseOrder	char	15			
@l_vDateofServiceCall	datetime	8			

Element Name	Data Type	Length	Required	Default	Description
@l_vStartTime	datetime	8			
@l_vEstimateHours	int	4			
@l_vSalespersonID	char	15			
@l_vPriorityofCall	char	1			
@l_vStatusofCall	char	11			
@l_vCallInvoiceNumber	char	17			
@l_vInvoiceStyle	smallint	2			
@l_vSVCompletionDate	datetime	8			
@l_vWSTime1	datetime	8			
@l_vTimeString11	char	11			
@l_vTimeString12	char	11			
@l_vTimeString13	char	11			
@l_vTimeString14	char	11			
@l_vTimeString15	char	11			
@l_vTimeString16	char	11			
@l_vServiceDate1	datetime	8			
@l_vServiceDate2	datetime	8			
@l_vServiceDate3	datetime	8			

Element Name	Data Type	Length	Required	Default	Description
@l_vServiceDate4	datetime	8			
@l_vServiceDate5	datetime	8			
@l_vServiceDate6	datetime	8			
@l_vServiceTime1	datetime	8			
@l_vServiceTime2	datetime	8			
@l_vServiceTime3	datetime	8			
@l_vServiceTime4	datetime	8			
@l_vServiceTime5	datetime	8			
@l_vServiceTime6	datetime	8			
@l_vTimeZone	char	3			
@l_vDate	datetime	8			
@l_vDivision	smallint	2			
@l_vDivisions	char	15			
@l_vCallTime	int	4			
@l_vCorporateContractNumber	char	21			
@l_vWSMasterContractSeqNumber	int	4			
@l_vWSContractNumber	char	11			
@l_vWSContractNumberSequence	int	4			

Element Name	Data Type	Length	Required	Default	Description
@l_vInvoiceType	smallint	2			
@l_vPosted	tinyint	1			
@l_vAddedRate	tinyint	1			
@l_vBillingAmountFixed	numeric	9			
@l_vBillingAmountNTE	numeric	9			
@l_vBillableAll	numeric	9			
@l_vCostAll	numeric	9			
@l_vTaxAmount1	numeric	9			
@l_vTaxAmount2	numeric	9			
@l_vTaxAmount3	numeric	9			
@l_vLaborBillingCategory1	numeric	9			
@l_vLaborBillingCategory2	numeric	9			
@l_vLaborBillingCategory3	numeric	9			
@l_vLaborBillingCategory4	numeric	9			
@l_vLaborBillingCategory5	numeric	9			
@l_vBillableEquipment	numeric	9			
@l_vBillableLabor	numeric	9			

Element Name	Data Type	Length	Required	Default	Description
@l_vBillableMaterial	numeric	9			
@l_vBillableOther	numeric	9			
@l_vBillableSubs	numeric	9			
@l_vBillableTax	numeric	9			
@l_vLaborCostCatagory1	numeric	9			
@l_vLaborCostCatagory2	numeric	9			
@l_vLaborCostCatagory3	numeric	9			
@l_vLaborCostCatagory4	numeric	9			
@l_vLaborCostCatagory5	numeric	9			
@l_vCostEquipment	numeric	9			
@l_vCostLabor	numeric	9			
@l_vCostMaterial	numeric	9			
@l_vCostOther	numeric	9			
@l_vCostSubs	numeric	9			
@l_vCostTax	numeric	9			
@l_vCallerEmailAddresses	char	41			
@l_vCallerName	char	31			

Element Name	Data Type	Length	Required	Default	Description
@l_vCallerPhone	char	21			
@l_vCallback	tinyint	1			
@l_vWSJobNumber	char	17			
@l_vOrigCallID	char	17			
@l_vPOOutstandingStatus	char	15			
@l_vWCAOriginatingCall	char	17			
@l_vWCATechnician	char	15			
@l_vServiceUserDefine1	char	21			
@l_vServiceUserDefine2	char	21			
@l_vServiceUserDefine3	char	31			
@l_vServiceUserDefine4	char	31			
@l_vServiceUserDefine5	int	4			
@l_vServiceUserDefine6	int	4			
@l_vServiceUserDefine7	int	4			
@l_vServiceUserDefine8	int	4			

Element Name	Data Type	Length	Required	Default	Description
@l_vServiceUserDefine9	datetime	8			
@l_vServiceUserDefine10	datetime	8			
@l_vServiceUserDefine11	datetime	8			
@l_vServiceUserDefine12	datetime	8			
@l_vServiceUserDefine18	tinyint	1			
@l_vServiceUserDefine19	tinyint	1			
@l_vServiceUserDefine20	tinyint	1			
@l_vServiceUserDefine21	tinyint	1			
@l_vServiceUserDefine22	numeric	9			
@l_vServiceUserDefine23	numeric	9			
@l_vServiceUserDefine24	numeric	9			
@l_vServiceUserDefine25	numeric	9			
@l_vSVLanguageID	smallint	2			
@l_vBaseCurrencyID	char	15			

Element Name	Data Type	Length	Required	Default	Description
@l_vBaseCurrConversionFactor	numeric	9			
@l_vBillingCurrencyID	char	15			
@l_vBillingCurrConversionFactor	numeric	9			
@l_vLocalCurrencyID	char	15			
@l_vTrackInJobCost	tinyint	1			
@l_vTransferToWSJob	char	17			
@l_vBilledToJobEquipment	numeric	9			
@l_vBilledToJobMaterial	numeric	9			
@l_vBilledToJobLabor	numeric	9			
@l_vBilledToJobSubcontractor	numeric	9			
@l_vBilledToJobOther	numeric	9			
@l_vWSReservedCB1	tinyint	1			
@l_vWSReservedCB2	tinyint	1			
@l_vWSReservedCB3	tinyint	1			
@l_vWSReservedCB4	tinyint	1			
@l_vWSReservedCB5	tinyint	1			
@l_vWSReservedSTR1	char	11			

Element Name	Data Type	Length	Required	Default	Description
@I_vWSReservedSTR2	char	11			
@I_vSkipShiftCheck	tinyint	1			
@I_vSkipDoubleBookCheck	tinyint	1			
@I_vUpdateIfExists	tinyint	1			
@I_vWennSoftTablesOnly	tinyint	1			
@I_vOnlyValidate	tinyint	1			
@I_vUSRDEFND1	char	50			
@I_vUSRDEFND2	char	50			
@I_vUSRDEFND3	char	50			
@I_vUSRDEFND4	varchar	8000			
@I_vUSRDEFND5	varchar	8000			
@I_vModifiedUserID	char	15			
@I_vReturnErrorText	tinyint	1			
@O_iErrorState	int	4			
@oErrString	varchar	255			
@I_vBill_Customer_Number	char	15			
@I_vBill_Address_Code	char	15			

Element Name	Data Type	Length	Required	Default	Description
@l_vVendor_Quote_Printed	smallint	2			
@l_vSV_Call_Source	int	4			
@l_vSV_Call_Source_ID1	char	40			
@l_vSV_Call_Source_ID2	char	40			
@O_CreatedServiceCallID	char	17			

Error Codes

Error Code	Description
51009	Tech Branch does not match global filter.
51111	The Division does not exist.
51112	The Customer Number does not exist.
52027	The Address Code does not exist.
52102	The Division does not exist.
52143	The Technician does not exist.
52159	The contract does not exist.
52213	The Equipment record does not exist.
52399	Enter the date of service call.
52400	The Call Status must be OPEN, CLOSED or COMPLETE.

Error Code	Description
52401	The Problem Type does not exist.
52402	The Call Type does not exist.
52403	Error inserting/updating to the service call master.

wsiSMSServiceTasksMaster

- [Table: SV00302 \(page 269\)](#)
- [Error Codes \(page 275\)](#)

Table: SV00302

Element Name	Data Type	Length	Required	Default	Description
@I_vAddressCode	char	15			
@I_vBillableEquipment	numeric	19,5			
@I_vBillableLabor1	numeric	19,5			
@I_vBillableLabor2	numeric	19,5			
@I_vBillableLabor3	numeric	19,5			
@I_vBillableLabor4	numeric	19,5			
@I_vBillableLabor5	numeric	19,5			
@I_vBillableMaterial	numeric	19,5			
@I_vBillableOther	numeric	19,5			
@I_vBillableSubs	numeric	19,5			
@I_vComponentFlag	tinyint				

Element Name	Data Type	Length	Required	Default	Description
@l_vCoverageCode	smallint				
@l_vCreatedDate	datetime				
@l_vCreatedUserID	char	15			
@l_vCurrentRunUnits	numeric	19,5			
@l_vCustomerNumber	char	15			
@l_vEquipmentID	char	31			
@l_vEquipmentType	char	31			
@l_vEstimateEquipment	numeric	19,5			
@l_vEstimateHours	int				
@l_vEstimateLabor	numeric	19,5			
@l_vEstimateLabor1	numeric	19,5			
@l_vEstimateLabor1Hours	int				
@l_vEstimateLabor2	numeric	19,5			
@l_vEstimateLabor2Hours	int				
@l_vEstimateLabor3	numeric	19,5			
@l_vEstimateLabor3Hours	int				
@l_vEstimateLabor4	numeric	19,5			
@l_vEstimateLabor4Hours	int				

Element Name	Data Type	Length	Required	Default	Description
@l_vEstimateLabor5	numeric	19,5			
@l_vEstimateLabor5Hours	int				
@l_vEstimateMaterial	numeric	19,5			
@l_vEstimateOther	numeric	19,5			
@l_vEstimateSubs	numeric	19,5			
@l_vEstimateTotalCost	numeric	19,5			
@l_vItemType	smallint				
@l_vLastRunUnits	numeric	19,5			
@l_vLocationEquipment	char	51			
@l_vMaterialKitQuantity	int				
@l_vMaterialKitRequired	char	31			
@l_vOnlyValidate	tinyint				
@l_vOriginating_Call_Responses	text				
@l_vResolutionCode	char	11			
@l_vReturnErrorText	tinyint				
@l_vRunUnits	numeric	19,5			
@l_vServiceCallID	char	17			
@l_vSkillLevel	char	15			

Element Name	Data Type	Length	Required	Default	Description
@l_vSub1	char	15			
@l_vSub2	char	15			
@l_vSub3	char	15			
@l_vSub4	char	15			
@l_vSubTaskCode	char	11			
@l_vSubTaskLineNumber	int				
@l_vSVActualTime	int				
@l_vSVCompletionDate	datetime				
@l_vTask_Hierarchy	char	41			
@l_vTaskCode	char	11			
@l_vTaskComment1	char	121			
@l_vTaskComment2	char	121			
@l_vTaskComment3	char	121			
@l_vTaskDescription	char	61			
@l_vTaskDescriptionLong	char	255			
@l_vTaskLineNumber	int				
@l_vTaskListID	char	11			
@l_vTaskStatus	char	11			
@l_vTaskUserDefine1	char	21			

Element Name	Data Type	Length	Required	Default	Description
@l_vTaskUserDefine10	datetime				
@l_vTaskUserDefine11	datetime				
@l_vTaskUserDefine12	datetime				
@l_vTaskUserDefine13	numeric	19,5			
@l_vTaskUserDefine14	numeric	19,5			
@l_vTaskUserDefine15	numeric	19,5			
@l_vTaskUserDefine16	numeric	19,5			
@l_vTaskUserDefine17	numeric	19,5			
@l_vTaskUserDefine18	tinyint				
@l_vTaskUserDefine19	tinyint				
@l_vTaskUserDefine2	char	21			
@l_vTaskUserDefine20	tinyint				
@l_vTaskUserDefine21	tinyint				
@l_vTaskUserDefine3	char	31			
@l_vTaskUserDefine4	char	31			
@l_vTaskUserDefine5	int				
@l_vTaskUserDefine6	int				
@l_vTaskUserDefine7	int				
@l_vTaskUserDefine8	int				

Element Name	Data Type	Length	Required	Default	Description
@I_vTaskUserDefine9	datetime				
@I_vTimeZone	char	3			
@I_vToolKitRequired	char	15			
@I_vTroubleCode	char	11			
@I_vUpdateIfExists	tinyint				
@I_vUserDefine1a	char	31			
@I_vUSRDEFND1	char	50			
@I_vUSRDEFND2	char	50			
@I_vUSRDEFND3	char	50			
@I_vUSRDEFND4	varchar	8000			
@I_vUSRDEFND5	varchar	8000			
@I_vWennsoftAffiliate	char	15			
@I_vWennsoftBranch	char	15			
@I_vWennsoftMasterEqui pID	char	31			
@I_vWennsoftRegion	char	15			
@I_vWennSoftTablesOnly	tinyint				
@I_vWSMajor	char	15			
@I_vWSSystem	char	15			
@O_iErrorState	int				

Element Name	Data Type	Length	Required	Default	Description
@oErrString	varchar	255			

Error Codes

Error Code	Description
52213	The Equipment record does not exist.
52231	The Task Code does not exist.
52387	The Service Call does not exist.
52391	The Skill Level does not exist.
52648	Insert/Update failed for table SV00302.

wsiSMSTaskCodes

- [Table: SV00560 \(page 275\)](#)
- [Error Codes \(page 281\)](#)

Table: SV00560

Element Name	Data Type	Length	Required	Default	Description
@l_vBillableEquipment	numeric	19,5			
@l_vBillableLabor1	numeric	19,5			
@l_vBillableLabor2	numeric	19,5			
@l_vBillableLabor3	numeric	19,5			
@l_vBillableLabor4	numeric	19,5			
@l_vBillableLabor5	numeric	19,5			

Element Name	Data Type	Length	Required	Default	Description
@l_vBillableMaterial	numeric	19,5			
@l_vBillableOther	numeric	19,5			
@l_vBillableSubs	numeric	19,5			
@l_vCoverageCode	smallint				
@l_vEquipmentType	char	31			
@l_vEstimateEquipment	numeric	19,5			
@l_vEstimateHours	int				
@l_vEstimateLabor	numeric	19,5			
@l_vEstimateLabor1	numeric	19,5			
@l_vEstimateLabor1Hours	int				
@l_vEstimateLabor2	numeric	19,5			
@l_vEstimateLabor2Hours	int				
@l_vEstimateLabor3	numeric	19,5			
@l_vEstimateLabor3Hours	int				
@l_vEstimateLabor4	numeric	19,5			
@l_vEstimateLabor4Hours	int				
@l_vEstimateLabor5	numeric	19,5			

Element Name	Data Type	Length	Required	Default	Description
@l_vEstimateLabor5Hours	int				
@l_vEstimateMaterial	numeric	19,5			
@l_vEstimateOther	numeric	19,5			
@l_vEstimateSubs	numeric	19,5			
@l_vEstimateTotalCost	numeric	19,5			
@l_vItemType	smallint				
@l_vMaterialKitQuantity	int				
@l_vMaterialKitRequired	char	31			
@l_vOnlyValidate	tinyint				
@l_vOptional	tinyint				
@l_vReturnErrorText	tinyint				
@l_vRunUnits	numeric	19,5			
@l_vSchedule	smallint				
@l_vSkillLevel	char	15			
@l_vSub1	char	15			
@l_vSub2	char	15			
@l_vSub3	char	15			
@l_vSub4	char	15			

Element Name	Data Type	Length	Required	Default	Description
@l_vSVLanguagelD	smallint				
@l_vTaskCode	char	11			
@l_vTaskDescription	char	61			
@l_vTaskHours	int				
@l_vTaskUserDefine1	char	21			
@l_vTaskUserDefine10	datetime				
@l_vTaskUserDefine11	datetime				
@l_vTaskUserDefine12	datetime				
@l_vTaskUserDefine13	numeric	19,5			
@l_vTaskUserDefine14	numeric	19,5			
@l_vTaskUserDefine15	numeric	19,5			
@l_vTaskUserDefine16	numeric	19,5			
@l_vTaskUserDefine17	numeric	19,5			
@l_vTaskUserDefine18	tinyint				
@l_vTaskUserDefine19	tinyint				
@l_vTaskUserDefine2	char	21			
@l_vTaskUserDefine20	tinyint				
@l_vTaskUserDefine21	tinyint				
@l_vTaskUserDefine3	char	31			

Element Name	Data Type	Length	Required	Default	Description
@l_vTaskUserDefine4	char	31			
@l_vTaskUserDefine5	int				
@l_vTaskUserDefine6	int				
@l_vTaskUserDefine7	int				
@l_vTaskUserDefine8	int				
@l_vTaskUserDefine9	datetime				
@l_vTechnicianID	char	15			
@l_vTechnicianTeam	char	15			
@l_vTimeZone	char	3			
@l_vToolKitRequired	char	15			
@l_vUpdateIfExists	tinyint				
@l_vUserID	char	15			
@l_vUSRDEFND1	char	50			
@l_vUSRDEFND2	char	50			
@l_vUSRDEFND3	char	50			
@l_vUSRDEFND4	varchar	8000			
@l_vUSRDEFND5	varchar	8000			
@l_vWeek1	tinyint				
@l_vWeek2	tinyint				

Element Name	Data Type	Length	Required	Default	Description
@l_vWeek3	tinyint				
@l_vWeek4	tinyint				
@l_vWeek5	tinyint				
@l_vWennsoftAffiliate	char	15			
@l_vWennsoftBranch	char	15			
@l_vWennsoftRegion	char	15			
@l_vWennSoftTablesOnly	tinyint				
@l_vWSFrequency	char	15			
@l_vWSMajor	char	15			
@l_vWSReservedCB1	tinyint				
@l_vWSReservedCB10	tinyint				
@l_vWSReservedCB2	tinyint				
@l_vWSReservedCB3	tinyint				
@l_vWSReservedCB4	tinyint				
@l_vWSReservedCB5	tinyint				
@l_vWSReservedCB6	tinyint				
@l_vWSReservedCB7	tinyint				
@l_vWSReservedCB8	tinyint				
@l_vWSReservedCB9	tinyint				

Element Name	Data Type	Length	Required	Default	Description
@I_vWSReservedSTR1	char	11			
@I_vWSReservedSTR2	char	11			
@I_vWSSystem	char	15			
@O_iErrorState	int				
@ErrString	varchar	255			

Error Codes

Error Code	Description
52351	WSReservedCB3 is invalid. Enter 0 or 1.
52352	WSReservedCB4 is invalid. Enter 0 or 1.
52353	WSReservedCB5 is invalid. Enter 0 or 1.
52354	WSReservedCB6 is invalid. Enter 0 or 1.
52355	WSReservedCB7 is invalid. Enter 0 or 1.
52356	WSReservedCB8 is invalid. Enter 0 or 1.
52357	WSReservedCB9 is invalid. Enter 0 or 1.
52358	WSReservedCB10 is invalid. Enter 0 or 1.
52363	WSReservedCB1 is invalid. Enter 0 or 1.
52364	WSReservedCB2 is invalid. Enter 0 or 1.
52365	The task code is blank.
52366	The skill level code is blank.

Error Code	Description
52367	The skill level code does not exist.
52368	The material kit required does not exist.
52369	The tool kit required does not exist.
52370	The task frequency is blank.
52371	The task frequency does not exist.
52372	The coverage code is blank.
52373	The System field entry was not found
52374	The sub 1 entry does not exist.
52375	The sub 2 entry does not exist.
52376	The sub 3 entry does not exist.
52377	The sub 4 entry does not exist.
52378	The Major field entry was not found.
52383	The suggested schedule does not exist.
52384	Error updating record in the SV00560 table.
52385	Error inserting record in the SV00560 table.

wsiSMSTechnician

- [Table: SV00115 \(page 283\)](#)
- [Error Codes \(page 285\)](#)

Table: SV00115

Element Name	Data Type	Length	Required	Default	Description
@l_vAllowableOvertimeHours	smallint				
@l_vEmployeeID	char	15			
@l_vEmployeeVehicle	char	15			
@l_vEPACertification	char	51			
@l_vOnlyValidate	tinyint				
@l_vPagerNumber	char	21			
@l_vPrimarySkillLevel	char	15			
@l_vRDCAccessNumber	char	21			
@l_vReturnErrorText	tinyint				
@l_vSVInactive	tinyint				
@l_vSVLanguageID	smallint				
@l_vVPagerPIN	char	41			
@l_vVPagerVendorID	char	11			
@l_vTechnician	char	11			
@l_vTechnicianID	char	15			
@l_vTechnicianLongName	char	31			
@l_vTechnicianTeam	char	15			

Element Name	Data Type	Length	Required	Default	Description
@l_vTimeZone	char	3			
@l_vTimeZoneTag	char	5			
@l_vUpdateIfExists	tinyint				
@l_vUserID	char	15			
@l_vUSRDEFND1	char	50			
@l_vUSRDEFND2	char	50			
@l_vUSRDEFND3	char	50			
@l_vUSRDEFND4	varchar	8000			
@l_vUSRDEFND5	varchar	8000			
@l_vVendorID	char	15			
@l_vVendorSwitch	tinyint				
@l_vWennsoftAffiliate	char	15			
@l_vWennsoftBranch	char	15			
@l_vWennsoftRegion	char	15			
@l_vWennSoftTablesOnly	tinyint				
@l_vWSReservedCB1	tinyint				
@l_vWSReservedCB10	tinyint				
@l_vWSReservedCB2	tinyint				
@l_vWSReservedCB3	tinyint				

Element Name	Data Type	Length	Required	Default	Description
@I_vWSReservedCB4	tinyint				
@I_vWSReservedCB5	tinyint				
@I_vWSReservedCB6	tinyint				
@I_vWSReservedCB7	tinyint				
@I_vWSReservedCB8	tinyint				
@I_vWSReservedCB9	tinyint				
@I_vWSReservedSTR1	char	11			
@I_vWSReservedSTR2	char	11			
@O_iErrorState	int				
@oErrString	varchar	255			

Error Codes

Error Code	Description
52132	Employee ID does not exist.
52177	Affiliate, region and branch are not valid.
52204	Time Zone Tag is invalid.
52228	Technician Team does not exist.
52261	Vendor ID does not exist
52297	The UpdateIfExists parameter is invalid: 0=Do Not Update 1=Update if exists.
52346	Technician field is empty.

Error Code	Description
52347	Pager Number field contains an invalid value (length > 14).
52348	Skill Level does not exist. In the SV00572, Skill Level and SV Language ID are the primary key and both need to be valid.
52349	MobileTech User Checkbox (WSReservedCB1) is invalid. Enter 0 or 1.
52350	Allow Double Checkbox (WSReservedCB2) is invalid. Enter 0 or 1.
52351	WSReservedCB3 is invalid. Enter 0 or 1.
52352	WSReservedCB4 is invalid. Enter 0 or 1.
52353	WSReservedCB5 is invalid. Enter 0 or 1.
52354	WSReservedCB6 is invalid. Enter 0 or 1.
52355	WSReservedCB7 is invalid. Enter 0 or 1.
52356	WSReservedCB8 is invalid. Enter 0 or 1.
52357	WSReservedCB9 is invalid. Enter 0 or 1.
52358	WSReservedCB10 is invalid. Enter 0 or 1.
52359	SVInactive Checkbox is invalid. 0 = Active 1=Inactive.
52360	SV Pager Vendor ID does not exist in SV_Pager_Vendor_MSTR (SVPGVNDR).
52361	Error updating record in the SV00115 table.
52362	Error inserting record in the SV00115 table.
52382	A Vendor ID and Employee ID cannot be assigned to the same record.

wsiSMSVehicle

- [Table: SV00113 \(page 287\)](#)

- [Error Codes \(page 290\)](#)

Table: SV00113

Description: This will create/update vehicle records in SV00113.

Element Name	Data Type	Length	Required	Default	Description
@l_vAltitude	numeric	19,5			
@l_vLatitude	numeric	19,5			
@l_vLongitude	numeric	19,5			
@l_vOnlyValidate	tinyint				
@l_vReturnErrorText	tinyint				
@l_vServiceUserDefine1	char	21			
@l_vServiceUserDefine10	datetime				
@l_vServiceUserDefine11	datetime				
@l_vServiceUserDefine12	datetime				
@l_vServiceUserDefine18	tinyint				
@l_vServiceUserDefine19	tinyint				
@l_vServiceUserDefine22	char	21			
@l_vServiceUserDefine20	tinyint				
@l_vServiceUserDefine21	tinyint				

Element Name	Data Type	Length	Required	Default	Description
@l_vServiceUserDefine2	numeric	19,5			
@l_vServiceUserDefine2	numeric	19,5			
@l_vServiceUserDefine2	numeric	19,5			
@l_vServiceUserDefine2	numeric	19,5			
@l_vServiceUserDefine3	char	31			
@l_vServiceUserDefine4	char	31			
@l_vServiceUserDefine5	int				
@l_vServiceUserDefine6	int				
@l_vServiceUserDefine7	int				
@l_vServiceUserDefine8	int				
@l_vServiceUserDefine9	datetime				
@l_vTechnician	char	11			
@l_vUpdateIfExists	tinyint				
@l_vUSRDEFND1	char	50			
@l_vUSRDEFND2	char	50			
@l_vUSRDEFND3	char	50			
@l_vUSRDEFND4	varchar	8000			
@l_vUSRDEFND5	varchar	8000			

Element Name	Data Type	Length	Required	Default	Description
@I_vVehicleDescription	char	101			
@I_vVehicleID	char	101			
@I_vVehicleStatus	char	51			
@I_vVIN	char	31			
@I_vWennSoftTablesOnly	tinyint				
@I_vWSReservedCB1	tinyint				
@I_vWSReservedCB10	tinyint				
@I_vWSReservedCB2	tinyint				
@I_vWSReservedCB3	tinyint				
@I_vWSReservedCB4	tinyint				
@I_vWSReservedCB5	tinyint				
@I_vWSReservedCB6	tinyint				
@I_vWSReservedCB7	tinyint				
@I_vWSReservedCB8	tinyint				
@I_vWSReservedCB9	tinyint				
@I_vWSReservedSTR1	char	11			
@I_vWSReservedSTR2	char	11			
@O_iErrorState	int				
@oErrString	varchar	255			

Error Codes

Error Code	Description
51112	The Customer Number does not exist.
52194	The Technician ID is invalid.
52315	Error inserting/updating the service vehicle master table (SV00113).

wsiWSCreateUpdatePurchaseOrderIntegration

- [Tables: WS10101, SV00300, JC00102, JC00701, PM00200, IV00101, POP10100, POP10110 \(page 290\)](#)
- [Error Codes \(page 292\)](#)

Tables: WS10101, SV00300, JC00102, JC00701, PM00200, IV00101, POP10100, POP10110

Description: Integrate Purchase Order Processing to Signature Job Cost or Service Management

Element Name	Data Type	Length	Required	Default	Description
@I_vCost_Code_Number_1	char	7			
@I_vCost_Code_Number_2	char	7			
@I_vCost_Code_Number_3	char	7			
@I_vCost_Code_Number_4	char	7			
@I_vCost_Element	smallint				
@I_vCOSTTYPE	smallint				
@I_vEquipment_ID	char	31			

Element Name	Data Type	Length	Required	Default	Description
@l_vJOBNUMBR	char	17			
@l_vOnlyValidate	tinyint				
@l_vORD	int				
@l_vpNUMBER	char	17			
@l_vProduct_Indicator	smallint				
@l_vQTYRTRND	numeric	19,5			
@l_vRetention_Amount_TTD	numeric	19,5			
@l_vRetention_Pct	numeric	19,5			
@l_vRetTotalCost	numeric	19,5			
@l_vRetUnitCost	numeric	19,5			
@l_vReturnErrorText	tinyint				
@l_vTask_Code	char	11			
@l_vXTFIELD	varchar	8000			
@l_vUpdateIfExists	tinyint				
@l_vUSRDEFND1	char	50			
@l_vUSRDEFND2	char	50			
@l_vUSRDEFND3	char	50			
@l_vUSRDEFND4	varchar	8000			
@l_vUSRDEFND5	varchar	8000			

Element Name	Data Type	Length	Required	Default	Description
@l_vWennSoftTablesOnly	tinyint				
@l_vWSPOText	char	15			
@O_iErrorState	int				
@oErrString	varchar	305			

Error Codes

Error Code	Description
51013	
51016	Service Call does not exist
51018	Cost code does not exist for the job
51052	Unable to insert into Signature PO Integration table.
51054	Retention percent cannot be greater than 100%.
51094	Job is inactive.
51095	Not Unbilled, Service or Job Cost.
51096	Cost code type cannot be labor
51097	The Account for this Cost Code is Inactive and cannot be using on Purchasing Transactions.
51098	Purchase Order does not exist in MBS
51099	Purchase Order Line does not exist in MBS
51104	Service Call has been posted

Error Code	Description
51430	Error updating table: WS10101.*/
52015	Option to update existing record is set to false.
52017	Job does not exist.
591	Line status is Closed, Canceled, or Received
591	PO Line Status must of type New, Released, Change Order or Cancelled

wsiWSTransactionHeaderAndLine

- [Name: wsiWSTransactionHeader \(page 293\)](#)
- [Name: wsiWSTransactionLine \(page 297\)](#)

Name: wsiWSTransactionHeader

Parameter	Notes
@l_vBatchNumber	Validate, must exist
@l_vBatchSource	Default to GL_Normal, v2: allow override and validate.
@l_vJournalEntry	Default to GJ, allow override and validate
@l_vRecurringTRXSequence	Default to empty
@l_vSourceDocument	Validate, must exist
@l_vReference	
@l_vTRXDate	Validate that it is in an open period
@l_vReversingDate	D14Not supported. V2
@l_vRecurringTRX	Not supported. v2

Parameter	Notes
@l_vBalanceForCalculation	Research, not sure what it is.
@l_vPostingStatus	Remove, set to Work.
@l_vLastUser	Default to SQL user, allow override
@l_vLastDateEdited	Default to SQL date, allow override.
@l_vUserWhoPosted	Remove.
@l_vTransactionType	Research.
@l_vSequenceLine	Default to zero.
@l_vGLHDRMessages	Research.
@l_vGLHDRMessages2	Research.
@l_vTRXSource	Pass through
@l_vSeries	default to General Journal, allow override, validate
@l_vOriginatingTRXType	Default to empty, MC not supported
@l_vOriginatingControlNumber	Default to empty, MC not supported
@l_vOriginatingMasterID	Default to empty, MC not supported
@l_vOriginatingMasterName	Default to empty, MC not supported
@l_vOriginatingDocumentNumber	Default to empty, MC not supported
@l_vOriginatingPostedDate	Default to empty, MC not supported
@l_vOriginatingTRXSource	Default to empty, MC not supported
@l_vCurrencyID	Default to functional currency, MC not supported.

Parameter	Notes
@l_vNoteIndex	Default to empty
@l_vGLHeaderValid	Research.
@l_vPeriodID	Remove and calc from transaction date.
@l_vOpenYear	Remove and calc from transaction date.
@l_vClosedYear	Default to empty.
@l_vHistoryTRX	Default to empty.
@l_vReversingPeriodID	Default to empty. Not supported
@l_vReversingYear	Default to empty. Not supported
@l_vReversingClosedYear	Default to empty. Not supported
@l_vReversingHistoryTRX	Default to empty. Not supported
@l_vICTRX	Default to empty. Not supported
@l_vErrorState	Remove.
@l_vUserDefine1	Default to empty.
@l_vUserDefine2	
@l_vUserDefined1	
@l_vUserDefined2	
@l_vUserDefinedInteger1	
@l_vUserDefinedInteger2	
@l_vUserDefinedInteger3	

Parameter	Notes
@I_vUserDefinedInteger4	
@I_vUserDefinedDollar1	
@I_vUserDefinedDollar2	
@I_vUserDefinedDollar3	
@I_vUserDefinedDollar4	
@I_vUserDefinedDate1	Valid dex date
@I_vUserDefinedDate2	Valid dex date
@I_vUserDefinedDate3	Valid dex date
@I_vUserDefinedDate4	Valid dex date
@I_vUserDefinedCB1	valid bool
@I_vUserDefinedCB2	valid bool
@I_vUserDefinedCB3	valid bool
@I_vUserDefinedCB4	valid bool
@I_vWSReservedCB1	valid bool
@I_vWSReservedCB2	valid bool
@I_vWSReservedCB3	valid bool
@I_vWSReservedCB4	valid bool
@I_vWSReservedCB5	valid bool
@I_vUpdateIfExists	

Parameter	Notes
@I_vWennSoftTablesOnly	
@I_vOnlyValidate	
@I_vUSRDEFND1	
@I_vUSRDEFND2	
@I_vUSRDEFND3	
@I_vUSRDEFND4	
@I_vUSRDEFND5	
@I_vReturnErrorText	
@O_iErrorState	
@oErrString	

Other notes:

- Needs to be updated to the newest template.
- Error codes need to be changed from TC error codes to Dev error codes.
- Should handle updates and creates.
- All datetimes are valid dex date/time.
- All tiny ints are valid bools.

Name: wsiWSTransactionLine

Parameter	Notes
@I_vWSJobNumber	Not required. Validate if supplied
@I_vBatchNumber	Not required. Validate if supplied
@I_vBatchSource	Not required. Validate if supplied
@I_vJournalEntry	Not required. Validate if supplied

Parameter	Notes
@l_vSequenceLine	Auto generate, increment by 500
@l_vProductIndicator	Validate: 1= Unbilled, 2=JC, or 3=SMS
@l_vAccountNumber	Optional. Validate lookup valid posting Account Index (GL00105)
@l_vAccountIndex	Validate, overrides Account Number. If PI = 1 then user must provide valid posting account (no unit accounts), if PI=2 or PI=3 then lookup account and this parameter and Account Number must be empty.
@l_vServiceCallID	Must be empty unless PI=3 then validate
@l_vWSProjectNumber	Remove. Lookup from job number if PI=JC
@l_vWSCostCodeNumber1	Validate if PI=2 otherwise must be empty
@l_vWSCostCodeNumber2	Validate if PI=2 otherwise must be empty
@l_vWSCostCodeNumber3	Validate if PI=2 otherwise must be empty
@l_vWSCostCodeNumber4	Validate if PI=2 otherwise must be empty
@l_vCostCodeDescription	Remove. Lookup
@l_vCostElement	Validate if PI=2 otherwise must be empty
@l_vWSCostCode	If PI=3 then 1-10, else must be empty
@l_vWSOtherCostSubCode	Research.
@l_vEquipmentID	If PI=3 validate, otherwise must be empty.
@l_vCreditAmount	
@l_vDebitAmount	
@l_vOriginatingCreditAmount	Force to match CR amount MC not supported

Parameter	Notes
@l_vOriginatingDebitAmount	Force to match DR amount MC not supported
@l_vDescription	If PI= 1 allow any description, otherwise default to normal GUI JC and GUI SMS, allow override.
@l_vProfitTypeNumber	Remove, lookup JC00701
@l_vProfitAmount	Remove, lookup
@l_vTRXQTY	Default to empty
@l_vPostingStatus	Remove
@l_vGLLINEMessages	Research
@l_vGLLINEMessages2	Research
@l_vGLLineValid	Research
@l_vAccountType	Remove, lookup
@l_vFixedOrVariable	Remove, lookup
@l_vBalanceForCalculation	Remove research?
@l_vPostingType	Remove, lookup
@l_vDecimalPlaces	Default to 2. MC not supported. Research may be tied to currency and could lookup based on the currency.
@l_vPurchaseOrderNumber	Default to empty
@l_vRatePerUnit	Default to empty
@l_vBillingAmount	Default to empty or if time allows: Use the SMS_GetOHAndBillingAmounts.sql to retrieve this value.
@l_vVendorID	Default to empty, validate

Parameter	Notes
@l_vEmployeeID	Default to empty, validate
@l_vItemNumber	Default to empty, validate
@l_vItemDescription	Default to empty, allow to override for non-IV parts
@l_vUserID	Default to header, allow to override.
@l_vWSTransactionDate	Lookup from header
@l_vOHAmount	Default to empty or if time allows: Use the SMS_GetOHAndBillingAmounts.sql to retrieve this value.
@l_vOHAccountNumberCR	Optional. Validate, lookup valid posting Account Index (GL00105)
@l_vOHAccountIndexCR	Default to empty. not supported
@l_vOHAccountNumberDR	Optional. Validate lookup posting Account Index (GL00105)
@l_vOHAccountIndexDR	Default to empty. not supported
@l_vDivisions	Remove, lookup
@l_vTRXHoursUnits	Default to empty.
@l_vPayrollPayType	Default to empty. not supported
@l_vPayRecord	Default to empty or if time allows: Validate this is valid for the employeeID.
@l_vPayRate	Default to empty. not supported
@l_vDepartment	Default to empty or if time allows: Validate this is valid for the employeeID.
@l_vJobTitle	Default to empty or if time allows: Validate this is valid for the employeeID.
@l_vPayRateAmount	Default to empty. not supported

Parameter	Notes
@l_vUPRTRXCode	Default to empty. not supported
@l_vUOfM	Default to empty. not supported
@l_vCurrencyID	Default to functional. not supported
@l_vCurrencyIndex	Default to functional. not supported
@l_vRateCalculationMethod	Default to empty. MC not supported
@l_vExchangeRate	Default to empty. MC not supported.
@l_vDenominationExchangeRate	Default to empty. MC not supported
@l_vIntercompanyID	Default to empty. Not supported for IC trx.
@l_vRateTypeID	Default to empty. MC not supported.
@l_vExchangeTableID	Default to empty. MC not supported.
@l_vExchangeDate	Default to empty. MC not supported.
@l_vPONumber	Default to empty. not supported
@l_vTime	Default to empty. not supported
@l_vLaborGroupName	Default to empty or if time allows: Check if company is using Overhead Amounts from Job Cost and look at the SV000123 and SV00122. See the guts of the SMS_GetOHAndBillngAmounts.sql for how this might be done.
@l_vPricingMatrixName	default to empty. not supported – ck with LZ
@l_vWennsoftAffiliate	Validate combination of Affiliate, Region, and Branch.
@l_vWennsoftRegion	Validate combination of Affiliate, Region, and Branch.
@l_vWennsoftBranch	Validate combination of Affiliate, Region, and Branch.

Parameter	Notes
@l_vSVLanguageID	Default to empty
@l_vTimeZone	Default to empty
@l_vUserDefine1	
@l_vUserDefine2	
@l_vUserDefined1	
@l_vUserDefined2	
@l_vUserDefinedInteger1	
@l_vUserDefinedInteger2	
@l_vUserDefinedInteger3	
@l_vUserDefinedInteger4	
@l_vUserDefinedDollar1	
@l_vUserDefinedDollar2	
@l_vUserDefinedDollar3	
@l_vUserDefinedDollar4	
@l_vUserDefinedDate1	Valid dex date
@l_vUserDefinedDate2	Valid dex date.
@l_vUserDefinedDate3	Valid dex date
@l_vUserDefinedDate4	Valid dex date
@l_vUserDefinedCB1	Valid bool

Parameter	Notes
@I_vUserDefinedCB2	Valid bool
@I_vUserDefinedCB3	Valid bool
@I_vUserDefinedCB4	Valid bool
@I_vWSReservedCB1	Valid bool
@I_vWSReservedCB2	Valid bool
@I_vWSReservedCB3	Valid bool
@I_vWSReservedCB4	Valid bool
@I_vWSReservedCB5	Valid bool
@I_vWSReservedSTR1	
@I_vWSReservedSTR2	
@I_vUpdateIfExists	
@I_vWennSoftTablesOnly	
@I_vOnlyValidate	
@I_vUSRDEFND1	
@I_vUSRDEFND2	
@I_vUSRDEFND3	
@I_vUSRDEFND4	
@I_vUSRDEFND5	
@I_vReturnErrorText	

Parameter	Notes
@O_iErrorState	
@oErrString	

Other notes:

- Needs to be updated to the newest template.
- Error codes need to be changed from TC error codes to Dev error codes.
- Should handle updates and creates.
- All datetimes are valid dex date/time.
- All tiny ints are valid bools.

wsiWSTransactionHeaderCreate

Table Name: WS10801

Other stored procedures called: wsiWSTransactionHeaderCreatePre, wsiWSTransactionHeaderCreatePost, taGLTransactionHeaderInsert

Description:

This procedure will insert new WS transaction header records into the WS10801 table.

Element Name	Data Type	Length	Required	Default	Description
@I_vBatchNumber	char	15	Yes		Validated
@I_vBatchSource	char	15	Yes	GL_Normal'	
@I_vJournalEntry	int	10	Yes		Validated
@I_vRecurringTRXSequence	numeric	19,5	No		
@I_vSourceDocument	char	11	No	GJ'	Validated
@I_vReference	char	31	No	None'	
@I_vTRXDate	datetime		Yes		Validated
@I_vReversingDate	datetime		No	1/1/1900'	
@I_vRecurringTRX	tinyint	3	No	0	

Element Name	Data Type	Length	Required	Default	Description
@l_vBalanceForCalculation	smallint	5	No	0	
@l_vLastUser	char	15	No	'	
@l_vLastDateEdited	datetime		No	1/1/1900'	
@l_vTransactionType	smallint	2	No	0	
@l_vSequenceLine	numeric	19,5	No	0	
@l_vGLHDRMessages	binary	4	No		
@l_vGLHDRMessages2	binary	4	No		
@l_vTRXSource	char	13	No	'	
@l_vOriginatingTRXType	smallint	5	No	0	
@l_vOriginatingControlNumber	char	21	No	'	
@l_vOriginatingMasterID	char	31	No	'	
@l_vOriginatingMasterName	char	65	No	'	
@l_vOriginatingDocumentNumber	char	21	No	'	
@l_vOriginatingPostedDate	datetime		No	1/1/1900'	
@l_vOriginatingTRXSOURCE	char	13	No	'	
@l_vCurrencyID	char	15	No	Z-US\$'	
@l_vClosedYear	smallint	5	No	0	

Element Name	Data Type	Length	Required	Default	Description
@l_vHistoryTRX	tinyint	3	No	0	
@l_vReversingPeriodID	smallint	5	No	0	
@l_vReversingYear	smallint	5	No	0	
@l_vReversingClosedYear	smallint	5	No	0	
@l_vReversingHistoryTRX	tinyint	3	No	0	
@l_vICTRX	tinyint	3	No	0	
@l_vUserDefine1	char	31	No	'	
@l_vUserDefine2	char	31	No	'	
@l_vUserDefined1	char	21	No	'	
@l_vUserDefined2	char	21	No	'	
@l_vUserDefinedInteger1	int	10	No	0	
@l_vUserDefinedInteger2	int	10	No	0	
@l_vUserDefinedInteger3	int	10	No	0	
@l_vUserDefinedInteger4	int	10	No	0	
@l_vUserDefinedDollar1	numeric	19,5	No	0	
@l_vUserDefinedDollar2	numeric	19,5	No	0	
@l_vUserDefinedDollar3	numeric	19,5	No	0	

Element Name	Data Type	Length	Required	Default	Description
@l_vUserDefinedDollar4	numeric	19,5	No	0	
@l_vUserDefinedDate1	datetime		No	1/1/1900'	
@l_vUserDefinedDate2	datetime		No	1/1/1900'	
@l_vUserDefinedDate3	datetime		No	1/1/1900'	
@l_vUserDefinedDate4	datetime		No	1/1/1900'	
@l_vUserDefinedCB1	tinyint	3	No	0	
@l_vUserDefinedCB2	tinyint	3	No	0	
@l_vUserDefinedCB3	tinyint	3	No	0	
@l_vUserDefinedCB4	tinyint	3	No	0	
@l_vWSReservedCB1	tinyint	3	No	0	
@l_vWSReservedCB2	tinyint	3	No	0	
@l_vWSReservedCB3	tinyint	3	No	0	
@l_vWSReservedCB4	tinyint	3	No	0	
@l_vWSReservedCB5	tinyint	3	No	0	
@l_vWennSoftTablesOnly	tinyint	3	No	0	
@l_vOnlyValidate	tinyint	3	No	0	
@l_vUSRDEFND1	char	50	No	'	
@l_vUSRDEFND2	char	50	No	'	
@l_vUSRDEFND3	char	50	No	'	

Element Name	Data Type	Length	Required	Default	Description
@I_vUSRDEFND4	varchar	8000	No	'	
@I_vUSRDEFND5	varchar	8000	No	'	
@I_vReturnErrorText	tinyint	1	No	1	
@O_iErrorState	int	10	No	0	
@oErrString	varchar	255	No	'	

wsiWSTransactionLineCreate

Table Name: WS10802

Other stored procedures called: wsiWSTransactionLineCreatePre, wsiWSTransactionLineCreatePost, taGLTransactionLineInsert

Description:

This procedure allows the insert of new transaction records into the WS10802 table and calls the taGLTransactionLineInsert procedure. The [wsiWSTransactionHeaderCreate \(page 304\)](#) procedure should be run prior to this procedure as validation and field values are dependent on header values during this process.

Element Name	Data Type	Length	Required	Default	Description
@I_vWSJobNumber	char	17	No	'	Required and validated for Job Cost
@I_vJournalEntry	int	10	Yes		Validated - WS10801
@I_vProductIndicator	smallint	5	Yes		Must be 1 Unbilled, 2 Job Cost, or 3 Service
.@I_vAccountNumber	char	200	No	'	Auto set for Service, Auto set for JC if using divisional posting accounts, else must provide acct number or acct index
@I_vAccountIndex	int	10	No	0	Auto set for Service, Auto set for JC if using divisional posting accts, else must

Element Name	Data Type	Length	Required	Default	Description
					provide acct number or acct index
@l_vServiceCallID	char	17	No	'	Required and validated for Service
@l_vWSCostCode Number1	char	7	No	'	Validated - Job Cost JC00701
@l_vWSCostCode Number2	char	7	No	'	Validated - Job Cost JC00701
@l_vWSCostCode Number3	char	7	No	'	Validated - Job Cost JC00701
@l_vWSCostCode Number4	char	7	No	'	Validated - Job Cost JC00701
@l_vCostElement	smallint	5	No	0	Validated - Job Cost
@l_vWSCostCode	int	10	No	0	Validated - Service
@l_vWSOtherCost SubCode	int	10	No	0	Validated - Service SV00145
@l_vEquipmentID	char	31	No	'	Validated - Service SV00400, SV00300
@l_vCreditAmount	numeric	19,5	No	0	Validated against both credit and debit being non zero
@l_vDebitAmount	numeric	19,5	No	0	Validated against both credit and debit being non zero
@l_vOriginatingCreditAmount	numeric	19,5	No	set to Credit Amount	set to Credit Amount
@l_vOriginatingDebitAmount	numeric	19,5	No	set to Debit Amount	set to Debit Amount

Element Name	Data Type	Length	Required	Default	Description
@l_vDescription	char	31	No	JC - 'Job ' + job number + cost element	Service - set to 'Service ' + service call Id + cost code
@l_vTRXQTY	numeric	19,5	No	0	
@l_vGLLINEMessages	binary	4	No		
@l_vGLLINEMessages2	binary	4	No		
@l_vGLLineValid	binary	4	No		
@l_vFixedOrVariable	smallint	5	No	Set to 0	Set to 0
@l_vBalanceForCalculation	smallint	5	No	Set to 0	Set to 0
@l_vPostingType	smallint	5	No	0 or 1 for Service	
@l_vDecimalPlaces	smallint	5	No	2	Set to 2
@l_vPurchaseOrderNumber	char	21	No	'	
@l_vRatePerUnit	numeric	19,5	No	0	
@l_vBillingAmount	numeric	19,5	No	0	
@l_vVendorID	char	15	No	'	Validated - PM00200
@l_vEmployeeID	char	15	No	'	Validated - UPR00100
@l_vItemNumber	char	31	No	'	

Element Name	Data Type	Length	Required	Default	Description
@l_vItemDescription	char	101	No	'	
@l_vUserID	char	15	No	'	
@l_vOHAmount	numeric	19,5	No	0	
@l_vOHAccountIndexCR	int	10	No	0	
@l_vOHAccountIndexDR	int	10	No	0	
@l_vTRXHoursUnits	int	10	No	0	
@l_vPayrollPayType	smallint	5	No	0	
@l_vPayRecord	char	7	No	'	
@l_vPayRate	numeric	19,5	No	0	
@l_vDepartment	char	7	No	'	
@l_vJobTitle	char	7	No	'	
@l_vPayRateAmount	numeric	19,5	No	0	
@l_vUPRTRXCode	char	7	No	'	
@l_vUOfM	char	9	No	'	
@l_vCurrencyID	char	15	No	FUNLCURR from MC40000	
@l_vCurrencyIndex	smallint	5	No	Set to 1007	Set to 1007

Element Name	Data Type	Length	Required	Default	Description
@l_vRateCalculationMethod	smallint	5	No	0	
@l_vExchangeRate	numeric	19,7	No	0	
@l_vDenominationExchangeRate	numeric	19,7	No	0	
@l_vIntercompanyID	char	5	No	'	SELECT DB_NAME()
@l_vRateTypeID	char	15	No	'	
@l_vExchangeTableID	char	15	No	'	
@l_vExchangeDate	datetime		No	1/1/1900'	
@l_vPONumber	char	17	No	'	
@l_vTime	datetime		No	1/1/1900'	
@l_vLaborGroupName	char	15	No	'	
@l_vPricingMatrixName	char	15	No	'	set for service from SV00200
@l_vWennsoftAffiliate	char	15	No	'	Validated - sv00015
@l_vWennsoftRegion	char	15	No	'	Validated - sv00015
@l_vWennsoftBranch	char	15	No	'	Validated - sv00015
@l_vSVLanguageID	smallint	5	No	0	

Element Name	Data Type	Length	Required	Default	Description
@l_vTimeZone	char	3	No	'	
@l_vUserDefine1	char	31	No	'	
@l_vUserDefine2	char	31	No	'	
@l_vUserDefined1	char	21	No	'	
@l_vUserDefined2	char	21	No	'	
@l_vUserDefinedIn teger1	int	10	No	0	
@l_vUserDefinedIn teger2	int	10	No	0	
@l_vUserDefinedIn teger3	int	10	No	0	
@l_vUserDefinedIn teger4	int	10	No	0	
@l_vUserDefinedD ollar1	numeric	19,5	No	0	
@l_vUserDefinedD ollar2	numeric	19,5	No	0	
@l_vUserDefinedD ollar3	numeric	19,5	No	0	
@l_vUserDefinedD ollar4	numeric	19,5	No	0	
@l_vUserDefinedD ate1	datetime		No	1/1/1900'	
@l_vUserDefinedD ate2	datetime		No	1/1/1900'	

Element Name	Data Type	Length	Required	Default	Description
@l_vUserDefinedDate3	datetime		No	1/1/1900'	
@l_vUserDefinedDate4	datetime		No	1/1/1900'	
@l_vUserDefinedCB1	tinyint	3	No	0	
@l_vUserDefinedCB2	tinyint	3	No	0	
@l_vUserDefinedCB3	tinyint	3	No	0	
@l_vUserDefinedCB4	tinyint	3	No	0	
@l_vWSReservedCB1	tinyint	3	No	0	
@l_vWSReservedCB2	tinyint	3	No	0	
@l_vWSReservedCB3	tinyint	3	No	0	
@l_vWSReservedCB4	tinyint	3	No	0	
@l_vWSReservedCB5	tinyint	3	No	0	
@l_vWSReservedSTR1	char	11	No	'	
@l_vWSReservedSTR2	char	11	No	'	
@l_vWennSoftTablesOnly	tinyint	3	Yes	0	

Element Name	Data Type	Length	Required	Default	Description
@l_vOnlyValidate	tinyint	3	Yes	0	
@l_vUSRDEFND1	char	50	No	'	
@l_vUSRDEFND2	char	50	No	'	
@l_vUSRDEFND3	char	50	No	'	
@l_vUSRDEFND4	varchar	8000	No	'	
@l_vUSRDEFND5	varchar	8000	No	'	
@l_vReturnErrorText	tinyint	1	No	1	
@o_iErrorState	int	10	No	0	
@oErrString	varchar	255	No		

Contact Information

Support and Sales	
Support	<p>Phone: 262-317-3800 Email: support@Key2Act.com²</p> <p>Hours: Normal support hours are 7:00 a.m. to 6:00 p.m. Central Time. After-hours and weekend support is available for an additional charge. Please contact Key2Act Support for additional information.</p> <p>Key2Act will be closed in observance of the following holidays: New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day, Day after Thanksgiving, and Christmas Day.</p>
Support Plans	<p>We're committed to providing the service you need to solve your problems and help your team maximize productivity.</p> <p>We offer several Signature Enhancement and Support Plans to meet your needs and Extended Support Plans for retired product versions available at http://www.key2act.com/customer-portal/help.</p>
Sales	<p>Phone: 262-317-3700 Fax: 262-317-3701</p>
Key2Act Headquarters	
	<p>Address: Key2Act 1970 S. Calhoun Rd. New Berlin, WI 53151-1187</p> <p>Phone: 262-821-4100 or 866-Key2Act (866-539-2228) Email: info@Key2Act.com³ Website: www.Key2Act.com⁴ Office hours: Monday through Friday from 8 a.m. to 5 p.m. Central Time.</p>

² <mailto:support@key2act.com>

³ <mailto:info@Key2Act.com>

⁴ <http://www.key2act.com>